S1565-2-4

VITAL STATISTICS
OF THE
DISTRICT OF COLUMBIA
1986

PETER G. PARHAM
DIRECTOR
DEPARTMENT OF HUMAN
SERVICES

CARL W. WILSON
DIRECTOR
OFFICE OF POLICY AND
PLANNING

MARION BARRY, JR.
MAYOR
DISTRICT OF COLUMBIA

P R E F A C E

Annual vital statistics for the District of Columbia are available for all years beginning with 1940. Data for the years 1940-1953 were provided by the National Office of Vital Statistics, Public Health Service, Department of Health, Education and Welfare. Beginning in 1954 the District of Columbia Department of Public Health, succeeded by the Department of Human Services, has been the source of data.

These statistics serve as an integral part of the Department's initiative to reduce the infant mortality rate and generally promote the health of the citizens of the District of Columbia.

CONTENTS

Source of data.....
Registration completeness.....
Calculation of rates.....
Availability of additional data.....
Definitions.....
Acknowledgements.....
Symbols used in tables.....
Narrative.....

TEXT TABLES

General fertility rate, age specific live birth rates, District of Columbia and United States, 1981-1986.....

Age specific live birth rates, District of Columbia, 1981-1986.....

Causes of death and death rates, United States and District of Columbia, 1986.....

Table A.--Live births by weeks pregnant at first prenatal visit and marital status of mother, 1986.....

Table B.--Birthweight 2500 grams or less by marital status and race, 1986.....

Table C.--Gestation age at time of delivery by age of mother, 1986.....

Table D.--Cesarean deliveries, 1980 and 1986.....

Table E.--Cesarean deliveries by birth weight, 1980, 1985 and 1986.....

Table F.--Births, infant deaths and infant death rates by race, 1980-1986.....

Table G.--Death by suicide, by race and sex, 1980-1986.....

TABLES

Table

1.--Resident live births and birth rates by race and sex: District of Columbia, 1971-1986.....

2.--Out-of-wedlock births by race: District of Columbia residents, 1971-1986.....

3.--Incidence of low birth weight by race: District of Columbia residents, 1971-1986..

4.--Births by adolescent mothers by race: District of Columbia 1971-1986.....

5.--Deaths and death rates by race: District of Columbia residents, 1971-1986.....

6.--Infant and neonatal deaths and death rates by race: District of Columbia residents, 1971-1986.....

7.--Three year moving average of infant mortality rates by age at death: District of Columbia, 1971-1973 to 1984-1986.....

8.--Fetal deaths and death rates by race: District of Columbia residents, 1971-1986...

9.--Perinatal deaths and death rates by race: District of Columbia residents, 1971-1986.....

10.--Maternal mortality: District of Columbia residents, 1971-1986.....

11.--Resident infant deaths and death rates by age: District of Columbia, 1981-1986....

12.--Number of resident infant deaths by ward, race and age at death: District of Columbia, 1986.....

13.--Resident infant mortality rates by ward, race and age at death: District of Columbia, 1986.....

14.--Live births, out-of-wedlock births, infant deaths, fetal deaths, total deaths, by place of occurrence and residence: District of Columbia, 1986.....

15.--Recorded events, and resident events in other states: District of Columbia residents, 1971-1986.....

16.--Recorded number of live births, deaths, infant deaths and fetal deaths by race: District of Columbia, 1976-1986.....

17a.-Total live births by live-birth order, age of mother, all races: District of Columbia, 1986.....

17b.-Single live births by live-birth order, age of mother, all races: District of Columbia, 1986.....

17c.-Plural live births by live-birth order, age of mother, all races: District of Columbia, 1986.....

18a.-Live births by live-birth order and age of mother, black residents: District of Columbia, 1986.....

18b.-Live births by live-birth order and age of mother, white residents: District of Columbia, 1986.....

19a.-Live births by ward and age of mother, all residents: District of Columbia, 1986..

19b.-Live births by ward and age of mother, black residents: District of Columbia, 1986.....

19c.-Live births by ward and age of mother, white residents: District of Columbia, 1986.....

20a.-Number and percent distribution of resident live births, and births with selected characteristics (out-of-wedlock, premature, immature and with inadequate prenatal care) by race and ward; all races: District of Columbia, 1986.....

20b.-Number and percent distribution of resident live births, and births with selected characteristics (out-of-wedlock, premature, immature and with inadequate prenatal care) by race and ward; black births: District of Columbia, 1986.....

20c.-Number and percent distribution of resident live births, and births with selected characteristics (out-of-wedlock, premature, immature and with inadequate prenatal care) by race and ward; white births: District of Columbia, 1986.....

21a.-Resident deaths by 20 leading causes by race and sex: District of Columbia, 1986..

21b.-Resident crude death rates by race and sex: District of Columbia, 1986.....

22.--Principal causes of death of residents by age group and sex with rates: District of Columbia, 1986.....

23.--Number of resident deaths and crude and age-adjusted death rates by age, race and sex: District of Columbia, 1986.....

24.--Deaths from 72 selected causes by age, race and sex: District of Columbia, 1986...

24a.-Resident deaths for 20 leading causes by race and ward; all races: District of Columbia, 1986.....

25b.-Resident deaths for 20 leading causes by race and ward; black residents: District of Columbia, 1986.....

25c.-Resident deaths for 20 leading causes by race and ward; white residents: District of Columbia, 1986.....

26.--Resident infant deaths by cause and age: District of Columbia, 1986.....

27.--Resident infant deaths by cause: District of Columbia, 1984-1986.....

28.--Resident live births, out-of-wedlock births, births with no prenatal care, immature births, total deaths and infant deaths by census tract: District of Columbia, 1986.....

29.--Recorded deaths from accidental causes by age and type of accident: District of Columbia, 1986.....

30.--Estimated population by age, race, and sex: District of Columbia, July 1, 1986....

31.--Marriages by month of marriage: District of Columbia, 1986.....

32.--Marriages by age of groom by age of bride: District of Columbia, 1986.....

33.--Marriages by marital status of groom by marital status of bride: District of Columbia, 1986.....

34.--Marriages by age of groom by marital status of groom: District of Columbia, 1986..

35.--Marriages by age of bride by marital status of bride: District of Columbia, 1986..

36.--Divorces and divorce rates: District of Columbia, 1976, 1981-1986.....

37.--Divorces by duration of marriage: District of Columbia, 1986.....

38.--Divorces by number of children affected under 18 years of age: District of Columbia, 1986.....

39.--Divorces by age of wife by age of husband: District of Columbia, 1986.....

40.--Age of husband by marriage number: District of Columbia, 1986.....

41.--Age of wife by marriage number: District of Columbia,1986.....

42.--Divorces by duration of marriage by marriage number of husband: District of Columbia, 1986.....

43.--Divorces by duration of marriage by marriage number of wife: District of Columbia, 1986.....

VITAL STATISTICS SUMMARY

1986

INTRODUCTION

This annual report contains information on vital events (live births, deaths, fetal deaths, marriages and divorces) for the District of Columbia in calendar year 1986 and selected earlier years. The report also includes data on nonresident births and deaths occurring in the District of Columbia. However, the emphasis is placed on these events occurring to District of Columbia residents. The purpose of this report is to present information in a structured fashion which can be used as a basis for health and social policy decisions, for health planning and for the generation of questions for health and epidemiologic research. This report is further intended to provide District of Columbia governmental agencies, businesses, universities, nonprofit organizations and citizens with information on vital events.

SOURCE OF DATA. Vital statistics are derived entirely from live birth, death, fetal death, marriage and divorce certificates. All live births and deaths occurring within the District are registered with the Vital Records Branch, Research and Statistics Division, Department of Human Services, as are known fetal deaths of 20 weeks or more gestation. Vital events for District residents occurring in other states are registered in those states and copies are sent to the Vital Records Branch through a nationwide interchange system. Marriage and divorce certificates are received from the District of Columbia Superior Court and are registered with the Vital Records Branch.

The statistics for 1986 cover all 1986 events for which certificates were filed or transcripts received from other states before May 15, 1987. The number of certificates excluded for 1986 or any other year because of late filing is considered negligible for statistical purposes.

REGISTRATION COMPLETENESS. The registration of live births and deaths in the District of Columbia is considered to be virtually complete. The degree of reporting and completeness for fetal deaths is not known because the D.C. law requires reporting only for 20 weeks or over gestation. Since the gestation period cannot always be calculated exactly, some reportable fetal deaths are probably not reported. It is always possible that some of those which are reported are actually of less than 20 weeks gestation.

CALCULATION OF RATES. Death, birth and fertility rates are based on the enumerated population as of April 1 for census years, and on the estimated population as of July 1 for all other years. These rates are expressed per 1,000 population except for death rates by cause of death, which are per 100,000 population. Rates are per 1,000 live births for infant deaths, per 10,000 live births for maternal deaths and per 1,000 deliveries (live births plus fetal deaths) for fetal deaths and perinatal deaths. Comparability of trend data for birth and death rates is limited by the difficulties in preparing reliable estimates of population for intercensal years.

AVAILABILITY OF ADDITIONAL DATA. More detailed information on vital events for 1986 or prior years is available on request from the chief, Research and Statistics Division, Department of Human Services, 425 I Street, N.W., Washington, D.C. 20001.

DEFINITIONS. Terms used in this report are defined as follows:

Residence is defined as that of the deceased for a death and as that of the mother for a birth or fetal death. Deaths and births in institutions located in the District are allocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted. Most tables refer to resident events which include birth and death certificates received for residents of the city irrespective of where the event occurred. The tables referring to recorded events include births and deaths which occurred in the District of Columbia irrespective of the place of residence given on the certificates.

A live birth is defined as the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

An immature birth is one for which the birth weight is 2,500 grams or less (5 pounds, 8 ounces or less), regardless of the period of gestation.

A premature birth is one which occurred prior to 37 weeks gestation.

A out-of-wedlock birth is one which occurred to a mother who was separated from spouse or not married at the time of birth and had not been living with spouse or married any time during the preceding 10 months.

A fetal death is defined as death, prior to the complete expulsion or extraction from its mother, of a product of human conception of 20 weeks or more duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus never breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movements of voluntary muscles.

A infant death is the death of a child under one year of age.

A neonatal death is the death of a child under 28 days of age.

The underlying causes of death, by which all deaths are classified, may be defined as the disease or injury which initiated the train of morbid events leading directly to death, or the circumstances of the accident or violence which produced the fatal injury 1/. It is the responsibility of the certifying physician or medical examiner to indicate the underlying cause, and it is the responsibility of the Research and Statistics Division to assign the proper code number so that deaths may be classified by cause. Starting with the 1979 report, causes of death have been coded under the provisions of the "Ninth Revision International Classification of Diseases", adapted for use in the United States (ICDA).

Leading Causes of Death: Cause-of-death ranking is based on the list of 72 Selected Causes of Death, adapted from one of the special lists for mortality tabulations recommended by the World Health Organization for use with the Ninth Revision of the International Classification of Diseases. Two group titles - Major cardiovascular diseases and symptoms and ill-defined conditions - are not ranked.

Race: When the word "black" is used in this report, either in tables or text, it means "black and other non-white races". The 1980 census found that approximately three percent of the total population was neither black or white.

1/Manual of the International Statistical Classification of Disease, Injuries, and Cause of Death, Seventh Revision, 1955, Volume 1, page 357.

Rates used in this report are defined as outlined below:

Birth Rate	Live births / Estimated mid-year population	X 1,000
Out-of-wedlock ratio	Out-of-wedlock births / Number of live births	1,000
Age-specific rate	Live births to women in specific age group / Estimated mid-year female population in that age group	X 1,000
Fertility rate	Live births / Estimated mid-year female population 15-44 years old	X 1,000
Death rate	Deaths / Estimated mid-year population	X 1,000 (or 100,000) as specified
Age-specific death rate	Deaths in specific age group / Estimated mid-year population in that age group	X 100,000
Infant death rate	Deaths under one year of age / Total number of live births	X 1,000
Neonatal death rate	Deaths under 28 days of age / Total number of live births	X 1,000
Fetal death rate	Fetal deaths (gestation 20 weeks or over) / Live births plus fetal deaths	X 1,000
Maternal death rate	Deaths due to complications of pregnancy, childbirth and puerperium / Total number of live births	X 10,000
Perinatal death rate	Neonatal deaths plus fetal deaths / Live births plus fetal deaths	X 1,000

ACKNOWLEDGEMENTS

The 1986 Vital Statistics Summary is the result of the combined efforts of the data providers, including hospital personnel, physicians and funeral directors and Department of Human Services' personnel.

Research and Statistics Division staff contributing significantly to the preparation of the 1986 summary include:

Claudia Higgins, table preparation
Corine Miles, Margaret Spencer and Gloria Coleman, data reduction and coding
Dorothy Ricks, secretary, typing
John Crandall, registrar, Vital Records Branch and his staff for the registration of all vital events occurring in the District of Columbia

Publication of this summary is made possible through the joint efforts of other units within the Department of Human Services, Special acknowledgement is made to:

James E. Gladden and Henry Marshall, Audiovisual and Printing Services Division
Office of Information Systems staff, Frederick Senior, chief

The 1986 Vital Statistics Summary has been compiled and produced under the general supervision of Grover Chamberlain, chief, Research and Statistics Division.

SYMBOLS USED IN TABLES

Data Not Available	---
Not Applicable	...
Quantity Zero	-
Quantity More Than 0 But Less Than 0.05	0.0

General

There were 10,043 live births to District of Columbia residents in 1986. This was the largest number of births since 1973 and, also, the sixth year of successive annual increases. The crude birth rate, 16.0 resident live births per 1,000 residents, was about the same as in 1985 and, also, about the same as the rate Nationally. The fertility rate was 59.2 live births per 1,000 women aged 15-44 years.

In 1986, there were 7,253 District resident deaths, an increase of 4.8 percent compared with the 6,921 deaths in 1985. The crude death rate per 1,000 residents was 11.5, up slightly from the 11.0 calculated for 1985 deaths. The District rate was much higher than the rate Nationally which was about 8.7 per 1,000 residents. The two leading causes of death were diseases of the heart and cancer, accounting for 53 percent of the deaths.

Weeks Pregnant at First Prenatal Care Visit

Over 63 percent of the mothers delivering low birthweight babies made their first prenatal care visit when less than 14 weeks pregnant. This percentage was just slightly higher than for the mothers delivering normal weight babies (Table A). However, there were wide differences between married and unmarried mothers. Almost three-fourths of the married mothers delivering low and normal weight babies made their first prenatal care visit when less than 14 weeks pregnant. On the other hand, only 59 percent of the unmarried mothers delivering low weight babies and 52 percent delivering normal weight babies made their first prenatal care visit at less than 14 weeks into their pregnancy.

GENERAL FERTILITY RATE, AGE-SPECIFIC LIVE BIRTH RATES,
DISTRICT OF COLUMBIA AND UNITED STATES
1981-1986

Year	General fertility rate a/	Age-specific birth rate b/ by age of mother							
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and over
DISTRICT OF COLUMBIA									
1986	59.2	4.0	74.4	89.1	69.9	58.3	33.2	6.6	0.3
1985	58.0	3.5	76.6	84.7	66.6	56.6	32.8	5.8	0.3
1984	55.9	2.9	74.6	81.8	63.3	53.6	30.4	5.7	0.2
1983	55.7	2.8	71.5	76.3	62.6	52.3	28.9	5.2	0.3
1982	55.2	3.4	71.4	74.4	62.5	54.8	28.1	5.4	0.4
1981	54.9	3.3	68.9	74.8	64.1	52.3	24.6	5.0	0.3
UNITED STATES c/									
1986	65.4	1.3	50.6	108.2	109.2	69.3	24.3	4.1	0.2
1985	66.2	1.2	51.3	108.9	110.5	68.5	23.9	4.0	0.2
1984	65.4	1.2	50.9	107.3	108.3	66.5	22.8	3.9	0.2
1983	65.8	1.1	51.7	108.3	108.7	64.6	22.1	3.8	0.2
1982	67.3	1.1	52.9	111.3	111.0	64.2	21.1	3.9	0.2
1981	67.4	1.1	52.7	111.8	112.0	61.4	20.0	3.8	0.2

a/Number of live births, regardless of age of mother, per 1,000 women of childbearing age (15-44 years).

b/Number of live births per 1,000 women in a specific age group. For women under 15 years, the rate is calculated using the female population 10-14 years of age, and for women over 44 years, using the female population 45-49 years of age.

c/Monthly Vital Statistics Report, National Center for Health Statistics, Vol. 37, No. 3, page 17, July 12, 1988.

AGE SPECIFIC LIVE BIRTH RATES*, DISTRICT OF COLUMBIA, 1981-1986

Age of mother (in years)	1986			1985		
	Births	Population	Rate	Births	Population	Rate
<15	74	18,500	4.0	63	18,100	3.5
15-19	1,636	22,000	74.4	1,685	22,000	76.6
20-24	2,922	32,800	89.1	2,873	33,900	84.7
25-29	2,585	37,000	69.9	2,438	36,600	66.6
30-34	1,795	30,800	58.3	1,807	31,900	56.6
35-39	881	26,500	33.2	840	25,600	32.8
40-44	136	20,500	6.6	114	19,800	5.8
45+	5	16,600	0.3	5	15,900	0.3
	1984			1983		
<15	54	18,600	2.9	54	19,500	2.8
15-19	1,693	22,700	74.6	1,715	24,000	71.5
20-24	2,870	35,100	81.8	2,800	36,700	76.3
25-29	2,362	37,300	63.3	2,328	37,200	62.6
30-34	1,682	31,400	53.6	1,617	30,900	52.3
35-39	756	24,900	30.4	681	23,600	28.9
40-44	111	19,400	5.7	97	18,700	5.2
45+	3	15,200	0.2	4	15,100	0.3
	1982			1981		
<15	66	19,700	3.4	66	19,800	3.3
15-19	1,777	24,900	71.4	1,880	27,300	68.9
20-24	2,820	37,900	74.4	2,864	38,300	74.8
25-29	2,338	37,400	62.5	2,306	36,000	64.1
30-34	1,644	30,000	54.8	1,595	30,500	52.3
35-39	620	22,100	28.1	512	20,800	24.6
40-44	96	17,700	5.4	86	17,200	5.0
45+	6	15,600	0.4	5	15,700	0.3

*Rates per 1,000 women in specific age groups.

CAUSES OF DEATH AND DEATH RATES, UNITED STATES AND DISTRICT OF COLUMBIA, 1986

Cause of death	Death rate a/	
	District of Columbia	United States b/
All causes	1154.0	873.2
Diseases of heart	347.0	317.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	258.4	194.7
Cerebrovascular diseases	64.1	62.1
Accidents and adverse effects	33.6	39.5
Chronic obstructive pulmonary diseases and allied conditions	23.9	31.8
Pneumonia and influenza	37.7	29.0
Diabetes mellitus	21.3	15.4
Suicide	13.7	12.8
Chronic liver disease and cirrhosis	33.6	10.9
Atherosclerosis	9.2	9.4
Nephritis, nephrotic syndrome and nephrosis	14.5	9.0
Homicide and legal intervention	28.3	9.0
Certain conditions originating in the perinatal period	17.3	7.6
Septicemia	23.5	7.8
Congenital anomalies	4.8	5.2

a/Rate per 100,000 population.

b/Monthly Vital Statistics Report, National Center for Health Statistics, Vol. 37, No. 6, page 16-18, September 30, 1988.

Table A.--LIVE BIRTHS BY WEEKS PREGNANT AT FIRST PRENATAL VISIT AND MARITAL STATUS OF MOTHER, 1986

Weeks pregnant	Number								
	All births	All births		Married		Not married		Other	
		LBW	Other	LBW	Other	LBW	Other	LBW	Other
Total.....	10,043	1,227	8,816	378	3,881	849	4,917	-	18
< 14.....	5,942	780	5,479	280	2,908	500	2,559	-	12
14-27.....	2,957	355	2,602	71	798	284	1,799	-	5
28-39.....	752	80	672	26	145	54	526	-	1
40 +.....	11	-	11	-	3	-	8	-	-
Other.....	381	12	52	1	27	11	25	-	-
	Percent								
Total.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-	100.0
< 14.....	59.2	63.6	62.1	74.0	74.9	58.9	52.0	-	66.7
14-27.....	29.4	28.9	29.5	18.8	20.6	33.5	36.6	-	27.8
28-39.....	7.5	6.5	7.6	6.9	3.7	6.4	10.7	-	5.6
40 +.....	0.1	-	0.1	-	0.1	-	0.2	-	-
Other.....	3.8	1.0	0.6	0.3	0.7	1.3	0.5	-	-

NOTE: LBW = Low Birth Weight

Low birth weight

For both black and white births there were higher proportions of low birth weight births among unmarried mothers than among married mothers. Overall, about 15 percent of the unmarried mothers had low weight babies compared to 9 percent for married mothers.

The percentage of black mothers, both married and unmarried, delivering low weight babies was more than double that for white mothers.

Table B.--BIRTHWEIGHT 2500 GRAMS OR LESS BY MARITAL STATUS AND RACE, 1986

Race	Married			Not married		
	All births	2500 gms or less		All births	2500 gms or less	
		Number	Percent		Number	Percent
Total.....	4,259	378	8.9	5,766	848	14.7
White.....	1,446	68	4.7	241	17	7.1
Black.....	2,505	294	11.7	5,344	825	15.4
Other.....	308	16	5.2	181	6	3.3

NOTE: Excludes births to mothers of unknown marital status.

As can be seen below, mothers under 20 years of age accounted for a larger percentage of premature deliveries than deliveries of 37 weeks or over gestation. Also, almost 21 percent of the births to these youngest mothers were premature compared to 16 percent for older mothers.

There was little difference in the percentages for males and females for the two groups, i.e., under 37 weeks and 37 weeks or over. Teenagers did, however, deliver a larger number of male babies than female babies prematurely.

Table C.--GESTATION AGE AT TIME OF DELIVERY
BY AGE OF MOTHER, 1986

Age of mother (in years)	NUMBER					
	Under 37 weeks			37 weeks and over		
	Total	Male	Female	Total	Male	Female
Total.....	1,676	849	827	8,367	4,140	4,227
Under 20.....	357	189	168	1,353	663	690
Other.....	1,319	660	659	7,014	3,477	3,537
	PERCENT					
Total.....	100.0	100.0	100.0	100.0	100.0	100.0
Under 20.....	21.3	22.3	20.3	16.2	16.0	16.3
Other.....	78.7	77.7	79.7	83.8	84.0	83.7

CESAREAN DELIVERIES

In keeping with the trend Nationally, the proportion of births delivered by cesarean section in the District is rising. For the United States the percentage of cesarean deliveries in 1980 was 16.5 and in 1986 it was 24.1. In the District the 1980 percentage was 23.3 percent and in 1986 it was 30.1. The increase from 1980 to 1986 for the United States was greater than the increase from 1980 to 1986 for the District, however, the proportions in both years were larger in the District.

Women 35 years and older delivered a larger percentage of their births by cesarean section than any other age group (37.4 percent). Indeed, the younger the mother the lower the proportion of cesarean deliveries (Table D).

Table D.--CESAREAN DELIVERIES, 1980 AND 1986

Age of mother (in years)	1986	1980
Total.....	30.1	23.3
< 20.....	23.5	19.4
20-24.....	28.3	22.0
25-29.....	31.3	24.2
30-34.....	33.0	26.7
35 and over....	37.4	31.1
Total.....	3,016 a/	2,159
< 20.....	401	374
20-24.....	828	651
25-29.....	809	552
30-34.....	591	399
35 and over....	387	183

a/Excludes six cesarean deliveries for which age of mother was unknown.

The increase in 1986 over 1985 in the percentage of cesarean deliveries among low birth weight babies was due to both an increase in cesarean deliveries and a decrease in the number of babies of low birth weight. As can be seen in Table E, the percentage of cesarean deliveries among both low birth weight babies and normal weight births is increasing. However, normal weight cesareans outnumber low weight cesareans 6 to 1.

Table E.--CESAREAN DELIVERIES BY BIRTH WEIGHT, 1980, 1985 AND 1986

Year	Deliveries under 2501 gms			Deliveries 2501 gms and over		
	All deliveries	Cesarean section	Percent of all deliveries	All deliveries	Cesarean section	Percent of all deliveries
1986..	1,228	441	35.9	8,795	2,575	29.3
1985..	1,295	419	32.4	8,532	2,264	26.5
1980..	1,214	359	29.6	8,023	1,800	22.4

NOTE: Excludes births of unknown birthweight.

INFANT MORTALITY

The infant mortality rate for black infants decreased again in 1986 for the second consecutive year. The rate for white infants, on the other hand, increased for the second consecutive year. Overall, the 1986 infant mortality rate(21.0) was up slightly over the 1985 rate (20.7) (Table F).

Table F.--BIRTHS, INFANT DEATHS AND INFANT DEATH RATES BY RACE, 1980-1986

Year	Births			Infant deaths					
	Total	Black	White	Total		Black		White	
				Number	Rate*	Number	Rate*	Number	Rate*
1986..	10,043	8,355	1,688	211	21.0	189	22.6	22	13.0
1985..	9,840	8,136	1,704	204	20.7	186	22.9	18	10.6
1984..	9,549	7,888	1,661	202	21.2	189	24.0	13	7.8
1983..	9,524	7,896	1,628	173	18.2	159	20.1	14	8.6
1982..	9,378	7,710	1,668	190	20.3	180	23.3	10	6.0
1981..	9,332	7,749	1,583	211	22.6	196	25.3	15	9.5
1980..	9,257	7,884	1,373	228	24.6	210	26.6	18	13.1

*Rate per 1,000 live births.

The number of infant deaths, as well as the number of births, among District of Columbia residents is increasing. The number of infant deaths has been increasing annually since 1983. Most of the infant deaths occur in the neonatal period (under 28 days). In fact, in 1986 almost 45 percent (94) occurred in less than 24 hours. This means, of course, that most infant deaths occur in the hospital.

The leading cause of death among infants is "disorders relating to short gestation and unspecified low birth weight". In 1986, over 20 percent of the deaths received this diagnosis. Respiratory conditions and sudden infant death syndrome are other leading causes of death.

The number of suicides in 1986 was double the number reported for 1985. Also, the 1986 figure was the highest this decade. Both males and females and blacks and whites shared in the 1986 jump although females of both races increased more proportionally than their male counterparts.

Table G.--DEATH BY SUICIDE, BY RACE AND SEX, 1980-1986

Year	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
1986..	86	59	27	55	40	15	31	19	12
1985..	43	33	10	25	21	4	18	12	6
1984..	54	36	18	32	23	9	22	13	— 9
1983..	68	51	17	43	39	4	25	12	13
1982..	70	55	15	37	34	3	33	21	12
1981..	45	32	13	26	22	4	19	10	9
1980..	58	43	15	23	19	4	35	24	11

Hispanic Births

Of the 10,043 live births 621 were delivered by Hispanic mothers. The ages of these mothers ranged from under 15 years to 40-44 years but over one-half were under 25 years

Age (in years)	Number	Percent
Total	621	100.0
Under 15	1	0.2
15-19	91	14.7
20-24	227	36.6
25-29	147	23.7
30-34	93	15.0
35-39	50	8.1
40-44	12	1.9

of age. For all births combined, only 46 percent of the mothers were under 25.

Compared to all births, relatively few of the Hispanic births were low birth weight, 12 percent and 6 percent, respectively.

	2500 grams or less	
	Number	Percent
All births	1,228	12.3
Hispanic births	34	5.5

Hispanic births were heavily concentrated in the weight group 3001-4000 grams (435 or 70 percent). Over one-half (52 percent) of the Hispanic mothers were married, a much higher proportion than prevailed for all mothers combined (42 percent).

As can be seen below, a very large proportion of the Hispanic mothers and fathers were from Central or South America.

Origin	Mother	Father
Total	621	621
Mexico	37	21
Puerto Rico	10	6
Cuba	3	3
Central or South America	513	395
Other Hispanic	58	43
Not Hispanic or unknown	-	153

Almost 40 percent (247) of the Hispanic births were delivered at D.C. General Hospital and another 20 percent (126) were delivered at Providence Hospital. Also, 26 or 4 percent were delivered in another state.

Compared to all births there were relatively few cesarean sections, 30 percent and 22 percent, respectively.

Type	All births	Hispanic
Classical primary	387	15
Classical repeat	128	3
Low cervical primary	1,740	78
Low cervical repeat	767	43

Hispanic Deaths

There were 96 Hispanic deaths, 42 of which were 70 years of age or older. In this age group there were 18 males and 24 females. The cause of death occurring most frequently was diseases of the heart.

Table 1.--RESIDENT LIVE BIRTHS AND BIRTH RATES BY RACE AND SEX: DISTRICT OF COLUMBIA, 1971-1986

Year	Live births						Live births		
	Total		Black		White				
	Number	Rate a/	Number	Rate a/	Number	Rate a/	Male	Female	Sex b/ ratio
1986.....	10,043	16.0	8,355	18.2	1,688	9.9	4,989	5,054	987
1985.....	9,840	15.7	8,136	17.8	1,704	10.1	5,013	4,827	1,039
1984.....	9,549	15.2	7,888	17.2	1,661	9.8	4,928	4,621	1,066
1983.....	9,524	15.2	7,896	17.2	1,628	9.7	4,729	4,795	986
1982.....	9,378	14.9	7,710	16.7	1,668	9.9	4,724	4,654	1,015
1981.....	9,332	14.8	7,749	16.8	1,583	9.4	4,820	4,512	1,068
1980.....	9,257	14.5	7,884	16.9	1,373	8.0	4,759	4,498	1,058
1979.....	9,403	14.2	8,053	16.5	1,350	7.9	4,851	4,552	1,066
1978.....	9,372	13.9	8,004	15.9	1,368	7.9	4,728	4,644	1,018
1977.....	9,885	14.3	8,515	16.4	1,370	8.0	4,985	4,900	1,017
1976.....	9,635	13.6	8,293	15.4	1,342	7.9	4,874	4,761	1,024
1975.....	9,746	13.5	8,462	15.1	1,284	7.9	4,942	4,804	1,029
1974.....	10,037	13.8	8,737	15.6	1,300	7.7	5,105	4,932	1,035
1973.....	10,837	14.7	9,413	16.8	1,424	8.0	5,572	5,265	1,058
1972.....	11,886	15.8	10,518	18.6	1,368	7.3	5,989	5,897	1,016
1971.....	13,914	18.5	12,131	21.9	1,783	8.9	7,082	6,832	1,037

a/Rate per 1,000 population

b/Ratio of males per 1,000 females

Table 2.--OUT-OF-WEDLOCK BIRTHS BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1971-1986

Year	Out-of-wedlock births					
	Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent
1986.....	5,784	57.6	5,542	66.3	242	14.3
1985.....	5,740	58.3	5,445	66.9	295	17.3
1984.....	5,573	58.4	5,307	67.3	266	16.0
1983.....	5,467	57.4	5,226	66.2	241	14.8
1982.....	5,316	56.7	5,066	65.7	250	15.0
1981.....	5,483	58.8	5,175	66.8	308	19.5
1980.....	5,369	58.0	5,135	65.1	234	17.0
1979.....	5,443	57.9	5,255	65.3	188	13.9
1978.....	5,186	55.3	5,016	62.7	170	12.4
1977.....	5,243	53.0	5,074	59.6	169	12.3
1976.....	5,065	52.6	4,886	58.9	179	13.3
1975.....	4,988	51.2	4,822	57.0	166	12.9
1974.....	4,994	49.8	4,801	55.5	193	14.8
1973.....	5,061	46.7	4,856	51.6	205	14.4
1972.....	5,509	46.3	5,359	51.0	150	11.0
1971.....	5,974	42.9	5,740	47.3	234	13.1

Table 3.--INCIDENCE OF LOW BIRTH WEIGHT BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1971-1986

Year	Births of 2,500 grams or less					
	Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent
1986.....	1,228	12.2	1,143	13.7	85	5.0
1985.....	1,295	13.2	1,215	14.9	80	4.7
1984.....	1,227	12.8	1,143	14.5	84	5.1
1983.....	1,252	13.1	1,160	14.7	92	5.7
1982.....	1,212	12.9	1,113	14.4	99	5.9
1981.....	1,205	12.9	1,108	14.3	97	6.1
1980.....	1,214	13.1	1,130	14.3	84	6.1
1979.....	1,195	12.7	1,123	13.9	72	5.3
1978.....	1,239	13.2	1,143	14.3	96	7.0
1977.....	1,330	13.5	1,239	14.6	91	6.6
1976.....	1,217	12.6	1,136	13.7	81	6.0
1975.....	1,333	13.7	1,255	14.8	78	6.1
1974.....	1,325	13.2	1,245	14.2	80	6.2
1973.....	1,349	12.4	1,256	13.3	93	6.5
1972.....	1,490	12.5	1,407	13.4	83	6.1
1971.....	1,731	12.4	1,631	13.4	100	5.6

Table 4.--BIRTHS TO ADOLESCENT MOTHERS BY RACE:
DISTRICT OF COLUMBIA, 1971-1986

Year	Births to mothers under 20 years of age						Births to mothers under 18 years of age					
	Total		Black		White		Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
1986.....	1,710	17.0	1,632	19.5	78	4.6	724	7.2	710	8.5	14	0.8
1985.....	1,748	17.8	1,664	20.5	84	4.9	711	7.2	681	8.4	30	1.8
1984.....	1.747	18.3	1,679	21.3	68	4.1	701	7.3	685	8.7	16	1.0
1983.....	1,792	18.8	1,727	21.9	65	4.0	744	7.8	726	9.2	18	1.1
1982.....	1,843	19.7	1,758	22.8	85	5.1	783	8.3	756	9.8	27	1.6
1981.....	1,946	20.9	1,857	24.0	89	5.6	863	9.2	838	10.8	25	1.6
1980.....	1,932	20.9	1,864	23.6	68	5.0	833	9.0	821	10.4	22	1.6
1979.....	2,145	22.8	2,063	25.6	82	6.1	959	10.2	933	11.6	26	1.9
1978.....	2,087	22.3	2,013	25.1	74	5.4	968	10.3	933	11.7	35	2.6
1977.....	2,253	22.8	2,188	25.7	65	4.7	1,053	10.7	1,030	12.1	23	1.7
1976.....	2,356	24.5	2,264	27.3	92	6.9	1,107	11.5	1,070	12.9	37	2.8
1975.....	2,636	27.0	2,523	29.8	113	8.8	1,232	12.6	1,173	13.9	54	4.2
1974.....	2,809	28.0	2,684	30.7	125	9.6	1,343	13.4	1,285	14.7	58	4.5
1973.....	3,028	27.9	2,903	30.8	125	8.8	1,499	13.8	1,437	15.3	62	4.4
1972.....	3,386	28.5	3,314	31.5	72	5.3	1,657	13.9	1,635	15.5	22	1.6
1971.....	3,822	27.5	3,682	30.4	140	7.9	1,783	12.8	1,746	14.4	37	2.1

Table 5.--DEATHS AND RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1971-1986

Year	Deaths - all ages					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1986.....	7,253	11.5	5,392	11.8	1,861	10.9
1985.....	6,921	11.0	5,133	11.2	1,788	10.6
1984.....	6,683	10.7	4,883	10.7	1,800	10.7
1983.....	6,691	10.7	4,840	10.5	1,851	11.0
1982.....	6,469	10.3	4,718	10.2	1,751	10.4
1981.....	6,846	10.7	4,928	10.6	1,918	11.2
1980.....	6,982	10.9	4,888	10.5	2,094	12.2
1979.....	6,734	10.2	4,685	9.6	2,049	12.0
1978.....	6,959	10.3	4,776	9.5	2,183	12.6
1977.....	7,064	10.2	4,828	9.3	2,236	13.0
1976.....	7,238	10.2	4,940	9.2	2,298	13.6
1975.....	7,446	10.3	5,018	9.0	2,428	14.9
1974.....	7,815	10.7	5,200	9.3	2,615	15.5
1973.....	8,017	10.8	5,172	9.2	2,845	15.9
1972.....	8,313	11.0	5,419	9.8	2,894	14.4
1971.....	8,405	11.2	5,429	9.8	2,976	14.8

*Rate per 1,000 population

Table 6.--INFANT AND NEONATAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1971-1986

Year	Infant deaths						Neonatal deaths					
	Total		Black		White		Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
1986.....	211	21.0	189	22.6	22	13.0	161	16.0	144	17.2	17	10.1
1985.....	204	20.7	186	22.9	18	10.6	156	15.9	142	17.5	14	8.2
1984.....	202	21.2	189	24.0	13	7.8	154	16.1	145	18.4	9	5.4
1983.....	173	18.2	159	20.1	14	8.6	126	13.2	113	14.3	13	8.0
1982.....	190	20.3	180	23.3	10	6.0	137	14.6	134	17.4	3	1.8
1981.....	211	22.6	196	25.3	15	9.5	162	17.4	147	19.0	15	9.5
1980.....	228	24.6	210	26.6	18	13.1	168	18.1	156	19.8	12	8.7
1979.....	207	22.0	199	24.7	8	5.9	159	16.9	152	18.9	7	5.2
1978.....	242	25.8	229	28.6	13	9.5	179	19.1	168	21.0	11	8.0
1977.....	270	27.3	251	29.5	19	13.9	203	20.3	189	22.2	14	10.2
1976.....	240	24.9	230	27.7	10	7.5	193	20.0	188	22.7	5	3.7
1975.....	279	28.6	254	30.0	25	19.5	220	22.6	198	23.4	22	17.1
1974.....	277	27.6	255	29.2	22	16.9	216	21.5	196	22.4	20	15.4
1973.....	276	25.5	245	26.0	31	21.8	208	19.2	185	19.7	23	16.2
1972.....	323	27.2	296	28.1	27	19.7	235	19.8	213	20.3	22	16.1
1971.....	396	28.5	368	30.3	28	15.7	294	21.1	273	22.5	21	11.8

*Rate per 1,000 live births.

Table 7.--THREE YEAR MOVING AVERAGE OF INFANT MORTALITY RATES BY AGE AT DEATH: DISTRICT OF COLUMBIA, 1971-1973 TO 1984-1986

Year	Rate per 1,000 live births				
	All ages	Less than 1 day	1-6 days	7-27 days	28 days-11 months
1971-1973.....	27.1	12.3	5.7	2.0	7.0
1972-1974.....	26.8	11.7	5.8	2.7	6.6
1973-1975.....	27.2	12.1	6.1	2.9	6.1
1974-1976.....	27.0	12.4	6.3	2.7	5.7
1975-1977.....	26.9	12.4	6.2	2.5	5.9
1976-1978.....	26.0	11.9	5.8	2.2	6.1
1977-1979.....	25.0	11.5	5.1	2.2	6.2
1978-1980.....	24.2	11.1	5.1	1.9	6.1
1979-1981.....	23.1	10.5	5.1	1.9	5.6
1980-1982.....	22.5	9.6	5.3	1.8	5.8
1981-1983.....	20.3	8.7	4.6	1.7	5.3
1982-1984.....	19.9	8.8	3.9	2.0	5.2
1983-1985.....	20.0	9.4	3.6	2.1	4.9
1984-1986.....	21.0	9.9	3.7	2.4	5.0

Table 8.--FETAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1971-1986

Year	Fetal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1986.....	120	11.8	111	13.1	9	5.3
1985.....	122	12.2	115	13.9	7	4.1
1984.....	143	14.8	116	14.5	21	12.5
1983.....	128	13.3	114	14.2	14	8.5
1982.....	114	12.0	104	13.3	10	6.0
1981.....	123	13.0	115	14.6	8	5.0
1980.....	126	13.4	103	12.9	23	16.5
1979.....	112	11.8	100	12.3	12	8.8
1978.....	137	14.4	125	15.4	12	8.7
1977.....	160	15.9	152	17.5	8	5.8
1976.....	169	17.2	154	18.2	15	11.1
1975.....	149	15.1	138	16.0	11	8.5
1974.....	140	13.8	127	14.3	13	9.9
1973.....	141	12.8	127	13.3	14	9.7
1972.....	250	20.6	216	20.1	34	24.3
1971.....	286	20.1	240	19.4	46	25.2

*Rate per 1,000 live births plus fetal deaths.

Table 9.--PERINATAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1971-1986
(Neonatal plus fetal deaths)

Year	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1986.....	281	27.6	255	30.1	26	15.3
1985.....	278	27.9	257	31.1	21	12.3
1984.....	297	30.6	261	32.6	30	17.8
1983.....	254	26.3	227	28.3	27	16.4
1982.....	251	26.4	238	30.5	13	7.7
1981.....	285	30.1	262	33.3	23	15.4
1980.....	294	31.3	259	32.4	35	25.1
1979.....	271	28.5	252	30.9	19	14.0
1978.....	316	33.2	293	36.0	23	16.7
1977.....	363	35.7	336	38.8	22	16.0
1976.....	362	36.5	341	40.4	17	12.6
1975.....	369	37.3	336	39.1	33	25.5
1974.....	356	35.0	323	36.4	33	25.1
1973.....	349	31.8	326	34.2	27	25.7
1972.....	485	40.0	429	40.0	56	39.9
1971.....	580	40.8	513	41.5	67	36.6

*Rate per 1,000 live births plus fetal deaths.

Table 10.--MATERNAL MORTALITY:
DISTRICT OF COLUMBIA RESIDENTS, 1971-1986

Year	Maternal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1986.....	2	2.0	1	1.2	1	5.9
1985.....	3	3.0	1	1.2	2	11.7
1984.....	–	–	–	–	–	–
1983.....	–	–	–	–	–	–
1982.....	3	3.2	3	3.9	–	–
1981.....	1	1.1	1	1.3	–	–
1980.....	1	1.1	1	1.3	–	–
1979.....	3	3.2	2	2.5	1	7.4
1978.....	–	–	–	–	–	–
1977.....	3	3.0	3	3.5	–	–
1976.....	2	2.1	2	2.4	–	–
1975.....	4	4.1	4	4.7	–	–
1974.....	4	4.0	4	4.6	–	–
1973.....	2	1.8	2	2.1	–	–
1972.....	2	1.7	2	1.9	–	–
1971.....	4	2.9	3	2.5	1	5.6

*Rate per 1,000 live births

Table 11.--RESIDENT INFANT DEATHS AND DEATH RATES BY AGE: DISTRICT OF COLUMBIA, 1981-1986

Year	Number						Rate per 1,000 live births					
	All ages	Under 28 days				28 days-11 months	All ages	Under 28 days				28 days-11 months
		Total	Under 1 day	1-6 days	7-27 days			Total	Under 1 day	1-6 days	7-27 days	
1986....	211	161	94	39	28	50	21.0	16.0	9.4	3.9	2.9	5.0
1985....	204	156	102	35	19	48	20.7	15.9	10.4	3.6	1.9	4.9
1984....	202	154	96	34	24	48	21.2	16.1	10.1	3.6	2.5	5.0
1983....	173	126	75	34	17	47	18.2	13.2	7.9	3.6	1.8	4.9
1982....	190	137	78	43	16	53	20.3	14.6	8.3	4.6	1.7	5.7
1981....	211	162	94	52	16	49	22.6	17.4	10.1	5.6	1.7	5.3

Table 12.--NUMBER OF RESIDENT INFANT DEATHS BY WARD, RACE AND AGE AT DEATH: DISTRICT OF COLUMBIA, 1986

Ward	Total	Total					Black						White					
		Neonatal				Post Neo-natal	Total	Neonatal				Post Neo-natal	Total	Neonatal				Post Neo-natal
		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.
Total...	211	161	94	39	28	50	189	144	85	32	27	45	22	17	9	7	1	5
Ward 1..	28	23	14	7	2	5	25	20	13	5	2	5	3	3	1	2	-	-
Ward 2..	24	18	9	5	4	6	21	16	8	4	4	5	3	2	1	1	-	1
Ward 3..	11	9	5	2	2	2	1	1	-	-	1	-	10	8	5	2	1	2
Ward 4..	25	19	12	5	2	6	23	18	12	4	2	5	2	1	-	1	-	1
Ward 5..	25	19	14	3	2	6	24	18	14	2	2	6	1	1	-	1	-	-
Ward 6..	31	22	14	6	2	9	31	22	14	6	2	9	-	-	-	-	-	-
Ward 7..	34	23	10	5	8	11	33	23	10	5	8	10	1	-	-	-	-	1
Ward 8..	33	28	16	6	6	5	31	26	14	6	6	5	2	2	2	-	-	-

Table 13.--RESIDENT INFANT MORTALITY RATES BY WARD, RACE AND AGE AT DEATH: DISTRICT OF COLUMBIA, 1986

Ward	Total	Total					Black						White					
		Neonatal				Post Neonatal		Neonatal				Post Neonatal		Neonatal				Post Neonatal
		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.	Total	Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.	Total	Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.
Total...	21.0	16.0	9.4	3.9	2.8	5.0	22.6	17.2	10.2	3.8	3.2	5.4	13.0	10.1	5.3	4.1	0.6	3.0
Ward 1..	18.8	15.5	9.4	4.7	1.3	3.4	21.5	17.2	11.2	4.3	1.7	4.3	9.3	9.3	3.1	6.2	-	-
Ward 2..	23.3	17.5	8.7	4.9	3.9	5.8	26.6	20.3	10.1	5.1	5.1	6.0	12.5	8.3	4.2	4.3	-	4.2
Ward 3..	14.2	11.7	6.5	2.6	2.6	2.6	10.1	10.1	-	-	10.1	-	14.9	11.9	7.4	3.0	1.5	3.0
Ward 4..	22.0	16.7	10.5	4.4	1.8	5.3	21.6	16.9	11.3	3.8	1.9	4.7	27.4	13.7	-	13.7	-	13.7
Ward 5..	19.8	15.0	11.1	2.4	1.6	4.8	19.8	14.9	11.6	1.7	1.7	5.0	19.6	19.6	-	19.6	-	-
Ward 6..	25.6	18.2	11.6	5.0	1.7	7.4	29.2	20.7	13.2	5.6	1.9	8.5	-	-	-	-	-	-
Ward 7..	26.2	17.7	7.7	3.8	6.2	8.5	25.9	18.0	7.8	3.9	6.3	7.8	41.7	-	-	-	-	41.7
Ward 8..	18.1	15.4	8.8	3.3	3.3	2.7	18.6	15.6	8.4	3.6	3.6	3.0	13.3	13.3	13.3	-	-	-

NOTE: Rate per 1,000 live births.

Table 14.--LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, INFANT DEATHS, FETAL DEATHS, TOTAL DEATHS, BY PLACE OF OCCURRENCE AND RESIDENCE: DISTRICT OF COLUMBIA, 1986

Place of occurrence resident status	Live births	Out-of-wedlock births	Infant deaths	Fetal deaths	Total deaths*
Total recorded events	19,925	7,528	440	234	9,224
District of Columbia residents	9,076	5,453	200	120	6,627
Maryland residents	8,338	1,859	161	87	1,740
Virginia residents	2,413	201	62	19	546
Resident of other states	98	15	17	7	305
Not stated	-	-	-	1	6
Resident events	10,043	5,784	211	120	7,253
Occurring in D.C.	9,076	5,453	200	120	6,627
Occurring in other states	967	331	11	-	626

*Includes infant deaths but not fetal deaths.

Table 15.--RECORDED EVENTS, AND RESIDENT EVENTS IN OTHER STATES: DISTRICT OF COLUMBIA RESIDENTS, 1971-1986

Year	Recorded events - in D.C.		Resident events - outside D.C.	
	Births	Deaths	Births	Deaths
1986	19,925	9,224	967	626
1985	19,946	8,861	906	583
1984	19,617	8,501	806	617
1983	19,595	8,404	772	662
1982	19,933	8,508	524	484
1981	21,209	8,678	530	612
1980	20,262	8,815	373	623
1979	20,157	8,619	368	560
1978	19,743	8,755	413	649
1977	20,653	8,987	436	621
1976	19,916	9,183	431	716
1975	19,826	9,423	359	731
1974	19,865	9,786	337	814
1973	20,696	9,850	383	927
1972	22,600	10,153	413	961
1971	25,932	10,291	473	1,024

Table 16.--RECORDED NUMBER OF LIVE BIRTHS, DEATHS, INFANT DEATHS AND FETAL DEATHS BY RACE: DISTRICT OF COLUMBIA, 1976-1986

Year	Births			Deaths			Infant deaths			Fetal deaths 1/		
	Total	Black	White	Total	Black	White	Total	Black	White	Total	Black	White
1986....	19,925	12,594	7,331	9,224	5,929	3,295	440	284	156	234	170	64
1985....	19,946	12,462	7,484	8,861	5,685	3,176	468	306	162	227	171	56
1984....	19,617	12,072	7,545	8,501	5,339	3,162	418	284	134	282	193	89
1983....	19,595	11,978	7,617	8,404	5,245	3,159	371	238	133	234	165	69
1982....	19,933	11,825	8,108	8,508	5,140	3,368	425	291	134	219	159	60
1981....	20,209	11,907	8,302	8,678	5,338	3,340	445	275	170	232	166	66
1980....	20,262	12,085	8,177	8,815	5,242	3,573	494	308	186	239	158	81
1979....	20,157	12,114	8,043	8,619	5,069	3,550	434	295	139	194	139	55
1978....	19,743	11,512	8,231	8,755	5,097	3,658	482	321	161	222	156	66
1977....	20,653	11,967	8,686	8,987	5,121	3,866	497	333	164	271	197	74
1976....	19,916	11,544	8,372	9,183	5,167	4,016	480	327	153	279	201	78

1/Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

Table 17a.--TOTAL LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER, ALL RACES: DISTRICT OF COLUMBIA, 1986

Age of mother	Total	Live-birth order									
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th and over
Total live births....	10,043	4,635	2,898	1,454	598	252	111	53	18	11	13
Less than 15 years...	74	74	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-
12.....	3	3	-	-	-	-	-	-	-	-	-
13.....	11	11	-	-	-	-	-	-	-	-	-
14.....	60	60	-	-	-	-	-	-	-	-	-
15-19 years.....	1,636	1,268	309	49	7	3	-	-	-	-	-
15.....	123	118	5	-	-	-	-	-	-	-	-
16.....	205	183	20	2	-	-	-	-	-	-	-
17.....	322	262	55	5	-	-	-	-	-	-	-
18.....	448	336	96	11	3	2	-	-	-	-	-
19.....	538	369	133	31	4	1	-	-	-	-	-
20-24 years.....	2,922	1,405	947	403	111	39	14	3	-	-	-
25-29 years.....	2,585	937	827	479	219	76	28	12	5	1	1
30-34 years.....	1,793	620	513	330	173	86	44	16	4	4	3
35-39 years.....	881	292	263	168	66	41	22	16	7	1	5
40-44 years.....	136	32	35	23	20	7	3	5	2	5	4
45 and over.....	5	1	2	1	-	-	-	1	-	-	-
Not stated.....	11	6	2	1	2	-	-	-	-	-	-

Table 17b.--SINGLE LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER, ALL RACES: DISTRICT OF COLUMBIA, 1986

Age of mother	Total	Live-birth order									
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th and over
Single live births...	9,802	4,597	2,811	1,391	573	239	104	49	15	10	13
Less than 15 years...	74	74	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-
12.....	3	3	-	-	-	-	-	-	-	-	-
13.....	11	11	-	-	-	-	-	-	-	-	-
14.....	60	60	-	-	-	-	-	-	-	-	-
15-19 years.....	1,608	1,259	296	45	6	2	-	-	-	-	-
15.....	123	118	5	-	-	-	-	-	-	-	-
16.....	203	182	19	2	-	-	-	-	-	-	-
17.....	314	260	51	3	-	-	-	-	-	-	-
18.....	436	332	91	10	2	1	-	-	-	-	-
19.....	532	367	130	30	4	1	-	-	-	-	-
20-24 years.....	2,845	1,391	917	384	106	35	10	2	-	-	-
25-29 years.....	2,530	931	809	460	210	75	28	11	4	1	1
30-34 years.....	1,747	615	498	318	168	81	41	15	4	4	3
35-39 years.....	854	289	254	161	63	40	22	15	5	-	5
40-44 years.....	130	31	34	22	18	6	3	5	2	5	4
45 and over.....	3	1	1	-	-	-	-	1	-	-	-
Not stated.....	11	6	2	1	2	-	-	-	-	-	-

Table 17c.--PLURAL LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER, ALL RACES: DISTRICT OF COLUMBIA, 1986

Age of mother	Total	Live-birth order									
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th and over
Plural live births...	241	38	87	63	25	13	7	4	3	1	-
Less than 15 years...	-	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-	-
13.....	-	-	-	-	-	-	-	-	-	-	-
14.....	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	28	9	13	4	1	1	-	-	-	-	-
15.....	-	-	-	-	-	-	-	-	-	-	-
16.....	2	1	1	-	-	-	-	-	-	-	-
17.....	8	2	4	2	-	-	-	-	-	-	-
18.....	12	4	5	1	1	1	-	-	-	-	-
19.....	6	2	3	1	-	-	-	-	-	-	-
20-24 years.....	77	14	30	19	5	4	4	1	-	-	-
25-29 years.....	55	6	18	19	9	1	-	1	1	-	-
30-34 years.....	46	5	15	12	5	5	3	1	-	-	-
35-39 years.....	27	3	9	7	3	1	-	1	2	1	-
40-44 years.....	6	1	[illegible]	1	2	1	-	-	-	-	-
45 and over.....	2	-	[illegible]	1	-	-	-	-	-	-	-

Table 18a.--LIVE BIRTHS BY LIVE-BIRTH ORDER AND AGE OF MOTHER, BLACK RESIDENTS: DISTRICT OF COLUMBIA, 1986

Age of mother	Total	Live-birth order									
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th and over
Total live births....	8,355	3,689	2,434	1,261	546	230	106	51	17	10	11
Less than 15 years...	73	73	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-
12.....	3	3	-	-	-	-	-	-	-	-	-
13.....	11	11	-	-	-	-	-	-	-	-	-
14.....	59	59	-	-	-	-	-	-	-	-	-
15-19 years.....	1,559	1,208	295	46	7	3	-	-	-	-	-
15.....	118	113	5	-	-	-	-	-	-	-	-
16.....	202	181	19	2	-	-	-	-	-	-	-
17.....	317	259	53	5	-	-	-	-	-	-	-
18.....	421	315	91	10	3	2	-	-	-	-	-
19.....	501	340	127	29	4	1	-	-	-	-	-
20-24 years.....	2,716	1,294	882	385	102	37	13	3	-	-	-
25-29 years.....	2,190	688	745	434	206	70	28	12	5	1	1
30-34 years.....	1,233	294	366	269	158	80	42	14	4	4	2
35-39 years.....	496	114	127	112	60	35	20	16	6	1	5
40-44 years.....	77	13	16	13	13	5	3	5	2	4	3
45 and over.....	4	1	1	1	-	-	-	1	-	-	-
Not stated.....	7	4	2	1	-	-	-	-	-	-	-

Table 18b.--LIVE BIRTHS BY LIVE-BIRTH ORDER AND AGE OF MOTHER, WHITE RESIDENTS: DISTRICT OF COLUMBIA, 1986

Age of mother	Total	Live-birth order									
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th and over
Total live births....	1,688	946	464	193	52	22	5	2	1	1	2
Less than 15 years...	1	1	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-	-
13.....	-	-	-	-	-	-	-	-	-	-	-
14.....	1	1	-	-	-	-	-	-	-	-	-
15-19 years.....	77	60	14	3	-	-	-	-	-	-	-
15.....	5	3	-	-	-	-	-	-	-	-	-
16.....	3	2	1	-	-	-	-	-	-	-	-
17.....	5	3	2	-	-	-	-	-	-	-	-
18.....	27	21	5	1	-	-	-	-	-	-	-
19.....	37	29	6	2	-	-	-	-	-	-	-
20-24 years.....	206	111	65	18	9	2	1	-	-	-	-
25-29 years.....	395	249	82	45	13	6	-	-	-	-	-
30-34 years.....	560	326	147	61	15	6	2	2	-	-	1
35-39 years.....	385	178	136	56	6	6	2	-	1	-	-
40-44 years.....	59	19	19	10	7	2	-	-	-	1	1
45 and over.....	1	-	1	-	-	-	-	-	-	-	-
Not stated.....	4	2	-	-	2	-	-	-	-	-	-

Table 19a.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, ALL RESIDENTS: DISTRICT OF COLUMBIA, 1986

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and over	Not stated
Total.....	10,043	74	1,636	2,922	2,585	1,793	881	136	5	11
Ward 1.....	1,488	14	230	464	363	268	122	27	-	-
Ward 2.....	1,030	7	152	280	264	204	107	16	-	-
Ward 3.....	772	-	3	41	155	308	236	28	1	-
Ward 4.....	1,138	8	163	321	312	212	109	11	-	2
Ward 5.....	1,263	11	237	402	328	203	75	6	-	1
Ward 6.....	1,210	5	204	370	325	198	83	22	1	2
Ward 7.....	1,299	9	251	436	328	193	65	13	1	3
Ward 8.....	1,821	20	393	604	503	201	84	11	2	3
Not reported....	22	-	3	4	7	6	-	2	-	-

Table 19b.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, BLACK RESIDENTS: DISTRICT OF COLUMBIA, 1986

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and over	Not stated
Total.....	8,355	73	1,559	2,716	2,190	1,233	496	77	4	7
Ward 1.....	1,165	13	200	402	291	170	71	18	-	-
Ward 2.....	790	7	140	245	205	128	57	8	-	-
Ward 3.....	99	-	-	6	30	37	25	1	-	-
Ward 4.....	1,065	8	156	313	291	197	91	8	-	1
Ward 5.....	1,212	11	233	393	313	188	67	6	-	1
Ward 6.....	1,062	5	204	364	285	145	47	10	1	1
Ward 7.....	1,275	9	247	431	321	190	61	13	1	2
Ward 8.....	1,671	20	377	558	448	176	77	11	2	2
Not reported....	16	-	2	4	6	2	-	2	-	-

Table 19c.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, WHITE RESIDENTS: DISTRICT OF COLUMBIA, 1986

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and over	Not stated
Total.....	1,688	1	77	206	395	560	385	59	1	4
Ward 1.....	323	1	30	62	72	98	51	9	-	-
Ward 2.....	240	-	12	35	59	76	50	8	-	-
Ward 3.....	673	-	3	35	125	271	211	27	1	-
Ward 4.....	73	-	7	8	21	15	18	3	-	1
Ward 5.....	51	-	4	9	15	15	8	-	-	-
Ward 6.....	148	-	-	6	40	53	36	12	-	1
Ward 7.....	24	-	4	5	7	3	4	-	-	1
Ward 8.....	150	-	16	46	55	25	7	-	-	1
Not reported....	6	-	1	-	1	4	-	-	-	-

Table 20a.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD, ALL RACES: DISTRICT OF COLUMBIA, 1986

Race and selected characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
ALL RACES										
Total live births	10,043	1,488	1,039	772	1,138	1,263	1,210	1,299	1,821	22
Percent distribution	100.0	14.8	10.3	7.7	11.3	12.6	12.0	12.9	18.1	0.2
Out-of-wedlock births										
Number	5,784	834	565	44	610	851	745	896	1,228	11
Ratio per 1,000 live births	575.9	560.5	548.5	57.0	536.0	673.8	615.7	689.8	674.4	500.0
Premature births 1/										
Number	1,676	243	161	46	187	227	213	228	366	5
Percent of total births	16.7	16.3	15.6	6.0	16.4	18.0	17.6	17.6	20.1	22.7
Percent distribution	100.0	14.5	9.6	2.7	11.2	13.5	12.7	13.6	21.8	0.3
Immature births 2/										
Number	1,228	176	118	36	159	152	163	175	246	3
Percent of total births	12.2	11.8	11.5	4.7	14.0	12.0	13.5	13.5	13.5	13.6
Percent distribution	100.0	14.3	9.6	2.9	12.9	12.4	13.3	14.3	20.0	0.2
Inadequate prenatal care 3/										
Number	896	169	107	22	98	127	106	116	146	5
Percent of total births	8.9	11.4	10.4	2.8	8.6	10.1	8.8	8.9	8.0	22.7
Percent distribution	100.0	18.9	11.9	2.5	10.9	14.2	11.8	12.9	16.3	0.6

1/Less than 37 weeks period of gestation.

2/Birth weight of 2,500 grams or less.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 20b.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD, BLACK BIRTHS: DISTRICT OF COLUMBIA, 1986

Race and selected characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
BLACK										
Total live births	8,355	1,165	790	99	1,065	1,212	1,062	1,275	1,671	16
Percent distribution	100.0	13.9	9.5	1.2	12.7	14.5	12.7	15.3	20.0	0.2
Out-of-wedlock births										
Number	5,542	736	515	20	596	834	734	887	1,210	10
Ratio per 1,000 live births	663.3	631.8	651.9	202.0	559.6	688.1	691.1	695.7	724.1	625.0
Premature births 1/										
Number	1,546	212	138	9	183	219	204	225	352	4
Percent of total births	18.5	18.2	17.5	9.1	17.2	18.1	19.2	17.6	21.1	25.0
Percent distribution	100.0	13.7	8.9	0.6	11.8	14.2	13.2	14.6	22.8	0.3
Immature births 2/										
Number	1,143	159	102	6	155	148	158	173	239	3
Percent of total births	13.7	13.6	12.9	6.1	14.6	12.2	14.9	13.6	14.3	18.8
Percent distribution	100.0	13.9	8.9	0.5	13.6	12.9	13.8	15.1	20.9	0.3
Inadequate prenatal care 3/										
Number	832	146	93	9	94	125	105	115	143	2
Percent of total births	10.0	12.5	11.8	9.1	8.8	10.3	9.9	9.0	8.6	12.5
Percent distribution	100.0	17.5	11.2	1.1	11.3	15.0	12.6	13.8	17.2	0.2

1/Less than 37 weeks period of gestation.

2/Birth weight of 2,500 grams or less.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 20c.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD, WHITE BIRTHS: DISTRICT OF COLUMBIA, 1986

Race and selected characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
WHITE										
Total live births	1,688	323	240	673	73	51	148	24	150	6
Percent distribution	100.0	19.1	14.2	39.9	4.3	3.0	8.8	1.4	8.9	0.4
Out-of-wedlock births										
Number	242	98	50	24	14	17	11	9	18	1
Ratio per 1,000 live births	143.4	303.4	208.3	35.7	191.8	333.3	74.3	375.0	120.0	166.7
Premature births 1/										
Number	130	31	23	37	4	8	9	3	14	1
Percent of total births	7.7	9.6	9.6	5.5	5.5	15.7	6.1	12.5	9.3	16.7
Percent distribution	100.0	23.8	17.7	28.5	3.1	6.2	6.9	2.3	10.8	0.8
Immature births 2/										
Number	85	17	16	30	4	4	5	2	7	-
Percent of total births	5.0	5.3	6.7	4.5	5.5	7.8	3.4	8.3	4.7	-
Percent distribution	100.0	20.0	18.8	35.3	4.7	4.7	5.9	2.4	8.2	-
Inadequate prenatal care 3/										
Number	64	23	14	13	4	2	1	1	3	3
Percent of total births	3.8	7.1	5.8	1.9	5.5	3.9	0.7	4.2	2.0	50.0
Percent distribution	100.0	35.9	21.9	20.3	6.3	3.1	1.6	1.6	4.7	4.7

1/Less than 37 weeks period of gestation.

2/Birth weight of 2,500 grams or less.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 21a.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1986

Rank	Cause of death	Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	7,253	3,876	3,377	5,392	2,998	2,394	1,861	878	983
01	Diseases of heart (390-398,402,404-429)	2,181	1,071	1,110	1,596	828	768	585	243	342
02	Cancer (including etc.) (140-208)	1,672	900	772	1,257	703	554	415	197	218
03	Cerebrovascular disease (430-438)	403	162	241	264	113	151	139	49	90
04	Pneumonia and influenza (480-487)	237	130	107	161	98	63	76	32	44
05	Chronic liver disease and cirrhosis (571)	211	147	64	174	120	54	37	27	10
06	Accidents and adverse effects (800-949)	211	126	85	152	96	56	59	30	29
07	Homicide and legal intervention (960-978)	178	143	35	165	134	31	13	9	4
08	Chronic Obstructive Pulmonary Disease, etc. (490-496)	150	87	63	94	59	35	56	28	28
09	Septicemia (038)	148	68	80	121	56	65	27	12	15
10	Certain perinatal conditions (760-779)	142	87	55	130	76	54	12	11	1
11	Diabetes mellitus (250)	134	65	69	111	50	61	23	15	8
12	Nephritis, nephrotic syndrome and nephrosis (580-589)	91	42	49	72	28	44	19	14	5
13	Suicide (950-959)	86	59	27	55	40	15	31	19	12
14	Atherosclerosis (440)	58	24	34	33	17	16	25	7	18
15	Hypertension with or without renal disease (401,403)	35	12	23	26	9	17	9	3	6
16	Congenital anomalies (740-759)	30	19	11	21	14	7	9	5	4
17	Benign neoplasms, carcinoma in situ, neoplasms nec (210-239)	26	14	12	18	9	9	8	5	3
18	Anemias (280-285)	25	11	14	19	9	10	6	2	4
19	Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	22	6	16	17	5	12	5	1	4
20	Ulcer of stomach and duodenum (531-533)	17	8	9	13	8	5	4	-	4
21	Residual	1,196	695	501	893	526	367	303	169	134

Table 21b.--RESIDENT CRUDE DEATH RATES BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1986

Rank	Cause of death	Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	1154.0	1330.6	1001.5	1176.5	1411.5	973.6	1093.4	1112.8	1076.7
01	Diseases of heart (390-398,402,404-429)	347.0	367.7	329.2	348.2	389.8	312.3	343.7	308.0	374.6
02	Cancer (including etc.) (140-208)	266.0	309.0	228.9	274.3	331.0	225.3	243.8	249.7	238.8
03	Cerebrovascular disease (430-438)	64.1	55.6	71.5	57.6	53.2	61.4	81.7	62.1	98.6
04	Pneumonia and influenza (480-487)	37.7	44.6	31.7	35.1	46.1	25.6	41.7	40.6	48.2
05	Chronic liver disease and cirrhosis (571)	33.6	50.5	19.0	38.0	56.5	22.0	21.7	34.2	11.0
05	Accidents and adverse effects (800-949)	33.6	43.3	25.2	33.2	45.2	22.8	34.7	38.0	31.3
07	Homicide and legal intervention (960-978)	28.3	49.1	10.4	36.0	63.1	12.6	7.6	11.4	4.4
08	Chronic obstructive pulmonary disease, etc. (490-496)	23.9	29.9	18.7	20.5	27.8	14.2	32.9	35.5	30.7
09	Septicemia (038)	23.5	23.3	23.7	26.4	26.4	26.4	15.9	15.2	16.4
10	Certain perinatal conditions (760-779)	22.6	29.9	16.3	28.4	35.8	22.0	7.1	13.9	1.1
11	Diabetes mellitus (250)	21.3	22.3	20.5	24.2	23.5	24.8	13.5	19.0	8.8
12	Nephritis, nephrotic syndrome and nephrosis (580-589)	14.5	14.4	14.5	15.7	13.2	17.9	11.2	17.7	5.5
13	Suicide (950-959)	13.7	20.3	8.0	12.0	18.8	6.1	18.2	24.1	13.1
14	Atherosclerosis (440)	9.2	8.2	10.1	7.2	8.0	6.5	14.7	8.9	19.7
15	Hypertension with or without renal disease (401,403)	5.6	4.1	6.8	5.7	4.2	6.9	5.3	3.8	6.6
16	Congenital anomalies (740-759)	4.8	6.5	3.3	4.6	6.6	2.8	5.3	6.3	4.4
17	Benign neoplasms, carcinoma in situ, neoplasms nec (210-239)	4.1	4.8	3.6	3.9	4.2	3.7	4.7	6.3	3.3
18	Anemias (280-285)	4.0	3.8	4.2	4.1	4.2	4.1	3.5	2.5	4.4
19	Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560	3.5	2.1	4.7	3.7	2.4	4.9	2.9	1.3	4.4
20	Ulcer of stomach and duodenum (531-533)	2.7	2.7	2.7	2.8	3.8	2.0	2.4	-	4.4
21	Residual	190.3	238.6	148.6	194.9	247.6	149.2	178.0	214.2	146.3

NOTE: Rate per 100,000 population.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1986

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate 1/			Number	Rate 1/
	1-4 years				1-4 years		
	Total	10	69.4		Total	3	21.4
E800-E949	Accidents	1	6.9	E800-E949	Accidents	2	14.3
390-398,402,404-429	Diseases of heart	1	6.9	E960-E978	Homicide	1	7.1
	All other causes	8	55.6				
	5-14 years				5-14 years		
	Total	13	37.1		Total	8	23.1
E800-E949	Accidents	4	11.4	E800-E949	Accidents	4	11.6
E960-E978	Homicide	1	2.9	390-398,402,404-429	Diseases of heart	2	5.8
140-208	Cancer, etc	1	2.9		All other causes	2	5.8
	All other causes	7	20.0				
	15-24 years				15-24 years		
	Total	92	184.7		Total	38	69.3
E960-E978	Homicide	36	72.3	E960-E978	Homicide	8	14.6
E800-E949	Accidents	16	32.1	E800-E949	Accidents	6	10.9
E950-E959	Suicide	11	22.1	140-208	Cancer, etc	4	7.3
140-208	Cancer, etc	4	8.0	390-398,402,404-429	Diseases of heart	3	5.5
390-398,402,404-429	Diseases of heart	3	6.0	E950-E959	Suicide	3	5.5
	All other causes	22	44.2		All other causes	14	25.5

1/Rate per 100,000 population in specified group.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1986-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	1/ Rate			Number	1/ Rate
	25-44 years				25-44 years		
	Total	613	598.6		Total	225	196.0
E960-E978	Homicide	84	82.0	140-208	Cancer, etc	37	32.2
390-398,402,404-429	Diseases of heart	61	59.6	E800-E949	Accidents	19	16.6
E800-E949	Accidents	52	50.8	390-398,402,404,429	Diseases of heart	16	13.9
140-208	Cancer, etc	43	42.0	E960-E978	Homicide	15	13.1
571	Chronic liver disease	37	36.1	571	Chronic liver disease	14	12.2
E950-E959	Suicide	25	24.4	E950-E959	Suicide	13	11.3
	All other causes	311	303.7		All other causes	111	96.7
	45-64 years				45-64 years		
	Total	1,088	1879.1		Total	667	995.5
140-208	Cancer, etc	342	590.7	140-208	Cancer, etc	246	367.2
390-398,402,404-429	Diseases of heart	300	518.1	390-398,402,404-429	Diseases of heart	171	255.2
571	Chronic liver disease	76	131.3	430-438	Cerebrovascular disease	34	50.7
430-438	Cerebrovascular disease	36	62.2	571	Chronic liver disease	29	43.3
E800-E949	Accidents	27	46.6	490-496	Chronic obstructive pulmonary, etc	14	20.9
480-486	Pneumonia	21	36.3	250	Diabetes mellitus	13	19.4
490-496	Chronic obstructive pulmonary, etc	20	34.5		All other causes	160	238.8
E960-E978	Homicide	17	29.4				
	All other causes	249	430.1				

1/Rate per 100,000 population in specified group.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1986-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate 1/			Number	Rate 1/
	65 years and over				65 years and over		
	Total	1,920	6881.7		Total	2,346	4877.3
390-398,402,404-429	Diseases of heart	704	2523.3	390-398,402,404-429	Diseases of heart	916	1904.4
140-208	Cancer, etc	510	1828.0	140-208	Cancer, etc	484	1006.2
430-438	Cerebrovascular disease	113	405.0	430-438	Cerebrovascular disease	192	399.2
480-486	Pneumonia	89	319.0	480-486	Pneumonia	84	174.6
490-496	Chronic obstructive pulmonary, etc	65	233.0	038	Septicemia	65	135.1
038	Septicemia	40	143.4	250	Diabetes mellitus	52	108.1
250	Diabetes mellitus	35	125.4	490-496	Chronic obstructive pulmonary, etc	46	95.6
571	Chronic liver disease	33	118.3	E800-E949	Accidents	43	89.4
580-589	Nephritis, etc	30	107.5	580-589	Nephritis, etc	35	72.8
E800-E949	Accidents	25	89.6	440	Atherosclerosis	33	68.6
	All other causes	276	989.2		All other causes	396	823.3

1/Rate per 100,000 population in specified group.

Table 23.--NUMBER OF RESIDENT DEATHS AND CRUDE AND AGE-ADJUSTED DEATH RATES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
NUMBER									
TOTAL	7,253	3,876	3,377	5,392	2,998	2,394	1,861	878	983
Under 5	224	137	87	201	120	81	23	17	6
5-14	21	13	8	20	12	8	1	1	-
15-24	130	92	38	113	79	34	17	13	4
25-34	355	270	85	292	216	76	63	54	9
35-44	483	343	140	404	281	123	79	62	17
45-54	616	397	219	513	325	188	103	72	31
55-64	1,139	691	448	972	590	382	167	101	66
65 and over	4,266	1,920	2,346	2,862	1,366	1,496	1,404	554	850
Not stated	19	13	6	15	9	6	4	4	-
RATES									
AGE-ADJUSTED 1/	842.6	1107.9	633.5	938.9	1253.7	687.6	609.9	780.4	468.5
CRUDE 2/	1154.0	1330.6	1001.5	1176.5	1411.5	973.6	1093.4	1112.8	1076.7
Under 5	618.8	743.6	486.0	659.0	779.2	536.4	403.5	586.2	214.3
5-14	30.2	37.1	23.1	32.9	39.5	26.3	11.4	21.7	-
15-24	124.3	184.7	69.3	139.3	198.0	82.5	72.3	131.3	29.4
25-34	278.6	453.0	125.4	341.5	548.2	164.9	150.4	267.3	41.5
35-44	537.9	801.4	297.9	687.1	1060.4	329.8	254.8	380.4	115.6
45-54	1000.0	1359.6	675.9	1117.6	1547.6	755.0	656.1	878.0	413.3
55-64	1799.4	2407.7	1294.8	2020.8	2744.2	1436.1	1098.7	1402.8	825.0
65 and over	5613.2	6881.7	4877.3	6012.6	7464.5	5105.8	4943.7	5770.8	4521.3

1/Based on age-specific death rates by 5 year age groups per 100,000 population in specified group. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940.

2/Rate per 100,000 population.

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1986

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Total all causes																					
Total	7,253	211	13	10	11	35	95	142	213	269	214	277	339	470	669	742	819	836	735	1,069	19
Black Male	2,998	111	9	4	8	22	57	88	128	151	130	157	168	248	342	361	324	312	192	177	9
Female	2,394	78	3	5	3	11	23	29	47	73	50	78	110	155	227	260	305	302	268	361	6
White Male	878	16	1	1	-	-	13	20	34	36	26	30	42	46	55	73	92	130	101	158	4
Female	983	6	-	-	-	2	2	5	4	9	8	12	19	21	45	63	98	142	174	373	-
01 Shigellosis and amebiasis 004,006																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
02 Certain other intestinal infections 007-009																					
Total	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Black Male	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis 010-018																					
Total	12	-	-	-	-	-	-	-	-	1	1	3	1	1	1	3	1	-	-	-	-
Black Male	8	-	-	-	-	-	-	-	-	1	-	3	1	-	1	1	1	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																			
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
03 Tuberculosis of respiratory system 010-012																					
Total	11	-	-	-	-	-	-	-	-	1	1	2	1	1	1	3	1	-	-	-	-
Black Male	7	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	1	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
04 Other tuberculosis 013-018																					
Total	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 Whooping cough 033																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
06 Streptococcal sore throat, scarlatina and erysipelas 034-035																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
07 Meningococcal infection 036																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
08 Septicemia 038																					
Total	148	-	-	-	1	-	1	1	2	2	4	7	5	6	13	12	22	27	17	27	1
Black Male	56	-	-	-	1	-	-	-	1	2	2	4	4	4	7	4	6	7	6	8	-
Female	65	-	-	-	-	-	1	-	-	-	1	2	1	2	6	6	12	14	8	11	1
White Male	12	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	2	4	-	2	-
Female	15	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	3	6	-
09 Acute poliomyelitis 045																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Measles 055																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
11 Viral hepatitis 070																					
Total	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-
Black Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Syphilis 090-097																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 All other infections and parasitic diseases 001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139																					
Total	81	1	1	1	-	-	5	9	10	10	11	5	4	3	5	4	2	5	2	3	-
Black Male	37	1	1	-	-	-	3	5	6	4	6	1	1	1	2	2	1	2	1	-	-
Female	18	-	-	1	-	-	-	2	-	2	3	1	-	-	2	2	-	2	1	2	-
White Male	22	-	-	-	-	-	2	2	3	3	2	3	3	1	1	-	1	1	-	-	-
Female	4	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Cancer (including etc.) 140-208																					
Total	1,672	-	-	1	-	1	7	6	13	29	32	81	116	157	234	231	241	240	138	144	1
Black Male	703	-	-	-	-	1	2	2	6	8	14	42	54	77	117	115	89	98	46	32	-
Female	554	-	-	-	-	-	4	2	5	12	13	30	43	55	79	76	91	62	32	49	1
White Male	197	-	-	1	-	-	1	2	2	6	3	6	8	17	21	20	20	41	24	19	-
Female	218	-	-	-	-	-	-	-	-	3	2	3	11	8	17	20	35	39	36	44	-
14 Malignant neoplasm of lip, oral cavity and pharynx 140-149																					
Total	56	-	-	-	-	-	-	-	-	-	3	7	9	3	12	10	7	3	1	1	-
Black Male	35	-	-	-	-	-	-	-	-	-	3	5	6	2	8	6	2	3	-	-	-
Female	9	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	3	-	-	-	-
White Male	9	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	-	-	1	1	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
15 Malignant neoplasm of digestive organs and peritoneum 150-159																					
Total	437	-	-	-	-	-	-	1	1	2	9	24	18	38	57	67	73	56	36	54	1
Black Male	193	-	-	-	-	-	-	-	-	2	5	17	11	21	33	36	27	21	9	11	-
Female	150	-	-	-	-	-	-	-	1	-	3	6	4	14	20	23	30	16	13	19	1
White Male	35	-	-	-	-	-	-	1	-	-	1	1	1	2	2	4	5	9	5	4	-
Female	59	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	11	10	9	20	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
16 Malignant neoplasm of respiratory and intrathoracic organs 160-165																					
Total	431	-	-	-	-	-	-	1	2	1	7	15	49	52	82	69	51	60	25	17	-
Black Male	228	-	-	-	-	-	-	1	2	1	4	7	26	30	48	42	23	26	12	6	-
Female	114	-	-	-	-	-	-	-	-	-	3	4	16	16	22	15	15	14	2	7	-
White Male	54	-	-	-	-	-	-	-	-	-	-	1	4	6	7	7	9	14	4	2	-
Female	35	-	-	-	-	-	-	-	-	-	-	3	3	-	5	5	4	6	7	2	-
17 Malignant neoplasm of breast 174-175																					
Total	126	-	-	-	-	-	-	1	-	6	2	7	13	14	19	13	18	12	13	8	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	90	-	-	-	-	-	-	1	-	4	2	7	12	10	16	8	13	8	4	5	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	34	-	-	-	-	-	-	-	-	2	-	-	1	3	3	4	5	4	9	3	-
18 Malignant neoplasm of genital organs 179-187																					
Total	215	-	-	-	-	-	-	-	1	3	2	7	5	23	22	26	33	45	27	21	-
Black Male	98	-	-	-	-	-	-	-	-	-	-	1	-	10	8	13	14	28	15	9	-
Female	62	-	-	-	-	-	-	-	1	3	2	6	4	9	7	9	9	6	4	2	-
White Male	30	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	7	8	6	-
Female	25	-	-	-	-	-	-	-	-	-	-	-	1	3	6	3	4	4	-	4	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
19 Malignant neoplasm of urinary organs 188-189																					
Total	48	-	-	-	-	-	-	-	-	1	-	1	1	2	6	4	10	12	5	6	-
Black Male	14	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	2	4	-	2	-
Female	18	-	-	-	-	-	-	-	-	1	-	1	-	-	2	3	6	4	-	1	-
White Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	-
Female	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	1	-
20 Malignant neoplasm of all other and unspecified sites 170-173,190-199																					
Total	217	-	-	1	-	-	3	2	5	6	4	17	17	17	26	23	33	26	17	20	-
Black Male	87	-	-	-	-	-	1	1	2	2	2	10	8	8	11	10	15	8	6	3	-
Female	67	-	-	-	-	-	2	-	2	-	-	5	4	4	7	11	9	9	5	9	-
White Male	34	-	-	1	-	-	-	1	1	4	1	2	1	5	7	1	1	3	3	3	-
Female	29	-	-	-	-	-	-	-	-	-	1	-	4	-	1	1	8	6	3	5	-
21 Leukemia 204-208																					
Total	48	-	-	-	-	1	3	-	2	5	1	-	1	5	2	5	3	10	5	5	-
Black Male	10	-	-	-	-	1	1	-	-	1	-	-	-	2	1	-	-	3	-	1	-
Female	16	-	-	-	-	-	2	-	1	3	1	-	-	1	-	3	1	2	1	1	-
White Male	11	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	1	4	-	-	-
Female	11	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	4	3	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
22 Other malignant neoplasm of lymphatic and hematopoietic tissue 200-203																					
Total	94	-	-	-	-	-	1	1	2	5	4	3	3	3	8	14	13	16	9	12	-
Black Male	37	-	-	-	-	-	-	-	2	2	-	2	2	2	5	7	6	5	4	-	-
Female	28	-	-	-	-	-	-	1	-	1	2	-	1	-	3	4	5	3	3	5	-
White Male	16	-	-	-	-	-	1	-	-	2	1	1	-	1	-	1	2	4	2	1	-
Female	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	4	-	6	-
23 Benign neoplasms, carcinoma in situ, neoplasms nec 210-239																					
Total	26	-	-	-	-	-	1	-	-	2	-	1	-	1	2	4	2	3	7	3	-
Black Male	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	3	2	-
Female	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1	2	1	-
White Male	5	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	1	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
24 Diabetes mellitus 250																					
Total	134	-	-	-	-	-	-	-	6	3	-	7	4	7	20	20	29	19	9	10	-
Black Male	50	-	-	-	-	-	-	-	3	2	-	5	2	5	11	4	10	5	3	-	-
Female	61	-	-	-	-	-	-	-	3	1	-	2	2	2	6	13	13	9	4	6	-
White Male	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	3	-	3	-
Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
25 Nutritional deficiencies 260-269																					
Total	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	-
Black Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
26 Anemias 280-285																					
Total	25	-	-	-	1	1	-	1	2	1	-	4	-	-	2	-	2	2	4	5	-
Black Male	9	-	-	-	1	-	-	-	1	-	-	3	-	-	1	-	1	1	-	1	-
Female	10	-	-	-	-	1	-	1	1	1	-	1	-	-	1	-	1	1	-	2	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
27 Meningitis 320-322																					
Total	11	-	-	-	-	1	-	-	-	-	1	-	-	3	3	1	1	1	-	-	-
Black Male	3	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Major cardio-vascular diseases 390-448																					
Total	2,725	-	1	1	1	4	3	9	18	38	40	70	103	151	240	332	326	415	371	597	5
Black Male	983	-	1	-	-	1	3	4	10	24	25	41	54	84	127	170	129	131	85	92	2
Female	970	-	-	1	1	3	-	4	5	12	11	23	34	52	82	106	122	163	158	191	2
White Male	308	-	-	-	-	-	-	1	2	2	4	5	13	10	17	27	35	53	49	89	1
Female	464	-	-	-	-	-	-	-	1	-	-	1	2	5	14	29	40	68	79	225	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Diseases of heart 390-398,402, 404-429																					
Total	2,181	-	1	1	1	4	2	7	13	24	33	55	96	125	195	283	267	336	295	439	4
Black Male	828	-	1	-	-	1	2	3	10	18	23	35	51	71	104	152	102	109	69	76	1
Female	768	-	-	1	1	3	-	3	2	4	6	14	30	42	68	85	100	133	127	147	2
White Male	243	-	-	-	-	-	-	1	-	2	4	5	13	9	12	24	29	42	36	65	1
Female	342	-	-	-	-	-	-	-	1	-	-	1	2	3	11	22	36	52	63	151	-
28 Rheumatic fever and rheumatic heart disease 390-398																					
Total	14	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	4	7	1	-	-
Black Male	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1	-	-
29 Hypertensive heart disease 402																					
Total	215	-	-	-	-	-	-	1	1	4	1	9	14	15	34	40	26	32	15	23	-
Black Male	102	-	-	-	-	-	-	-	-	3	1	7	8	7	20	23	13	10	6	4	-
Female	86	-	-	-	-	-	-	1	1	1	-	1	4	7	11	11	11	18	8	12	-
White Male	13	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	1	2	-	2	-
Female	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	5	-
30 Hypertensive heart and renal disease 404																					
Total	17	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	2	1	5	4	-
Black Male	6	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Ischemic heart disease 410-414																					
Total	792	-	-	-	-	1	1	-	3	6	15	14	29	41	60	87	94	128	119	193	1
Black Male	239	-	-	-	-	-	1	-	2	5	10	5	15	24	31	40	28	30	24	24	-
Female	275	-	-	-	-	1	-	-	-	1	2	7	8	12	22	26	39	50	45	62	-
White Male	124	-	-	-	-	-	-	-	-	-	3	1	5	5	5	12	15	21	20	36	1
Female	154	-	-	-	-	-	-	-	1	-	-	1	1	-	2	9	12	27	30	71	-
31 Acute myocardial infarction 410																					
Total	377	-	-	-	-	1	1	-	2	2	6	8	11	20	38	44	50	68	59	67	-
Black Male	120	-	-	-	-	-	1	-	1	1	3	4	6	12	19	18	14	17	15	9	-
Female	144	-	-	-	-	1	-	-	-	1	1	4	3	8	14	13	21	29	24	25	-
White Male	54	-	-	-	-	-	-	-	-	-	2	-	1	-	3	8	10	9	7	14	-
Female	59	-	-	-	-	-	-	-	1	-	-	-	1	-	2	5	5	13	13	19	-
32 Other acute and subacute forms of ischemic heart disease 411																					
Total	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
33 Angina pectoris 413																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
34 Old myocardial infarction and other forms of chronic ischemic heart disease 412,414																					
Total	411	-	-	-	-	-	-	-	1	4	9	6	17	21	22	42	43	60	60	125	1
Black Male	118	-	-	-	-	-	-	-	1	4	7	1	9	12	12	21	14	13	9	15	-
Female	129	-	-	-	-	-	-	-	-	-	1	3	4	4	8	13	17	21	21	37	-
White Male	70	-	-	-	-	-	-	-	-	-	1	1	4	5	2	4	5	12	13	22	1
Female	94	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	7	14	17	51	-
35 Other diseases of endocardium 424																					
Total	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	4	6	-
Black Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-
White Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-
36 All other forms of heart disease 415-423,425-429																					
Total	1,126	-	1	1	1	3	1	6	9	12	17	30	53	66	100	153	140	166	151	213	3
Black Male	476	-	1	-	-	1	1	3	8	8	12	22	28	40	53	88	59	68	36	47	1
Female	392	-	-	1	1	2	-	2	1	2	4	5	18	20	34	46	48	63	71	72	2
White Male	102	-	-	-	-	-	-	1	-	2	1	3	6	3	6	9	12	18	15	26	-
Female	156	-	-	-	-	-	-	-	-	-	-	-	1	3	7	10	21	17	29	68	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
37 Hypertension with or without renal disease 401,403																					
Total	35	-	-	-	-	-	-	-	-	-	1	1	1	2	3	5	5	3	6	8	-
Black Male	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	1	1	-
Female	17	-	-	-	-	-	-	-	-	-	1	1	1	-	1	3	2	2	3	3	-
White Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-
Cerebrovascular disease 430-438																					
Total	403	-	-	-	-	-	1	2	4	14	6	13	4	20	33	37	49	56	55	108	1
Black Male	113	-	-	-	-	-	1	1	-	6	2	6	1	10	16	13	23	15	12	6	1
Female	151	-	-	-	-	-	-	1	2	8	4	7	3	8	12	16	18	23	20	29	-
White Male	49	-	-	-	-	-	-	-	2	-	-	-	-	-	3	2	4	8	11	19	-
Female	90	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	10	12	54	-
38 Intracerebral and other intracranial hemorrhage 431-432																					
Total	93	-	-	-	-	-	-	-	1	5	4	9	1	8	13	14	12	8	7	10	1
Black Male	33	-	-	-	-	-	-	-	-	-	2	4	1	3	8	4	5	3	2	-	1
Female	40	-	-	-	-	-	-	-	-	5	2	5	-	5	3	5	5	3	3	4	-
White Male	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	1	1	-
Female	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	1	1	5	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
39 Cerebral thrombosis and unspecified occlusion of cerebral arteries 434.0,434.9																					
Total	50	-	-	-	-	-	-	-	1	-	-	2	1	4	3	1	7	2	8	21	-
Black Male	13	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	6	-	3	1	-
Female	16	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	1	1	2	5	-
White Male	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	2	-
Female	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	13	-
40 Cerebral embolism 434.1																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
41 All other and late effects of cerebrovascular disease 430,433,435-438																					
Total	259	-	-	-	-	-	1	2	2	9	2	2	2	7	17	22	30	46	40	77	-
Black Male	67	-	-	-	-	-	1	1	-	6	-	2	-	4	8	9	12	12	7	5	-
Female	95	-	-	-	-	-	-	1	2	3	2	-	2	2	7	10	12	19	15	20	-
White Male	37	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	7	9	16	-
Female	60	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	8	9	36	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
42 Atherosclerosis 440																					
Total	58	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	3	7	9	33	-
Black Male	17	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	2	8	-
Female	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	8	-
White Male	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	3	-
Female	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	14	-
43 Other diseases of arteries, arterioles, and capillaries 441-448																					
Total	48	-	-	-	-	-	-	-	1	-	-	1	2	3	4	6	3	13	6	9	-
Black Male	16	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	1	4	1	1	-
Female	18	-	-	-	-	-	-	-	1	-	-	1	-	2	-	2	1	3	4	4	-
White Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-
Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	3	-
44 Acute bronchitis and bronchiolitis 466																					
Total	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Pneumonia and influenza 480-487																					
Total	237	3	-	1	-	-	1	3	5	4	11	5	5	10	13	19	23	28	36	68	2
Black Male	98	2	-	1	-	-	-	1	3	2	7	4	-	8	7	9	15	14	12	11	2
Female	63	1	-	-	-	-	1	2	-	2	3	-	2	1	6	7	5	8	9	16	-
White Male	32	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	1	4	7	14	-
Female	44	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	2	8	27	-
45 Pneumonia 480-486																					
Total	236	3	-	1	-	-	1	3	5	4	11	5	5	10	13	19	23	27	36	68	2
Black Male	98	2	-	1	-	-	-	1	3	2	7	4	-	8	7	9	15	14	12	11	2
Female	62	1	-	-	-	-	1	2	-	2	3	-	2	1	6	7	5	7	9	16	-
White Male	32	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	1	4	7	14	-
Female	44	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	2	8	27	-
46 Influenza 487																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease, etc. 490-496																					
Total	150	-	1	-	-	-	-	-	-	1	3	1	8	11	14	20	35	22	23	11	-
Black Male	59	-	1	-	-	-	-	-	-	-	1	1	4	8	3	11	14	8	6	2	-
Female	35	-	-	-	-	-	-	-	-	1	2	-	2	3	5	4	7	2	4	5	-
White Male	28	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	10	6	3	1	-
Female	28	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	6	10	3	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
47 Bronchitis, chronic and unspecified 490-491																					
Total	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48 Emphysema 492																					
Total	39	-	-	-	-	-	-	-	-	-	-	1	1	4	2	5	12	7	5	2	-
Black Male	15	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	7	2	-	-	-
Female	9	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	-	2	-	-
White Male	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	-	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-
49 Asthma 493																					
Total	18	-	1	-	-	-	-	-	-	1	1	-	-	3	2	1	5	2	1	1	-
Black Male	7	-	1	-	-	-	-	-	-	-	1	-	-	2	-	1	1	1	-	-	-
Female	9	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	1	-	1	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Other chronic obstructive pulmonary disease and allied conditions 494-496																					
Total	89	-	-	-	-	-	-	-	-	-	2	-	6	4	10	14	18	12	17	6	-
Black Male	36	-	-	-	-	-	-	-	-	-	-	-	3	4	2	8	6	5	6	2	-
Female	16	-	-	-	-	-	-	-	-	-	2	-	1	-	2	3	2	1	2	3	-
White Male	14	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	6	-	2	-	-
Female	23	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	6	7	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
51 Ulcer of stomach and duodenum 531-533																					
Total	17	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	3	2	6	-
Black Male	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	2	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
52 Appendicitis 540-543																					
Total	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53 Hernia of abdominal cavity and intestinal obstruction without mention of hernia 550-553,560																					
Total	22	1	-	-	-	-	-	-	1	-	1	-	1	2	-	1	1	4	3	7	-
Black Male	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	1	-
Female	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	5	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
54 Chronic liver disease and cirrhosis 571																					
Total	211	1	-	-	-	-	1	5	8	22	16	26	26	25	28	23	22	5	2	1	-
Black Male	120	1	-	-	-	-	-	3	3	14	13	14	18	15	16	10	9	2	1	1	-
Female	54	-	-	-	-	-	1	1	5	6	2	6	5	4	8	7	8	1	-	-	-
White Male	27	-	-	-	-	-	-	1	-	2	1	4	3	5	1	4	3	2	1	-	-
Female	10	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	2	-	-	-	-
55 Cholelithiasis and other disorders of gallbladder 574-575																					
Total	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-
Black Male	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis 580-589																					
Total	91	-	-	-	-	-	1	2	-	2	1	3	4	4	9	14	10	14	12	15	-
Black Male	28	-	-	-	-	-	-	2	-	-	1	2	-	1	2	7	6	3	3	1	-
Female	44	-	-	-	-	-	-	-	-	2	-	1	3	3	5	6	4	8	5	7	-
White Male	14	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	3	3	4	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																			
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
56 Acute glomerulonephritis and nephrotic syndrome 580-581																					
Total	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57 Chron glomeruloneph, neph and nephropathy, nos, and renal sclerosis, unspec 582-583,587																					
Total	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 Renal fail, disorders from impaired renal FCN and small kidney of unknown cause 584-586,588-589																					
Total	87	-	-	-	-	-	1	2	-	2	1	3	3	4	8	14	10	12	12	15	-
Black Male	27	-	-	-	-	-	-	2	-	-	1	2	-	1	2	7	6	2	3	1	-
Female	43	-	-	-	-	-	-	-	-	2	-	1	2	3	5	6	4	8	5	7	-
White Male	12	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	2	3	4	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
59 Infections of kidney 590																					
Total	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	-	-
Black Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
60 Hyperplasia of prostate 600																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium 630-676																					
Total	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61 Pregnancy with abortive outcome 630-638																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
62 Other complications of pregnancy, childbirth, and the puerperium 640-676																					
Total	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
63 Congenital anomalies 740-759																					
Total	30	24	1	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Black Male	14	10	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	7	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain perinatal conditions 760-779																					
Total	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
64 Birth trauma, intrauterine hypoxia, birth asphyxia and RDS 767-769																					
Total	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 Other conditions originating in the perinatal period 760-766,770-779																					
Total	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66 Symptoms, signs and ill-defined conditions 780-799																					
Total	91	26	2	-	1	-	1	2	9	8	5	-	5	6	5	2	3	3	4	7	2
Black Male	52	17	1	-	-	-	-	-	7	4	4	-	2	5	2	1	1	2	1	3	2
Female	27	9	-	-	1	-	1	1	2	3	-	-	3	1	1	1	1	-	2	1	-
White Male	7	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	2	-
Female	5	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																			
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
67 All other diseases residual																					
Total	843	7	1	-	2	3	10	32	69	72	49	39	33	51	52	58	75	70	80	138	2
Black Male	343	1	1	-	2	1	6	20	41	43	26	22	17	22	29	20	28	27	18	18	1
Female	275	5	-	-	-	2	3	4	13	14	8	7	11	22	18	21	33	22	38	53	1
White Male	122	1	-	-	-	-	1	7	14	14	14	7	5	5	2	10	8	8	5	21	-
Female	103	-	-	-	-	-	-	1	1	1	1	3	-	2	3	7	6	13	19	46	-
Accidents and adverse effects 800-949																					
Total	211	1	3	4	4	6	16	25	15	22	9	3	6	15	13	7	13	11	17	20	1
Black Male	96	-	1	1	3	3	7	16	9	11	6	1	4	8	9	5	6	5	1	-	-
Female	56	1	2	3	1	2	3	4	3	9	1	1	1	2	3	2	3	4	2	9	-
White Male	30	-	-	-	-	-	6	4	3	2	1	-	1	4	-	-	1	1	4	2	1
Female	29	-	-	-	-	1	-	1	-	-	1	1	-	1	1	-	3	1	10	9	-
68 Motor vehicle accidents 810-825																					
Total	52	-	-	3	1	5	10	9	3	3	1	2	2	2	3	1	2	1	3	1	-
Black Male	29	-	-	1	1	3	7	6	2	1	1	-	1	2	3	1	-	-	-	-	-
Female	12	-	-	2	-	1	1	1	-	2	-	1	1	-	-	-	2	1	-	-	-
White Male	6	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	2	-	-
Female	5	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-
69 All other accidents and adverse effects 800-807,826-949																					
Total	159	1	3	1	3	1	6	16	12	19	8	1	4	13	10	6	11	10	14	19	1
Black Male	67	-	1	-	2	-	-	10	7	10	5	1	3	6	6	4	6	5	1	-	-
Female	44	1	2	1	1	1	2	3	3	7	1	-	-	2	3	2	1	3	2	9	-
White Male	24	-	-	-	-	-	4	3	2	2	1	-	1	4	-	-	1	1	2	2	1
Female	24	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	1	9	8	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1986-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
70 Suicide 950-959																					
Total	86	-	-	-	-	3	11	12	9	9	8	6	8	4	7	2	4	1	2	-	-
Black Male	40	-	-	-	-	2	8	7	2	2	5	3	2	2	2	-	3	-	2	-	-
Female	15	-	-	-	-	1	1	2	3	2	1	2	1	-	1	1	-	-	-	-	-
White Male	19	-	-	-	-	-	1	2	3	4	-	1	2	1	2	1	1	1	-	-	-
Female	12	-	-	-	-	-	1	1	1	1	2	-	3	1	2	-	-	-	-	-	-
71 Homicide and legal intervention 960-978																					
Total	178	1	1	1	-	13	31	27	35	27	10	12	5	4	4	2	1	3	-	1	-
Black Male	134	-	-	1	-	11	25	22	27	20	9	10	2	-	2	1	1	2	-	1	-
Female	31	1	1	-	-	1	6	5	4	4	1	1	2	2	2	-	-	1	-	-	-
White Male	9	-	-	-	-	-	-	-	4	2	-	1	1	1	-	-	-	-	-	-	-
Female	4	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
72 All other external causes 980-999																					
Total	76	4	2	-	1	2	4	5	11	14	12	4	3	6	1	-	-	1	1	-	5
Black Male	55	3	2	-	1	1	2	5	8	12	9	1	2	5	1	-	-	1	-	-	2
Female	11	1	-	-	-	1	1	-	3	1	3	-	-	-	-	-	-	-	-	-	1
White Male	6	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	2
Female	4	-			-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-

Table 25a.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD: DISTRICT OF COLUMBIA, 1986

Rank	Cause of death	Total	All races								
			Ward								
			1	2	3	4	5	6	7	8	Unk.
	Total all causes	7,253	971	937	852	1,103	1,107	813	864	562	44
01	Diseases of heart (390-398,402,404-429)	2,181	290	300	267	358	340	233	240	146	7
02	Cancer (including etc.) (140-208)	1,672	200	196	210	281	258	207	199	117	4
03	Cerebrovascular disease (430-438)	403	52	40	78	70	58	35	38	30	2
04	Pneumonia and influenza (480-487)	237	35	36	37	25	31	26	32	13	2
05	Chronic liver disease and cirrhosis (571)	211	41	37	11	25	31	28	23	13	2
05	Accidents and adverse effects (800-949)	211	26	29	23	29	32	23	23	23	3
07	Homicide and legal intervention (960-978)	178	27	19	4	11	29	25	28	34	1
08	Chronic obstructive pulmonary disease, etc. (490-496)	150	17	17	16	26	21	24	19	8	2
09	Septicemia (038)	148	18	16	13	22	19	21	25	13	1
10	Certain perinatal conditions (760-779)	142	22	14	8	19	17	21	18	22	-
11	Diabetes mellitus (250)	134	18	12	8	22	30	12	20	10	-
12	Nephritis, nephrotic syndrome and nephrosis (580-589)	19	11	11	12	13	15	11	11	7	-
13	Suicide (950-959)	86	10	13	15	15	6	9	8	8	2
14	Atherosclerosis (440)	58	6	13	15	8	5	1	7	3	-
15	Hypertension with or without renal disease (401,403)	35	2	2	5	3	6	7	5	5	-
16	Congenital anomalies (740-759)	30	3	5	2	3	3	4	4	6	-
17	Benign neoplasms, carcinoma in situ, neoplasms nec (210-239)	26	5	3	1	5	3	4	3	2	-
18	Anemias (280-285)	25	5	-	2	4	5	3	4	2	-
19	Hernia of abdominal cavity & intestinal obstruction without mention of hernia (550-553,560)	22	1	1	5	3	5	3	3	1	-
20	Ulcer of stomach and duodenum (531-533)	17	3	1	0	3	5	1	3	1	-
21	Residual	1,196	179	172	120	158	188	115	148	98	18

Table 25b.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD: DISTRICT OF COLUMBIA, 1986 - CONTINUED

Rank	Cause of death	Total	Black								
			Ward								
			1	2	3	4	5	6	7	8	Unk.
	Total all causes	5,392	776	622	62	864	1,023	700	799	512	34
01	Diseases of heart (390-398,402,404-429)	1,596	233	208	20	282	308	203	212	126	4
02	Cancer (including etc.) (140-208)	1,257	165	130	13	225	242	182	192	105	3
03	Cerebrovascular disease (430-438)	264	39	20	2	53	54	30	37	27	2
04	Pneumonia and influenza (480-487)	161	22	25	1	17	31	23	28	12	2
05	Chronic liver disease and cirrhosis (571)	174	35	29	3	20	30	20	23	13	1
06	Accidents and adverse effects (800-949)	152	14	16	2	27	28	19	21	22	3
07	Homicide and legal intervention (960-978)	165	25	16	2	10	28	23	26	34	1
08	Chronic obstructive pulmonary disease, etc. (490-496)	94	12	8	-	13	17	20	16	7	1
09	Septicemia (038)	121	17	12	3	17	17	19	24	11	1
10	Certain perinatal conditions (760-779)	130	20	13	1	18	17	21	18	22	-
11	Diabetes mellitus (250)	111	15	10	1	15	29	12	20	9	-
12	Nephritis, nephrotic syndrome and nephrosis (580-589)	72	10	11	-	9	15	11	9	7	-
13	Suicide (950-959)	55	8	6	1	13	6	7	8	5	1
14	Atherosclerosis (440)	33	6	7	2	6	4	-	5	3	-
15	Hypertension with or without renal disease (401,403)	26	2	1	-	3	5	6	4	5	-
16	Congenital anomalies (740-759)	21	2	4	-	1	2	4	4	4	-
17	Benign neoplasms, carcinoma in situ, neoplasms nec (210-239)	18	3	1	-	4	3	2	3	2	-
18	Anemias (280-285)	19	4	-	-	3	5	2	3	2	-
19	Hernia of abdominal cavity & intestinal obstruction without mention of hernia (550-553,560)	17	1	1	2	2	5	3	2	1	-
20	Ulcer of stomach and duodenum (531-533)	13	2	-	-	3	4	-	3	1	-
21	Residual	893	141	104	9	123	173	93	141	94	15

Table 25c.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD: DISTRICT OF COLUMBIA, 1986 - CONTINUED

Rank	Cause of death	Total	White								
			Ward								
			1	2	3	4	5	6	7	8	Unk.
	Total all causes	1,861	195	315	790	239	84	113	65	50	10
01	Diseases of heart (390-398,402,404-429)	585	57	92	247	76	32	30	28	20	3
02	Cancer (including etc.) (140-208)	415	35	66	197	56	16	25	7	12	1
03	Cerebrovascular disease (430-438)	139	13	20	76	17	4	5	1	3	-
04	Pneumonia and influenza (480-487)	76	13	11	36	8	0	3	4	1	-
05	Chronic liver disease and cirrhosis (571)	37	6	8	8	5	1	8	-	-	1
05	Accidents and adverse effects (800-949)	59	12	13	21	2	4	4	2	1	-
07	Homicide and legal intervention (960-978)	13	2	3	2	1	1	2	2	-	-
08	Chronic obstructive pulmonary disease, etc. (490-496)	56	5	9	16	13	4	4	3	1	1
09	Septicemia (038)	27	1	4	10	5	2	2	1	2	-
10	Certain perinatal conditions (760-779)	12	2	1	7	1	-	-	1	-	-
11	Diabetes mellitus (250)	23	3	2	7	7	1	-	2	1	-
12	Nephritis, nephrotic syndrome and nephrosis (580-589)	19	1	-	12	4	-	-	2	-	-
13	Suicide (950-959)	31	2	7	14	2	-	2	-	3	1
14	Atherosclerosis (440)	25	-	6	13	2	1	1	2	-	-
15	Hypertension with or without renal disease (401,403)	9	-	1	5	-	1	1	1	-	-
16	Congenital anomalies (740-759)	9	1	1	2	2	1	-	-	2	-
17	Benign neoplasms, carcinoma in situ, neoplasms nec (210-239)	8	2	2	1	1	-	2	-	-	-
18	Anemias (280-285)	6	1	-	2	1	-	1	1	-	-
19	Hernia of abdominal cavity & intestinal obstruction without mention of hernia (550-553,560)	5	-	-	3	1	-	-	1	-	-
20	Ulcer of stomach and duodenum (531-533)	4	1	1	-	-	1	1	-	-	-
21	Residual	303	38	68	111	35	15	22	7	4	3

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1986

	Cause of death	Total	Less than one day	1-6 days	7-27 days	28 days-5 months	6-11 months
	Total	211	94	39	28	39	11
01	Certain intestinal infections	-	-	-	-	-	-
02	Whooping cough	-	-	-	-	-	-
03	Meningococcal infection	-	-	-	-	-	-
04	Septicemia	-	-	-	-	-	-
05	Viral diseases	-	-	-	-	-	-
06	Congenital syphilis	1	-	-	-	1	-
07	Remainder of infectious and parasitic diseases	-	-	-	-	-	-
08	Malignant neoplasm, including neoplasm of lymphatic and hematopoietic tissues	-	-	-	-	-	-
09	Benign neoplasms, carcinoma in situ, and neoplasms nec	-	-	-	-	-	-
10	Diseases of thymus gland	-	-	-	-	-	-
11	Cystic fibrosis	1	-	-	1	-	-
12	Diseases of blood and blood-forming organs	-	-	-	-	-	-
13	Meningitis	3	-	-	1	-	2
14	Other diseases of nervous system and sense organs	-	-	-	-	-	-
15	Acute upper respiratory infections	-	-	-	-	-	-
16	Bronchitis and bronchiolitis	3	-	-	-	3	-
	Pneumonia and influenza	3	-	-	-	3	-
17	Pneumonia	-	-	-	-	-	-
18	Influenza	-	-	-	-	-	-
19	Remainder of diseases of respiratory system	1	-	-	-	1	-
20	Hernia of abdominal cavity & intestinal obstruction without mention of hernia	1	-	-	-	1	-
21	Gastritis, duodenitis, and noninfective enteritis and colitis	2	-	-	-	2	-
22	Remainder of diseases of digestive system	24	6	11	4	1	2
	Congenital anomalies	2	2	-	-	-	-
23	Anencephalus and similar anomalies	-	-	-	-	-	-
24	Spina bifida	1	-	-	-	-	1
25	Congenital hydrocephalus						

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE: DISTRICT OF COLUMBIA, 1986-CONTINUED

	Cause of death	Total	Less than one day	1-6 days	7-27 days	28 days-5 months	6-11 months
26	Other congenital anomalies of central nervous system and eye	1	-	-	-	1	-
27	Congenital anomalies of heart	7	-	6	-	-	1
28	Other congenital anomalies of circulatory system	3	-	2	1	-	-
29	Congenital anomalies of respiratory system	6	1	2	3	-	-
30	Congenital anomalies of digestive system	-	-	-	-	-	-
31	Congenital anomalies of genitourinary system	2	1	1	-	-	-
32	Congenital anomalies of musculoskeletal system	-	-	-	-	-	-
33	Downs syndrome	-	-	-	-	-	-
34	Other chromosomal anomalies	1	1	-	-	-	-
35	All other and unspecified congenital anomalies	1	1	-	-	-	-
	Certain conditions originating in the perinatal period	142	88	27	18	7	2
36	Newborn affected by maternal conditions which may be unrelated to present pregnancy	-	-	-	-	-	-
37	Newborn affected by maternal complications of pregnancy	4	3	1	-	-	-
38	Newborn affected by complications of placenta, cord and membranes	6	6	-	-	-	-
39	Newborn affected by other complications of labor and delivery	-	-	-	-	-	-
40	Slow fetal growth and fetal malnutrition	-	-	-	-	-	-
41	Disorders relating to short gestation and unspecified low birth weight	43	39	4	-	-	-
42	Disorders relating to long gestation and high birth weight	-	-	-	-	-	-
43	Birth trauma	-	-	-	-	-	-
	Intrauterine hypoxia and birth asphyxia	9	2	2	4	-	1
44	Fetal distress in liveborn infant	1	-	1	-	-	-
45	Birth asphyxia	8	2	1	4	-	1
46	Respiratory distress syndrome	24	7	10	5	2	-
47	Other respiratory conditions of newborn	27	15	6	3	2	1

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1986-CONTINUED

	Cause of death	Total	Less than one day	1-6 days	7-27 days	28 days-5 months	6-11 months
48	Infections specific to the perinatal period	6	2	1	1	2	-
49	Neonatal hemorrhage	5	-	3	2	-	-
50	Hemolytic disease of newborn, due to isoimmu., & other perinatal jaundice	-	-	-	-	-	-
51	Syndrome of 'infant of a diabetic mother' and neonatal diabetes mellitus	-	-	-	-	-	-
52	Hemorrhagic disease of newborn	-	-	-	-	-	-
53	All other and ill-defined conditions originating in the perinatal period	18	14	-	3	1	-
	Symptoms, signs and ill-defined conditions	26	-	1	3	19	3
54	Sudden infant death syndrome	24	-	-	3	18	3
55	Symptoms, signs, and all other ill-defined conditions	2	-	1	-	1	-
	Accidents and adverse effects	1	-	-	-	1	-
56	Inhal and ingest food or other object causing obstruction or respiratory tract or suffocation.	-	-	-	-	-	-
57	Accidental mechanical suffocation	-	-	-	-	-	-
58	Other accidental causes and adverse effects	1	-	-	-	1	-
	Homicide	1	-	-	-	-	1
59	Child battering and other maltreatment	-	-	-	-	-	-
60	Other homicide	1	-	-	-	-	1
61	All other causes	5	-	-	1	3	1

Table 27.--RESIDENT INFANT DEATHS BY CAUSE: DISTRICT OF COLUMBIA, 1984 - 1986

Cause of death	Total	1986	1985	1984
Total	617	211	204	202
Certain conditions originating in the perinatal period	408	142	131	135
Newborn affected by maternal complications of pregnancy	15	4	6	5
Newborn affected by complications of placenta, cord and membranes	10	6	2	2
Disorders relating to short gestation and unspecified low birth weight	129	43	40	46
Birth trauma	3	-	3	-
Fetal distress in liveborn infant	3	1	-	2
Birth asphyxia	23	8	6	9
Respiratory distress syndrome	73	24	14	35
Other respiratory conditions of newborn	91	27	40	24
Infections specific to the perinatal period	11	6	4	1
Neonatal hemorrhage	11	5	4	2
All other and ill-defined conditions originating in the perinatal period	39	18	12	9
Symptoms, signs and ill-defined conditions	64	26	18	20
Sudden infant death syndrome	60	24	18	18
Symptoms, signs, and all other ill-defined conditions	4	2	-	2
Congenital anomalies	83	24	31	28
Anencephalus and similar anomalies	7	2	3	2
Spina bifida	1	-	1	-
Congenital hydrocephalus	2	1	-	1
Other congenital anomalies of central nervous system and eye	3	1	1	1
Congenital anomalies of heart	25	7	7	11
Other congenital anomalies of circulatory system	10	3	3	4
Congenital anomalies of respiratory system	8	6	1	1
Congenital anomalies of digestive system	-	-	-	-
Congenital anomalies of genitourinary system	5	2	3	-
Congenital anomalies of musculoskeletal system	7	-	5	2
Downs syndrome	1	-	-	1
Other chromosomal anomalies	4	1	2	1
All other and unspecified congenital anomalies	10	1	5	4

Table 27.--RESIDENT INFANT DEATHS BY CAUSE: DISTRICT OF COLUMBIA, 1984 - 1986 - CONTINUED

Cause of death	Total	1986	1985	1984
Accidents and adverse effects	11	1	5	5
Accidental mechanical suffocation	3	-	1	2
Other accidental causes and adverse effects	8	1	4	3
Homicide	1	1	-	-
Child battering and other maltreatment	-	-	-	-
Other homicide	1	1	-	-
Septicemia	2	-	1	1
Remainder of infections and parasitic diseases	2	1	1	-
Benign neoplasms, carcinoma in situ, and neoplasms nec	1	-	1	-
Diseases of blood and blood-forming organs	1	1	-	-
Meningitis	4	-	2	2
Other diseases of nervous system and sense organs	3	3	-	-
Bronchitis and bronchiolitis	3	-	1	2
Pneumonia	8	3	2	3
Remainder of diseases of respiratory system	1	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia	1	1	-	-
Gastritis, duodenitis, & noninfective enteritis & colitis	5	1	2	2
Remainder of diseases of digestive system	4	2	2	-
All other causes	15	5	6	4

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1986

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births [a/]	Deaths	
					All ages	Under 1 year of age
Total.....	10,043	5,784	317	1,228	7,253	211
Residence unknown.....	22	11	2	3	44	-
1.1[b/].....	31	1	-	1	48	1
1.2[b/].....	2	-	-	-	6	-
2.....	18	-	-	-	24	-
3.....	56	4	1	5	35	2
4.....	18	-	-	2	15	-
5.2.....	23	-	-	-	31	-
5.3[b/].....	14	3	-	1	15	1
5.4[b/].....	12	1	-	3	20	-
6.....	51	2	-	2	82	-
7.1.....	31	1	-	1	76	1
7.2.....	31	6	1	1	20	1
8.1.....	51	2	-	4	47	2
8.2.....	26	-	-	-	18	-
9.1.....	47	3	-	4	34	1
9.2.....	16	1	-	-	12	-
10.1.....	76	4	-	-	62	-
10.2.....	17	-	-	2	13	-
11.....	46	1	-	-	52	-
12.....	62	7	1	3	40	-
13.1.....	22	1	-	-	52	1
13.2.....	32	2	-	1	75	-
14.....	90	7	1	3	78	3
15.....	63	2	2	5	84	-
16.....	42	9	-	3	34	1
17.....	94	36	2	13	51	1
18.1.....	7	5	-	-	1	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1986 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births a/	Deaths	
					All ages	Under 1 year of age
18.3.....	42	19	2	3	37	1
18.4.....	67	30	1	5	40	3
19.1.....	66	45	3	10	68	3
19.2.....	29	14	-	2	28	-
20.1.....	32	13	-	3	25	-
20.2.....	64	32	1	6	52	1
21.1.....	115	74	7	29	69	4
21.2.....	82	46	3	13	74	2
22.1.....	52	33	1	12	66	2
22.2.....	53	35	3	10	43	-
23.1.....	40	27	1	4	65	2
23.2.....	4	-	-	-	150	-
24.....	93	57	5	13	58	1
25.1.....	42	24	2	6	45	1
25.2.....	75	52	2	13	70	1
26.0.....	10	1	-	-	26	-
27.1.....	75	28	1	5	36	2
27.2.....	102	45	2	5	70	2
28.....	188	97	7	20	97	3
29.....	92	61	2	14	56	3
30.....	60	45	3	7	44	-
31.....	55	36	1	6	40	1
32.....	106	75	6	21	73	3
33.1.....	71	52	3	12	61	1
33.2.....	35	25	-	4	45	-
34.....	51	34	3	10	64	1
35.....	64	47	3	8	57	1
36.....	84	62	2	16	66	3
37.....	129	76	10	22	67	4

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1986 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births [a/]	Deaths	
					All ages	Under 1 year of age
38.....	107	58	4	9	40	2
39.....	98	46	1	9	29	-
40.....	65	17	2	1	58	-
41.....	21	2	-	2	35	1
42.1.....	48	18	-	4	22	1
42.2.....	24	2	-	1	22	-
43.....	59	31	5	6	45	-
44.....	34	23	1	5	32	-
45.....	36	30	-	5	25	-
46.....	84	67	4	9	59	1
47.....	108	81	8	17	87	5
48.1.....	45	35	3	10	60	2
48.2.....	66	38	1	10	43	1
49.1.....	51	35	3	6	35	-
49.2.....	33	26	1	4	31	1
50.....	94	51	2	8	93	2
51.....	7	-	1	1	29	-
52.1.....	52	30	6	5	43	-
52.2.....	9	4	-	-	10	-
53.1.....	73	24	1	2	31	-
53.2.....	8	2	-	-	4	-
54.1.....	5	1	-	-	1	-
54.2.....	2	-	-	-	2	-
55.1.....	25	7	-	1	32	-
55.2.....	9	1	-	1	7	-
56.....	24	3	-	2	55	1
57.1.....	9	4	1	2	9	-
57.2.....	2	1	1	-	1	-
58.....	20	6	1	3	19	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1986 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births [a/]	Deaths	
					All ages	Under 1 year of age
59.....	18	15	3	3	35	1
60.1.....	18	4	-	1	11	-
60.2.....	22	22	2	3	14	-
61.....	12	2	-	1	14	-
62.3[b/]....	9	2	-	3	2	-
62.4[b/]....	1	1	-	-	-	-
63.1.....	22	7	-	4	19	-
63.2.....	3	-	-	-	-	-
64.....	53	41	3	10	38	2
65.....	14	2	-	-	19	-
66.....	9	1	-	1	19	-
67.....	61	22	2	4	23	-
68.1.....	40	26	1	8	35	2
68.2.....	65	40	2	6	38	2
68.4.....	3	2	1	1	3	-
69.0.....	38	22	2	6	35	1
70.....	40	17	3	3	17	-
71.....	74	53	4	14	48	7
72.....	56	48	2	11	48	5
73.1.....	190	14	-	13	11	1
73.2.....	103	68	9	18	46	3
73.4.....	138	106	5	17	41	3
73.8.....	2	-	-	-	27	-
74.1.....	76	60	3	12	27	1
74.4.....	135	116	5	16	24	3
74.5.....	188	152	8	32	51	5
74.6.....	106	83	5	16	17	-
74.7.....	93	71	2	12	38	-
74.8.....	61	43	2	8	15	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1986 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births [a/]	Deaths	
					All ages	Under 1 year of age
75.1.....	130	91	5	22	63	3
75.3[b/]....	73	56	3	10	39	3
75.4[b/]....	27	16	1	3	7	-
76.1.....	112	73	4	19	48	1
76.3.....	54	21	1	7	45	3
76.4.....	55	29	-	6	39	1
76.5.....	53	27	2	10	40	3
77.1[b/]....	20	14	1	1	18	1
77.2[b/]....	13	11	-	1	8	-
77.3.....	125	91	6	21	60	4
77.7.....	68	50	3	10	46	2
77.8.....	54	34	-	8	25	2
78.3.....	84	55	5	11	62	3
78.4.....	62	40	1	11	64	2
78.5.....	102	70	5	12	69	4
78.7.....	52	37	2	5	25	-
78.8.....	121	97	7	18	64	3
79.1.....	82	69	3	9	52	2
79.3.....	27	21	1	4	42	2
80.1.....	63	39	-	11	55	-
80.2.....	58	37	1	6	42	-
81.....	48	27	-	4	32	-
82.....	25	2	-	1	14	-
83.3[b/]....	15	11	-	3	3	-
83.4[b/]....	28	12	-	5	25	-
83.5[b/]....	12	6	1	1	3	-
83.6[b/]....	20	7	-	1	15	-
84.2.....	32	22	3	4	39	2
84.3[b/]....	2	2	-	-	4	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1986 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births [a]	Deaths	
					All ages	Under 1 year of age
84.4[b]/....	40	28	1	5	27	-
85.....	70	51	2	4	60	3
86.1[b]/....	3	2	-	-	-	-
86.2[b]/....	10	9	-	-	8	-
87.1.....	40	28	1	7	42	-
87.2.....	42	32	-	4	37	1
88.2.....	93	72	2	12	82	3
88.3.....	42	32	1	8	19	3
88.4.....	65	56	1	9	45	1
89.3.....	76	55	2	10	49	2
89.4.....	67	52	2	8	62	-
89.5.....	2	2	-	-	-	-
90.1.....	19	10	1	3	43	-
90.2.....	24	9	2	3	23	-
91.1.....	47	28	2	6	79	2
91.2.....	114	84	2	14	55	2
92.1.....	21	14	1	1	27	2
92.2.....	96	66	5	8	83	5
93.1.....	53	301	4	7	56	1
93.2.....	31	25	2	2	28	-
94.....	61	38	-	8	73	1
94.8[b]/....	5	2	-	1	6	-
94.9[b]/....	35	17	-	3	27	-
95.2.....	95	38	4	10	54	-
95.3.....	38	10	-	3	48	-
95.4[b]/....	72	31	-	9	40	1
95.5.....	33	14	-	1	40	-
95.6[b]/....	2	-	-	1	2	-
95.7.....	19	11	-	3	15	1

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1986 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births a/	Deaths	
					All ages	Under 1 year of age
96.1.....	65	53	2	13	28	3
96.2.....	49	43	2	12	23	2
96.3.....	40	25	-	3	30	-
96.4.....	23	13	-	1	49	-
97.....	138	107	6	20	31	3
98.1.....	97	68	5	14	31	5
98.2.....	59	47	-	8	22	-
98.3.....	68	48	1	11	18	1
98.4.....	50	27	1	11	32	1
98.5.....	28	18	-	4	16	1
98.6.....	122	89	5	12	36	3
98.7.....	86	57	2	16	35	2
98.8.....	50	35	-	3	14	1
98.9.....	4	3	-	-	23	-
99.1.....	26	9	-	3	34	-
99.2.....	46	23	-	4	47	4
99.3.....	61	50	1	8	59	1
99.4.....	94	70	2	18	32	1
99.5.....	77	50	3	6	35	-
99.6.....	38	26	1	-	21	-
99.7.....	44	33	2	5	24	1

a/With birth weight of 2,500 grams or less.

b/Pseudo tract number created for tracts split by ward boundaries.

Table 29.--RECORDED DEATHS FROM ACCIDENTAL CAUSES BY AGE AND TYPE OF ACCIDENT: DISTRICT OF COLUMBIA, 1986

Type of accident	Total	Age (in years)					
		Under 5	5-14	15-24	25-44	45-64	65 and over
Total 1/	308	22	15	29	102	47	93
Work	8	-	-	1	5	1	1
Construction	3	-	-	1	1	-	1
Transportation and public utilities	1	-	-	-	-	1	-
Service	3	-	-	-	3	-	-
Government	1	-	-	-	1	-	-
Home	87	10	3	4	21	17	32
Poisonings (gas excepted)	6	-	-	-	6	-	-
Poisonings by gas and vapors	1	-	-	-	1	-	-
Falls	23	-	-	-	2	7	14
Fires	36	5	2	3	10	4	12
Drowning	7	4	1	-	1	-	1
Suffocation, mechanical	6	1	-	-	-	3	2
Firearms	1	-	-	1	-	-	-
Other and unspecified home accidents	7	-	-	-	1	3	3
Motor vehicle	89	4	10	17	31	10	17
Injury to pedestrian	20	2	6	1	4	3	4
Injury to pedal cyclist	3	-	-	2	1	-	-
Collision with other motor vehicle	23	-	2	3	8	3	7
Collision with fixed object	10	-	-	4	4	1	1
Noncollision	18	-	2	4	9	2	1
Other and unspecified accidents	15	2	-	3	5	1	4
Public non-motor vehicle	113	8	2	6	42	18	37
Air transport	10	-	-	3	-	2	5
Fires	2	-	-	-	1	1	-
Drowning	7	3	1	1	2	-	-
Other and unspecified public accidents	94	5	1	2	39	15	32
Type of accident unknown	11	-	-	1	3	1	6

1/Includes deaths occurring within the District of Columbia of residents and non-residents.

Table 30.--ESTIMATED POPULATION BY AGE, RACE, AND SEX:
DISTRICT OF COLUMBIA, JULY 1, 1986

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total...	628,500	291,300	337,200	458,300	212,400	245,900	170,200	78,900	91,300
Under 5.....	36,200	18,300	17,900	30,500	15,400	15,100	5,700	2,900	2,800
5-9.....	32,800	16,700	16,100	28,500	14,400	14,100	4,300	2,300	2,000
10-14.....	36,800	18,300	18,500	32,300	16,000	16,300	4,500	2,300	2,200
15-19.....	44,500	22,500	22,000	36,200	18,100	18,100	8,300	4,400	3,900
20-24.....	60,100	27,300	32,800	44,900	21,800	23,100	15,200	5,500	9,700
25-29.....	68,400	31,400	37,000	46,200	21,400	24,800	22,200	10,000	12,200
30-34.....	59,000	28,200	30,800	39,300	18,000	21,300	19,700	10,200	9,500
35-39.....	49,600	23,100	26,500	31,700	14,000	17,700	17,900	9,100	8,800
40-44.....	40,200	19,700	20,500	27,100	12,500	14,600	13,100	7,200	5,900
45-49.....	31,900	15,300	16,600	23,500	11,000	12,500	8,400	4,300	4,100
50-54.....	29,700	13,900	15,800	22,400	10,000	12,400	7,300	3,900	3,400
55-59.....	31,200	14,200	17,000	24,000	10,700	13,300	7,200	3,500	3,700
60-64.....	32,100	14,500	17,600	24,100	10,800	13,300	8,000	3,700	4,300
65 and over..	76,000	27,900	48,100	47,600	18,300	29,300	28,400	9,600	18,800

Source: Office of Planning, Data Services Division, Demographic Unit.

Table 31.--MARRIAGES BY MONTH OF MARRIAGE:
DISTRICT OF COLUMBIA, 1986

Marriage month	Number	Percent
Total	4,784	100.0
January	216	4.5
February	246	5.1
March	339	7.1
April	324	6.8
May	604	12.6
June	496	10.4
July	405	8.5
August	517	10.8
September	508	10.6
October	432	9.0
November	404	8.4
December	293	6.1

Table 32.--MARRIAGES BY AGE OF GROOM BY AGE OF BRIDE:
DISTRICT OF COLUMBIA, 1986

Age of groom (in years)	Total	Age of bride (in years)						
		15-19	20-29	30-39	40-49	50-59	60-64	65 and over
Total	4,784	305	2,796	1,256	295	86	29	17
15-19	128	83	45	-	-	-	-	-
20-29	2,473	211	2,012	237	12	1	-	-
30-39	1,429	9	647	705	64	4	-	-
40-49	478	1	84	256	123	12	1	1
50-59	164	1	5	47	77	30	4	-
60-64	54	-	3	9	9	21	10	2
65 and over	58	-	-	2	10	18	14	14

Table 33.--MARRIAGES BY MARITAL STATUS OF GROOM BY MARITAL STATUS OF BRIDE: DISTRICT OF COLUMBIA, 1986

Marital status of groom	Total		Marital status of bride							
			Never married		Divorced		Annulment		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	4,784	100.0	3,729	100.0	957	100.0	1	100.0	97	100.0
Never married	3,419	71.5	3,035	81.4	361	37.7	-	-	23	23.7
Divorced	1,245	26.0	656	17.6	550	57.5	1	100.0	38	39.2
Annulment	5	.1	3	.1	2	.2	-	-	-	-
Widowed	115	2.4	35	.9	44	4.6	-	-	36	37.1

Table 34.--MARRIAGES BY AGE OF GROOM BY MARITAL STATUS OF GROOM: DISTRICT OF COLUMBIA, 1986

Age of groom (in years)	Total		Marital status of groom							
			Never married		Divorced		Annulment		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	4,784	100.0	3,419	100.0	1,245	100.0	5	100.0	115	100.0
15-19	128	2.7	128	3.7	-	-	-	-	-	-
20-29	2,473	51.7	2,325	68.0	144	11.6	2	40.0	2	1.7
30-39	1,429	29.9	837	24.5	579	46.5	1	20.0	12	10.4
40-49	478	10.0	99	2.9	354	28.4	-	-	25	21.7
50-59	164	3.4	15	.4	124	10.0	0	0	25	21.7
60-64	54	1.1	10	.3	30	2.4	1	20.0	13	11.3
65 and over	58	1.2	5	.1	14	1.1	1	20.0	38	33.0

Table 35.--MARRIAGES BY AGE OF BRIDE BY MARITAL STATUS OF BRIDE: DISTRICT OF COLUMBIA, 1986

Age of bride (in years)	Total		Marital status of bride							
			Never married		Divorced		Annulment		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	4,784	100.0	3,729	100.0	957	100.0	1	100.0	97	100.0
15-20	305	6.4	304	8.2	1	.1	-	-	-	-
20-29	2,796	58.4	2,613	70.1	181	18.9	-	-	2	2.1
30-39	1,256	26.3	716	19.2	516	53.9	-	-	24	24.7
40-49	295	6.2	76	2.0	192	20.1	1	100.0	26	26.8
50-59	86	1.8	15	.4	53	5.5	-	-	18	18.6
60-64	29	.6	2	.1	9	.9	-	-	18	18.6
65 and over	17	.4	3	.1	5	.5	-	-	9	9.3

Table 36.--DIVORCES AND DIVORCE RATES: DISTRICT OF COLUMBIA, 1980, 1981-1986

Year	Number	Rate*
1986**.....	2,326	3.7
1985**.....	2,379	3.8
1984**.....	2,557	4.1
1983.....	2,731	4.4
1982.....	3,418	5.5
1981.....	3,896	6.2
1980.....	4,682	7.3

*Rate per 1,000 total estimated population 1981-1986; enumerated population 1980.

**Divorce and annulment decrees granted during 1984, 1985, 1986.

Source: 1984, 1985, 1986 Research and Statistics Division tabulations

1980-1983 National Center for Health Statistics: Annual Summary of Births, Marriages, Divorces, and Deaths, United States, 1980-1984. Monthly Vital Statistics Report(s). Vol's 19-33, No. 13, Sept.-Dec. 1981-1985.

Table 37.--DIVORCES BY DURATION OF MARRIAGE: DISTRICT OF COLUMBIA, 1986

Duration of marriage (in years)	Number*	Percent
Total	2,326	100.0
Under 1	35	1.5
1	144	6.2
2	228	9.8
3	191	8.2
4	200	8.6
5	174	7.5
6	137	5.9
7	130	5.6
8	88	3.8
9	91	3.9
10-14	338	14.5
15-19	231	9.9
20-24	137	5.9
25-29	91	3.9
30 and over	95	4.1
Not stated	16	0.7

*Includes divorces and annulments.

Table 38.--DIVORCES BY NUMBER OF CHILDREN AFFECTED UNDER 18 YEARS OF AGE: DISTRICT OF COLUMBIA, 1986

Number of children affected	Total divorces*	Total children
Total	2,326	1,474
None or not stated	1,388	-
1	536	536
2	301	602
3	80	240
4	12	48
5	7	35
6	1	6
7	1	7

*Includes divorces and annulments.

Table 39.--DIVORCES BY AGE OF WIFE BY AGE OF HUSBAND: DISTRICT OF COLUMBIA, 1986

Age of wife (in years)	Total*	Age of husband (in years)							
		Less than 20	20-29	30-39	40-49	50-59	60-69	70 or over	Not stated
Total	2,326	10	488	1,008	490	191	69	23	47
Less than 20	13	-	8	2	1	1	-	-	1
20-29	682	3	375	273	14	2	1	4	10
30-39	998	3	94	658	202	22	2	3	14
40-49	373	1	4	48	244	60	8	-	8
50-59	135	-	1	-	15	87	27	2	3
60-69	46	1	-	4	1	11	21	5	3
70 or over	9	1	-	-	1	-	2	5	-
Not stated	70	1	6	23	12	8	8	4	8

*Includes divorces and annulments.

Table 40.--AGE OF HUSBAND BY MARRIAGE NUMBER: DISTRICT OF COLUMBIA, 1986

Age (in years)	Total*	Marriage number					
		1st	2nd	3rd	4th	5th	Not stated
Total	2,326	1,918	345	48	8	2	5
Less than 20	10	8	2	-	-	-	-
20-29	488	469	19	-	-	-	-
30-39	1,008	868	126	12	1	-	1
40-49	490	350	112	20	4	2	2
50-59	191	126	49	12	2	-	2
60-69	69	42	24	3	-	-	-
70 or over	23	16	6	1	-	-	-
Not stated	47	39	7	-	1	-	-

*Includes divorces and annulments.

Table 41.--AGE OF WIFE BY MARRIAGE NUMBER: DISTRICT OF COLUMBIA, 1986

Age (in years)	Total*	Marriage number				
		1st	2nd	3rd	4th	Not stated
Total	2,326	1,958	327	33	2	6
Less than 20	13	13	-	-	-	-
20-29	682	656	25	1	-	-
30-39	998	834	147	14	-	3
40-49	373	284	74	12	1	2
50-59	135	89	41	3	1	1
60-69	46	30	13	3	-	-
70 or over	9	5	4	-	-	-
Not stated	70	47	23	-	-	-

*Includes divorces and annulments.

Table 42.--DIVORCES BY DURATION OF MARRIAGE BY MARRIAGE NUMBER OF HUSBAND: DISTRICT OF COLUMBIA, 1986

Duration of marriage (in years)	Total*	Marriage number					
		1st	2nd	3rd	4th	5th	Not stated
Total	2,326	1,922	341	48	8	2	5
Under 1	34	30	2	2	-	-	-
1	144	109	30	2	3	-	-
2	229	188	36	3	1	1	-
3	191	157	25	7	1	-	1
4	199	161	34	3	-	1	-
5	177	142	27	7	-	-	1
6	139	103	30	4	1	-	1
7	132	103	25	4	-	-	-
8	90	69	15	5	-	-	1
9	89	74	12	2	1	-	-
10-14	335	276	53	4	1	-	1
15-19	230	205	24	1	-	-	-
20-24	137	124	11	2	-	-	-
25-29	90	81	8	1	-	-	-
30 and over	94	87	7	-	-	-	-
Not stated	16	13	2	1	-	-	-

*Includes divorces and annulments.

S1565-2-U

VITAL STATISTICS
OF THE
DISTRICT OF COLUMBIA
1987

PETER G. PARHAM
DIRECTOR
DEPARTMENT OF HUMAN
SERVICES

CARL W. WILSON
DIRECTOR
OFFICE OF POLICY AND
PLANNING

MARION BARRY JR.
MAYOR
DISTRICT OF COLUMBIA

P R E F A C E

Annual vital statistics for the District of Columbia are available for all years beginning with 1940. Data for the years 1940-1953 were provided by the National Office of Vital Statistics, Public Health Service, U.S. Department of Health, Education and Welfare. Beginning in 1954 the District of Columbia Department of Public Health, succeeded by the Department of Human Services, has been the source of data.

These statistics serve as an integral part of the Department's initiative to reduce the infant mortality rate and generally promote the health of the citizens of the District of Columbia.

VITAL STATISTICS SUMMARY

1987

INTRODUCTION

This annual report contains information on vital events (live births, deaths, fetal deaths, marriages and divorces) for the District of Columbia in calendar year 1986 and selected earlier years. The report also includes data on nonresident births and deaths occurring in the District of Columbia. However, the emphasis is placed on these events occurring to District of Columbia residents. The purpose of this report is to present information in a structured fashion which can be used as a basis for health and social policy decisions, for health planning and for the generation of questions for health and epidemiologic research. This report is further intended to provide District of Columbia governmental agencies, businesses, universities, nonprofit organizations and citizens with information on vital events.

SOURCE OF DATA. Vital statistics are derived entirely from live birth, death, fetal death, marriage and divorce certificates. All live births and deaths occurring within the District are registered with the Vital Records Branch, Research and Statistics Division, Department of Human Services, as are known fetal deaths of 20 weeks or more gestation. Vital events for District residents occurring in other states are registered in those states and copies are sent to the Vital Records Branch through a nationwide interchange system. Marriage and divorce certificates are received from the District of Columbia Superior Court and are registered with the Vital Records Branch.

The statistics for 1987 cover all 1987 events for which certificates were filed or transcripts received from other states before May 15, 1988. The number of certificates excluded for 1987 or any other year because of late filing is considered negligible for statistical purposes.

REGISTRATION COMPLETENESS. The registration of live births and deaths in the District of Columbia is considered to be virtually complete. The degree of reporting and completeness for fetal deaths is not known because the D.C. law requires reporting only for 20 weeks or over gestation. Since the gestation period cannot always be calculated exactly, some reportable fetal deaths are probably not reported. It is always possible that some of those which are reported are actually of less than 20 weeks gestation.

CALCULATION OF RATES. Death, birth and fertility rates are based on the enumerated population as of April 1 for census years, and on the estimated population as of July 1 for all other years. These rates are expressed per 1,000 population except for death rates by cause of death, which are per 100,000 population. Rates are per 1,000 live births for infant deaths, per 10,000 live births for maternal deaths and per 1,000 deliveries (live births plus fetal deaths) for fetal deaths and perinatal deaths. Comparability of trend data for birth and death rates is limited by the difficulties in preparing reliable estimates of population for intercensal years.

AVAILABILITY OF ADDITIONAL DATA. More detailed information on vital events for 1987 or prior years is available on request from the chief, Research and Statistics Division, Department of Human Services, 425 I Street, N.W., Washington, D.C. 20001.

DEFINITIONS. Terms used in this report are defined as follows:

Residence is defined as that of the deceased for a death and as that of the mother for a birth or fetal death. Deaths and births in institutions located in the District are allocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted. Most tables refer to resident events which include birth and death certificates received for residents of the city irrespective of where the event occurred. The tables referring to recorded events include births and deaths which occurred in the District of Columbia irrespective of the place of residence given on the certificates.

A live birth is defined as the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

An immature birth is one for which the birth weight is under 2,500 grams (5 pounds, 8 ounces or less), regardless of the period of gestation.

A premature birth is one which occurred prior to 37 weeks gestation.

A out-of-wedlock birth is one which occurred to a mother who was separated from spouse or not married at the time of birth and had not been living with spouse or married any time during the preceding 10 months.

A fetal death is defined as death, prior to the complete expulsion or extraction from its mother, of a product of human conception of 20 weeks or more duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus never breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movements of voluntary muscles.

A infant death is the death of a child under one year of age.

A neonatal death is the death of a child under 28 days of age.

The underlying causes of death, by which all deaths are classified, may be defined as the disease or injury which initiated the train of morbid events leading directly to death, or the circumstances of the accident or violence which produced the fatal injury 1/. It is the responsibility of the certifying physician or medical examiner to indicate the underlying cause, and it is the responsibility of the Research and Statistics Division to assign the proper code number so that deaths may be classified by cause. Starting with the 1979 report, causes of death have been coded under the provisions of the "Ninth Revision International Classification of Diseases", adapted for use in the United States (ICDA).

Leading Causes of Death: Cause-of-death ranking is based on the list of 72 Selected Causes of Death, adapted from one of the special lists for mortality tabulations recommended by the World Health Organization for use with the Ninth Revision of the International Classification of Diseases. Two group titles - Major cardiovascular diseases and symptoms and ill-defined conditions - are not ranked.

Race: When the word "black" is used in this report, either in tables or text, it means "black and other non-white races". The 1980 census found that approximately three percent of the total population was neither black or white.

1/Manual of the International Statistical Classification of Disease, Injuries, and Cause of Death, Seventh Revision, 1955, Volume 1, page 357.

Rates used in this report are defined as outlined below:

Birth Rate	Live births / Estimated mid-year population	X 1,000
Out-of-wedlock ratio	Out-of-wedlock births / Number of live births	1,000
Age-specific rate	Live births to women in specific age group / Estimated mid-year female population in that age group	X 1,000
Fertility rate	Live births / Estimated mid-year female population 15-44 years old	X 1,000
Death rate	Deaths / Estimated mid-year population	X 1,000 (or 100,000) as specified
Age-specific death rate	Deaths in specific age group / Estimated mid-year population in that age group	X 100,000
Infant death rate	Deaths under one year of age / Total number of live births	X 1,000
Neonatal death rate	Deaths under 28 days of age / Total number of live births	X 1,000
Fetal death rate	Fetal deaths (gestation 20 weeks or over) / Live births plus fetal deaths	X 1,000
Maternal death rate	Deaths due to complications of pregnancy, childbirth and puerperium / Total number of live births	X 10,000
Perinatal death rate	Neonatal deaths plus fetal deaths / Live births plus fetal deaths	X 1,000

ACKNOWLEDGEMENTS

The 1987 Vital Statistics Summary is the result of the combined efforts of the data providers, including hospital personnel, physicians and funeral directors and Department of Human Services' personnel.

Research and Statistics Division staff contributing significantly to the preparation of the 1987 summary include:

Claudia Higgins, table preparation
Corine Miles, Margaret Spencer and Gloria Coleman, data reduction and coding
Dorothy Ricks, secretary, typing
John Crandall, registrar, Vital Records Branch and his staff for the registration of all vital events occurring in the District of Columbia

Publication of this summary is made possible through the joint efforts of other units within the Department of Human Services, Special acknowledgement is made to:

Henry Marshall, Audiovisual and Printing Services Division
Office of Information Systems staff, Frederick Senior, chief

The 1987 Vital Statistics Summary has been compiled and produced under the general supervision of Grover Chamberlain, chief, Research and Statistics Division.

SYMBOLS USED IN TABLES

Data Not Available	---
Not Applicable	...
Quantity Zero	-
Quantity More Than 0 But Less Than 0.05	0.0

Table 1.--RESIDENT LIVE BIRTHS AND BIRTH RATES BY RACE AND SEX: DISTRICT OF COLUMBIA, 1972-1987

Year	Live births						Live births		
	Total		Black		White				
	Number	Rate [a]	Number	Rate [a]	Number	Rate [a]	Male	Female	Sex ratio [b]
1987.....	10,178	16.2	8,472	18.5	1,706	10.0	5,223	4,955	1,054
1986.....	10,043	16.0	8,355	18.2	1,688	9.9	4,989	5,054	987
1985.....	9,840	15.7	8,136	17.8	1,704	10.1	5,013	4,827	1,039
1984.....	9,549	15.2	7,888	17.2	1,661	9.8	4,928	4,621	1,066
1983.....	9,524	15.2	7,896	17.2	1,628	9.7	4,729	4,795	986
1982.....	9,378	14.9	7,710	16.7	1,668	9.9	4,724	4,654	1,015
1981.....	9,332	14.8	7,749	16.8	1,583	9.4	4,820	4,512	1,068
1980.....	9,257	14.5	7,884	16.9	1,373	8.0	4,759	4,498	1,058
1979.....	9,403	14.2	8,053	16.5	1,350	7.9	4,851	4,552	1,066
1978.....	9,372	13.9	8,004	15.9	1,368	7.9	4,728	4,644	1,018
1977.....	9,885	14.3	8,515	16.4	1,370	8.0	4,985	4,900	1,017
1976.....	9,635	13.6	8,293	15.4	1,342	7.9	4,874	4,761	1,024
1975.....	9,746	13.5	8,462	15.1	1,284	7.9	4,942	4,804	1,029
1974.....	10,037	13.8	8,737	15.6	1,300	7.7	5,105	4,932	1,035
1973.....	10,837	14.7	9,413	16.8	1,424	8.0	5,572	5,265	1,058
1972.....	11,886	15.8	10,518	18.6	1,368	7.3	5,989	5,897	1,016

a/Rate per 1,000 population

b/Ratio of males per 1,000 females

Table 2.--OUT-OF-WEDLOCK BIRTHS BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1972-1987

Year	Out-of-wedlock births							
	Total		Black		White		Other a/	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
1987.....	6,092	59.9	5,561	71.3	242	14.2	289	42.9
1986.....	5,784	57.6	5,542	66.3	242	14.3	---	---
1985.....	5,740	58.3	5,445	66.9	295	17.3	---	---
1984.....	5,573	58.4	5,307	67.3	266	16.0	---	---
1983.....	5,467	57.4	5,226	66.2	241	14.8	---	---
1982.....	5,316	56.7	5,066	65.7	250	15.0	---	---
1981.....	5,483	58.8	5,175	66.8	308	19.5	---	---
1980.....	5,369	58.0	5,135	65.1	234	17.0	---	---
1979.....	5,443	57.9	5,255	65.3	188	13.9	---	---
1978.....	5,186	55.3	5,016	62.7	170	12.4	---	---
1977.....	5,243	53.0	5,074	59.6	169	12.3	---	---
1976.....	5,065	52.6	4,886	58.9	179	13.3	---	---
1975.....	4,988	51.2	4,822	57.0	166	12.9	---	---
1974.....	4,994	49.8	4,801	55.5	193	14.8	---	---
1973.....	5,061	46.7	4,856	51.6	205	14.4	---	---
1972.....	5,509	46.3	5,359	51.0	150	11.0	---	---

a/Other was reported in Black category prior to 1987.

Table 3.--INCIDENCE OF LOW BIRTH WEIGHT BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1972-1987

Year	Births under 2,500 grams					
	Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent
1987.....	1,388	13.6	1,302	15.4	86	5.0
1986.....	1,228	12.2	1,143	13.7	85	5.0
1985.....	1,295	13.2	1,215	14.9	80	4.7
1984.....	1,227	12.8	1,143	14.5	84	5.1
1983.....	1,252	13.1	1,160	14.7	92	5.7
1982.....	1,212	12.9	1,113	14.4	99	5.9
1981.....	1,205	12.9	1,108	14.3	97	6.1
1980.....	1,214	13.1	1,130	14.3	84	6.1
1979.....	1,195	12.7	1,123	13.9	72	5.3
1978.....	1,239	13.2	1,143	14.3	96	7.0
1977.....	1,330	13.5	1,239	14.6	91	6.6
1976.....	1,217	12.6	1,136	13.7	81	6.0
1975.....	1,333	13.7	1,255	14.8	78	6.1
1974.....	1,325	13.2	1,245	14.2	80	6.2
1973.....	1,349	12.4	1,256	13.3	93	6.5
1972.....	1,490	12.5	1,407	13.4	83	6.1

Table 4.--BIRTHS TO ADOLESCENT MOTHERS BY RACE:
DISTRICT OF COLUMBIA, 1972-1987

Year	Births to mothers under 20 years of age						Births to mothers under 18 years of age					
	Total		Black		White		Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
1987.....	1,658	16.3	1,614	19.1	44	2.6	771	7.6	754	8.9	17	1.0
1986.....	1,710	17.0	1,632	19.5	78	4.6	724	7.2	710	8.5	14	0.8
1985.....	1,748	17.8	1,664	20.5	84	4.9	711	7.2	681	8.4	30	1.8
1984.....	1.747	18.3	1,679	21.3	68	4.1	701	7.3	685	8.7	16	1.0
1983.....	1,792	18.8	1,727	21.9	65	4.0	744	7.8	726	9.2	18	1.1
1982.....	1,843	19.7	1,758	22.8	85	5.1	783	8.3	756	9.8	27	1.6
1981.....	1,946	20.9	1,857	24.0	89	5.6	863	9.2	838	10.8	25	1.6
1980.....	1,932	20.9	1,864	23.6	68	5.0	833	9.0	821	10.4	22	1.6
1979.....	2,145	22.8	2,063	25.6	82	6.1	959	10.2	933	11.6	26	1.9
1978.....	2,087	22.3	2,013	25.1	74	5.4	968	10.3	933	11.7	35	2.6
1977.....	2,253	22.8	2,188	25.7	65	4.7	1,053	10.7	1,030	12.1	23	1.7
1976.....	2,356	24.5	2,264	27.3	92	6.9	1,107	11.5	1,070	12.9	37	2.8
1975.....	2,636	27.0	2,523	29.8	113	8.8	1,232	12.6	1,178	13.9	54	4.2
1974.....	2,809	28.0	2,684	30.7	125	9.6	1,343	13.4	1,285	14.7	58	4.5
1973.....	3,028	27.9	2,903	30.8	125	8.8	1,499	13.8	1,437	15.3	62	4.4
1972.....	3,386	28.5	3,314	31.5	72	5.3	1,657	13.9	1,635	15.5	22	1.6

Table 5.--DEATHS AND RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1972-1987

Year	Deaths - all ages					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1987.....	7,395	11.8	5,515	12.1	1,880	11.0
1986.....	7,253	11.5	5,392	11.8	1,861	10.9
1985.....	6,921	11.0	5,133	11.2	1,788	10.6
1984.....	6,683	10.7	4,883	10.7	1,800	10.7
1983.....	6,691	10.7	4,840	10.5	1,851	11.0
1982.....	6,469	10.3	4,718	10.2	1,751	10.4
1981.....	6,846	10.7	4,928	10.6	1,918	11.2
1980.....	6,982	10.9	4,888	10.5	2,094	12.2
1979.....	6,734	10.2	4,685	9.6	2,049	12.0
1978.....	6,959	10.3	4,776	9.5	2,183	12.6
1977.....	7,064	10.2	4,828	9.3	2,236	13.0
1976.....	7,238	10.2	4,940	9.2	2,298	13.6
1975.....	7,446	10.3	5,018	9.0	2,428	14.9
1974.....	7,815	10.7	5,200	9.3	2,615	15.5
1973.....	8,017	10.8	5,172	9.2	2,845	15.9
1972.....	8,313	11.0	5,419	9.8	2,894	14.4

*Rate per 1,000 population

Table 6.--INFANT AND NEONATAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1972-1987

Year	Infant deaths						Neonatal deaths					
	Total		Black		White		Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
1987.....	199	19.6	181	21.4	18	10.6	148	14.5	137	16.2	11	6.4
1986.....	211	21.0	189	22.6	22	13.0	161	16.0	144	17.2	17	10.1
1985.....	204	20.7	186	22.9	18	10.6	156	15.9	142	17.5	14	8.2
1984.....	202	21.2	189	24.0	13	7.8	154	16.1	145	18.4	9	5.4
1983.....	173	18.2	159	20.1	14	8.6	126	13.2	113	14.3	13	8.0
1982.....	190	20.3	180	23.3	10	6.0	137	14.6	134	17.4	3	1.8
1981.....	211	22.6	196	25.3	15	9.5	162	17.4	147	19.0	15	9.5
1980.....	228	24.6	210	26.6	18	13.1	168	18.1	156	19.8	12	8.7
1979.....	207	22.0	199	24.7	8	5.9	159	16.9	152	18.9	7	5.2
1978.....	242	25.8	229	28.6	13	9.5	179	19.1	168	21.0	11	8.0
1977.....	270	27.3	251	29.5	19	13.9	203	20.3	189	22.2	14	10.2
1976.....	240	24.9	230	27.7	10	7.5	193	20.0	188	22.7	5	3.7
1975.....	279	28.6	254	30.0	25	19.5	220	22.6	198	23.4	22	17.1
1974.....	277	27.6	255	29.2	22	16.9	216	21.5	196	22.4	20	15.4
1973.....	276	25.5	245	26.0	31	21.8	208	19.2	185	19.7	23	16.2
1972.....	323	27.2	296	28.1	27	19.7	235	19.8	213	20.3	22	16.1

*Rate per 1,000 live births.

Table 7.--THREE YEAR MOVING AVERAGE OF INFANT MORTALITY RATES BY AGE AT DEATH: DISTRICT OF COLUMBIA, 1972-1974 TO 1985-1987

Year	Rate per 1,000 live births				
	All ages	Less than 1 day	1-6 days	7-27 days	28 days-11 months
1972-1974.....	26.8	11.7	5.8	2.7	6.6
1973-1975.....	27.2	12.1	6.1	2.8	6.1
1974-1976.....	27.0	12.4	6.3	2.7	5.7
1975-1977.....	26.9	12.4	6.2	2.5	5.9
1976-1978.....	26.0	11.9	5.8	2.2	6.1
1977-1979.....	25.0	11.5	5.1	2.2	6.2
1978-1980.....	24.2	11.1	5.1	1.9	6.1
1979-1981.....	23.1	10.5	5.1	1.9	5.6
1980-1982.....	22.5	9.6	5.3	1.8	5.8
1981-1983.....	20.3	8.7	4.6	1.7	5.3
1982-1984.....	19.9	8.8	3.9	2.0	5.2
1983-1985.....	20.0	9.4	3.6	2.1	4.9
1984-1986.....	21.0	9.9	3.7	2.4	5.0
1985-1987.....	20.4	9.6	3.6	2.2	5.0

Table 8.--FETAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1972-1987

Year	Fetal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1987.....	121	11.9	106	12.5	15	8.8
1986.....	120	11.8	111	13.1	9	5.3
1985.....	122	12.2	115	13.9	7	4.1
1984.....	143	14.8	116	14.5	21	12.5
1983.....	128	13.3	114	14.2	14	8.5
1982.....	114	12.0	104	13.3	10	6.0
1981.....	123	13.0	115	14.6	8	5.0
1980.....	126	13.4	103	12.9	23	16.5
1979.....	112	11.8	100	12.3	12	8.8
1978.....	137	14.4	125	15.4	12	8.7
1977.....	160	15.9	152	17.5	8	5.8
1976.....	169	17.2	154	18.2	15	11.1
1975.....	149	15.1	138	16.0	11	8.5
1974.....	140	13.8	127	14.3	13	9.9
1973.....	141	12.8	127	13.3	14	9.7
1972.....	250	20.6	216	20.1	34	24.3

*Rate per 1,000 live births plus fetal deaths.

Table 9.--PERINATAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1972-1987
(Neonatal plus fetal deaths)

Year	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1987.....	269	26.4	243	28.7	26	15.2
1986.....	281	27.6	255	30.1	26	15.3
1985.....	278	27.9	257	31.1	21	12.3
1984.....	297	30.6	261	32.6	30	17.8
1983.....	254	26.3	227	28.3	27	16.4
1982.....	251	26.4	238	30.5	13	7.7
1981.....	285	30.1	262	33.3	23	15.4
1980.....	294	31.3	259	32.4	35	25.1
1979.....	271	28.5	252	30.9	19	14.0
1978.....	316	33.2	293	36.0	23	16.7
1977.....	363	35.7	336	38.8	22	16.0
1976.....	362	36.5	341	40.4	17	12.6
1975.....	369	37.3	336	39.1	33	25.5
1974.....	356	35.0	323	36.4	33	25.1
1973.....	349	31.8	326	34.2	27	25.7
1972.....	485	40.0	429	40.0	56	39.9

*Rate per 1,000 live births plus fetal deaths.

Table 10.--MATERNAL MORTALITY:
DISTRICT OF COLUMBIA RESIDENTS, 1972-1987

Year	Maternal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1987.....	1	1.0	1	1.2	-	-
1986.....	2	2.0	1	1.2	1	5.9
1985.....	3	3.0	1	1.2	2	11.7
1984.....	-	-	-	-	-	-
1983.....	-	-	-	-	-	-
1982.....	3	3.2	3	3.9	-	-
1981.....	1	1.1	1	1.3	-	-
1980.....	1	1.1	1	1.3	-	-
1979.....	3	3.2	2	2.5	1	7.4
1978.....	-	-	-	-	-	-
1977.....	3	3.0	3	3.5	-	-
1976.....	2	2.1	2	2.4	-	-
1975.....	4	4.1	4	4.7	-	-
1974.....	4	4.0	4	4.6	-	-
1973.....	2	1.8	2	2.1	-	-
1972.....	2	1.7	2	1.9	-	-

*Rate per 10,000 live births.

Table 11.--RESIDENT INFANT DEATHS AND DEATH RATES BY AGE:
DISTRICT OF COLUMBIA, 1982-1987

Year	Number						Rate per 1,000 live births					
	All ages	Under 28 days				28 days-11 months	All ages	Under 28 days				28 days-11 months
		Total	Under 1 day	1-6 days	7-27 days			Total	Under 1 day	1-6 days	7-27 days	
1987....	199	148	93	35	20	51	19.6	14.5	9.1	3.4	2.0	5.0
1986....	211	161	94	39	28	50	21.0	16.0	9.4	3.9	2.9	5.0
1985....	204	156	102	35	19	48	20.7	15.9	10.4	3.6	1.9	4.9
1984....	202	154	96	34	24	48	21.2	16.1	10.1	3.6	2.5	5.0
1983....	173	126	75	34	17	47	18.2	13.2	7.9	3.6	1.8	4.9
1982....	190	137	78	43	16	53	20.3	14.6	8.3	4.6	1.7	5.7

Table 12.--NUMBER OF RESIDENT INFANT DEATHS BY WARD, RACE AND AGE AT DEATH: DISTRICT OF COLUMBIA, 1987

Ward	Total	Total					Black						White					
		Total	Neonatal			Post Neonatal	Total	Neonatal				Post Neonatal	Total	Neonatal				Post Neonatal
			Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.
Total...	199	148	93	35	20	51	181	137	86	33	18	44	18	11	7	2	2	7
Ward 1..	33	24	14	5	5	9	28	22	13	5	4	6	5	2	1	-	1	3
Ward 2..	23	14	11	2	1	9	20	13	10	2	1	7	3	1	1	-	-	2
Ward 3..	8	7	4	2	1	1	2	2	2	-	-	-	6	5	2	2	1	1
Ward 4..	14	13	9	1	3	1	12	11	7	1	3	1	2	2	2	-	-	-
Ward 5..	16	11	5	5	1	5	16	11	5	5	1	5	-	-	-	-	-	-
Ward 6..	26	20	12	5	3	6	25	20	12	5	3	5	1	-	-	-	-	1
Ward 7..	30	22	16	5	1	8	30	22	16	5	1	8	-	-	-	-	-	-
Ward 8..	41	30	19	7	4	11	41	30	19	7	4	11	-	-	-	-	-	-
Not reported	8	7	3	3	1	1	7	6	2	3	1	1	1	1	1	-	-	-

Table 13.--RESIDENT INFANT MORTALITY RATES BY WARD, RACE AND AGE AT DEATH: DISTRICT OF COLUMBIA, 1987

Ward	Total	Total					Black						White					
		Neonatal				Post Neonatal		Neonatal				Post Neonatal		Neonatal				Post Neonatal
		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.	Total	Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.	Total	Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.
Total....	19.6	14.5	9.1	3.4	2.0	5.0	21.4	16.2	10.2	3.9	2.1	5.2	10.6	6.4	4.1	1.2	1.2	4.1
Ward 1...	21.4	15.5	9.1	3.2	3.2	5.8	22.1	17.4	10.3	3.9	3.2	4.7	18.0	7.2	3.6	.0	3.6	10.8
Ward 2...	22.4	13.6	10.7	1.9	1.0	8.8	24.4	15.8	12.2	2.4	1.2	8.5	14.6	4.9	4.9	.0	.0	9.7
Ward 3...	9.6	8.4	4.8	2.4	1.2	1.2	19.0	19.0	19.0	.0	.0	.0	8.2	6.8	2.7	2.7	1.4	1.4
Ward 4...	12.8	11.9	8.2	.9	2.7	.9	12.1	11.1	7.1	1.0	3.0	1.0	18.5	18.5	18.5	.0	.0	.0
Ward 5...	12.6	8.7	3.9	3.9	.8	3.9	13.1	9.0	4.1	4.1	.8	4.1	.0	.0	.0	.0	.0	.0
Ward 6...	21.8	16.8	10.1	4.2	2.5	5.0	24.5	19.6	11.8	4.9	2.9	4.9	5.8	.0	.0	.0	.0	5.8
Ward 7...	21.5	15.8	11.5	3.6	.7	5.7	21.9	16.1	11.7	3.7	.7	5.8	.0	.0	.0	.0	.0	.0
Ward 8...	22.9	16.8	10.6	3.9	2.2	6.1	24.7	18.1	11.4	4.2	2.4	6.6	.0	.0	.0	.0	.0	.0
Not reported.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

NOTE: Rates per 1,000 live births.

Table 14.--LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, INFANT DEATHS, FETAL DEATHS, TOTAL DEATHS, BY PLACE OF OCCURRENCE AND RESIDENCE: DISTRICT OF COLUMBIA, 1987

Place of occurrence resident status	Live births	Out-of-wedlock births	Infant deaths	Fetal deaths	Total deaths*
Total recorded events	20,530	7,841	468	240	9,437
District of Columbia residents	9,202	5,739	192	121	6,719
Maryland residents	8,709	1,884	198	99	1,890
Virginia residents	2,502	188	52	17	541
Resident of other states	117	30	26	3	281
Not stated	-	-	-	-	6
Resident events	10,178	6,092	199	121	7,395
Occurring in D.C.	9,202	5,739	192	121	6,719
Occurring in other states	976	353	7	-	676

*Includes infant deaths but not fetal deaths.

Table 15.--RECORDED EVENTS, AND RESIDENT EVENTS IN OTHER STATES: DISTRICT OF COLUMBIA RESIDENTS, 1972-1987

Year	Recorded events - in D.C.		Resident events - outside D.C.	
	Births	Deaths	Births	Deaths
1987.....	20,530	9,437	976	676
1986.....	19,925	9,224	967	626
1985.....	19,946	8,861	906	583
1984.....	19,617	8,501	806	617
1983.....	19,595	8,404	772	662
1982.....	19,933	8,508	524	484
1981.....	21,209	8,678	530	612
1980.....	20,262	8,815	373	623
1979.....	20,157	8,619	368	560
1978.....	19,743	8,755	413	649
1977.....	20,653	8,987	436	621
1976.....	19,916	9,183	431	716
1975.....	19,826	9,423	359	731
1974.....	19,865	9,786	337	814
1973.....	20,696	9,850	383	927
1972.....	22,600	10,153	413	961

Table 16.--RECORDED NUMBER OF LIVE BIRTHS, DEATHS, INFANT DEATHS AND FETAL DEATHS BY RACE: DISTRICT OF COLUMBIA, 1977-1987

Year	Births			Deaths			Infant deaths			Fetal deaths 1/		
	Total	Black	White	Total	Black	White	Total	Black	White	Total	Black	White
1987.....	20,530	12,864	7,666	9,437	6,148	3,289	468	290	178	240	169	71
1986.....	19,925	12,594	7,331	9,224	5,929	3,295	440	284	156	234	170	64
1985.....	19,946	12,462	7,484	8,861	5,685	3,176	468	306	162	227	171	56
1984.....	19,617	12,072	7,545	8,501	5,339	3,162	418	284	134	282	193	89
1983.....	19,595	11,978	7,617	8,404	5,245	3,159	371	238	133	234	165	69
1982.....	19,933	11,825	8,108	8,508	5,140	3,368	425	291	134	219	159	60
1981.....	20,209	11,907	8,302	8,678	5,338	3,340	445	275	170	232	166	66
1980.....	20,262	12,085	8,177	8,815	5,242	3,573	494	308	186	239	158	81
1979.....	20,157	12,114	8,043	8,619	5,069	3,550	434	295	139	194	139	55
1978.....	19,743	11,512	8,231	8,755	5,097	3,658	482	321	161	222	156	66
1977.....	20,653	11,967	8,686	8,987	5,121	3,866	497	333	164	271	197	74

1/Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

Table 17a.--TOTAL LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER, ALL RACES: DISTRICT OF COLUMBIA, 1987

Age of mother	Total	Live-birth order								
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th and over
Total live births....	10,178	4,628	2,947	1,526	628	240	114	47	31	17
Less than 15 years...	65	62	2	1	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-
13.....	16	16	-	-	-	-	-	-	-	-
14.....	49	46	2	1	-	-	-	-	-	-
15-19 years.....	1,593	1,258	277	53	4	1	-	-	-	-
15.....	129	123	6	-	-	-	-	-	-	-
16.....	239	211	25	3	-	-	-	-	-	-
17.....	338	287	47	4	-	-	-	-	-	-
18.....	401	304	87	10	-	-	-	-	-	-
19.....	486	333	112	36	4	1	-	-	-	-
20-24 years.....	2,872	1,401	921	390	123	24	10	2	1	-
25-29 years.....	2,602	889	845	529	218	87	19	9	5	1
30-34 years.....	1,929	666	569	359	182	78	40	19	12	4
35-39 years.....	936	294	288	168	84	43	34	9	9	7
40-44 years.....	173	56	42	24	17	7	11	8	4	4
45 and over.....	4	-	2	2	-	-	-	-	-	-
Not stated.....	4	2	1	-	-	-	-	-	-	1

Table 17b.--SINGLE LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER, ALL RACES: DISTRICT OF COLUMBIA, 1987

Age of mother	Total	Live-birth order								
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th and over
Single live births...	9,929	4,574	2,870	1,471	592	225	106	44	30	17
Less than 15 years...	65	62	2	1	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-
13.....	16	16	-	-	-	-	-	-	-	-
14.....	49	46	2	1	-	-	-	-	-	-
15-19 years.....	1,573	1,249	267	52	4	1	-	-	-	-
15.....	127	122	5	-	-	-	-	-	-	-
16.....	233	209	22	2	-	-	-	-	-	-
17.....	334	285	45	4	-	-	-	-	-	-
18.....	399	303	86	10	-	-	-	-	-	-
19.....	480	330	109	36	4	1	-	-	-	-
20-24 years.....	2,807	1,382	896	376	116	24	10	2	1	-
25-29 years.....	2,521	875	825	507	200	81	18	9	5	1
30-34 years.....	1,877	660	556	347	173	72	36	18	11	4
35-39 years.....	907	288	279	162	82	40	32	8	9	7
40-44 years.....	171	56	42	24	17	7	10	7	4	4
45 and over.....	4	-	2	2	-	-	-	-	-	-
Not stated.....	4	2	1	-	-	-	-	-	-	1

Table 17c.--PLURAL LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER, ALL RACES: DISTRICT OF COLUMBIA, 1987

Age of mother	Total	Live-birth order								
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th and over
Plural live births...	249	54	77	55	36	15	8	3	1	-
Less than 15 years...	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-
13.....	-	-	-	-	-	-	-	-	-	-
14.....	-	-	-	-	-	-	-	-	-	-
15-19 years.....	20	9	10	1	-	-	-	-	-	-
15.....	2	1	1	-	-	-	-	-	-	-
16.....	6	2	3	1	-	-	-	-	-	-
17.....	4	2	2	-	-	-	-	-	-	-
18.....	2	1	1	-	-	-	-	-	-	-
19.....	6	3	3	-	-	-	-	-	-	-
20-24 years.....	65	19	25	14	7	-	-	-	-	-
25-29 years.....	81	14	20	22	18	6	1	-	-	-
30-34 years.....	52	6	13	12	9	6	4	1	1	-
35-39 years.....	29	6	9	6	2	3	2	1	-	-
40-44 years.....	2	-	-	-	-	-	1	1	-	-
45 and over.....	-	-	-	-	-	-	-	-	-	-

Table 18a.--LIVE BIRTHS BY LIVE-BIRTH ORDER AND AGE OF MOTHER, BLACK RESIDENTS: DISTRICT OF COLUMBIA, 1987

Age of mother	Total	Live-birth order								
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th and over
Total live births....	8,472	3,664	2,448	1,359	582	222	108	44	29	16
Less than 15 years...	65	62	2	1	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-
13.....	16	16	-	-	-	-	-	-	-	-
14.....	49	46	2	1	-	-	-	-	-	-
15-19 years.....	1,549	1,220	271	53	4	1	-	-	-	-
15.....	124	118	6	-	-	-	-	-	-	-
16.....	233	205	25	3	-	-	-	-	-	-
17.....	332	281	47	4	-	-	-	-	-	-
18.....	394	300	84	10	-	-	-	-	-	-
19.....	466	316	109	36	4	1	-	-	-	-
20-24 years.....	2,675	1,275	869	374	121	24	9	2	1	-
25-29 years.....	2,240	670	758	491	205	83	19	9	4	1
30-34 years.....	1,333	318	391	313	167	71	39	18	12	4
35-39 years.....	514	100	136	112	71	39	32	9	8	7
40-44 years.....	90	17	19	14	14	4	9	6	4	3
45 and over.....	2	-	1	1	-	-	-	-	-	-
Not stated.....	4	2	1	-	-	-	-	-	-	1

Table 18b.--LIVE BIRTHS BY LIVE-BIRTH ORDER AND AGE OF MOTHER, WHITE RESIDENTS: DISTRICT OF COLUMBIA, 1987

Age of mother	Total	Live-birth order								
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th and over
Total live births....	1,706	964	499	167	46	18	6	3	2	1
Less than 15 years...	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-
13.....	-	-	-	-	-	-	-	-	-	-
14.....	-	-	-	-	-	-	-	-	-	-
15-19 years.....	44	38	6	-	-	-	-	-	-	-
15.....	5	5	-	-	-	-	-	-	-	-
16.....	6	6	-	-	-	-	-	-	-	-
17.....	6	6	-	-	-	-	-	-	-	-
18.....	7	4	3	-	-	-	-	-	-	-
19.....	20	17	3	-	-	-	-	-	-	-
20-24 years.....	197	126	52	16	2	-	1	-	-	-
25-29 years.....	362	219	87	38	13	4	-	-	1	-
30-34 years.....	596	348	178	46	15	7	1	1	-	-
35-39 years.....	422	194	152	56	13	4	2	-	1	-
40-44 years.....	83	39	23	10	3	3	2	2	-	1
45 and over.....	2	-	1	1	-	-	-	-	-	-
Not stated.....	-	-	-	-	-	-	-	-	-	-

Table 19a.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, ALL RESIDENTS: DISTRICT OF COLUMBIA, 1987

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and over	Not stated
Total.....	10,178	65	1,593	2,872	2,602	1,929	936	173	4	4
Ward 1.....	1,544	10	242	426	417	275	141	29	1	3
Ward 2.....	1,027	5	167	269	265	212	85	23	1	-
Ward 3.....	837	-	10	54	155	307	261	49	1	-
Ward 4.....	1,096	2	130	322	290	226	108	17	-	1
Ward 5.....	1,271	8	221	385	331	228	88	10	-	-
Ward 6.....	1,192	4	205	338	302	221	100	22	-	-
Ward 7.....	1,395	14	254	462	361	214	74	15	1	-
Ward 8.....	1,790	22	360	607	475	242	76	8	-	-
Not reported....	26	-	4	9	6	4	3	-	-	-

Table 19b.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, BLACK RESIDENTS: DISTRICT OF COLUMBIA, 1987

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and over	Not stated
Total.....	7,799	65	1,456	2,475	2,051	1,227	453	70	1	1
Ward 1.....	905	10	164	254	254	142	70	11	-	-
Ward 2.....	678	5	144	207	176	108	32	6	-	-
Ward 3.....	44	-	3	4	12	19	6	-	-	-
Ward 4.....	937	2	122	287	259	173	82	11	-	1
Ward 5.....	1,200	8	213	371	314	203	81	10	-	-
Ward 6.....	1,006	4	204	325	268	150	44	11	-	-
Ward 7.....	1,361	14	248	455	349	210	70	14	1	-
Ward 8.....	1,651	22	355	566	414	220	67	7	-	-
Not reported.....	17	-	3	6	5	2	1	-	-	-

Table 19c.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, WHITE RESIDENTS: DISTRICT OF COLUMBIA, 1987

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and over	Not stated
Total.....	1,706	-	44	197	362	596	422	83	2	-
Ward 1.....	278	-	14	44	71	97	45	7	-	-
Ward 2.....	206	-	9	29	38	78	39	12	1	-
Ward 3.....	732	-	5	40	126	270	243	47	1	-
Ward 4.....	108	-	3	17	18	41	23	6	-	-
Ward 5.....	48	-	2	7	14	19	6	-	-	-
Ward 6.....	173	-	1	11	33	67	52	9	-	-
Ward 7.....	26	-	5	7	8	2	3	1	-	-
Ward 8.....	128	-	5	39	54	20	9	1	-	-
Not reported....	7	-	-	3	-	2	2	-	-	-

Table 19d.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, OTHER RESIDENTS: DISTRICT OF COLUMBIA, 1987

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and over	Not stated
Total.....	673	-	93	200	189	106	61	20	1	3
Ward 1.....	361	-	64	128	92	36	26	11	1	3
Ward 2.....	143	-	14	33	51	26	14	5	-	-
Ward 3.....	61	-	2	10	17	18	12	2	-	-
Ward 4.....	51	-	5	18	13	12	3	-	-	-
Ward 5.....	23	-	6	7	3	6	1	-	-	-
Ward 6.....	13	-	-	2	1	4	4	2	-	-
Ward 7.....	8	-	1	-	4	2	1	-	-	-
Ward 8.....	11	-	-	2	7	2	-	-	-	-
Not reported....	2	-	1	-	1	-	-	-	-	-

Table 20a.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD, ALL RACES: DISTRICT OF COLUMBIA, 1987

Race and selected characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
ALL RACES										
Total live births	10,178	1,544	1,027	837	1,096	1,271	1,192	1,395	1,790	26
Percent distribution	100.0	15.2	10.1	8.2	10.8	12.5	11.7	13.7	17.6	0.2
Out-of-wedlock births										
Number	6,092	871	581	68	617	870	756	994	1,320	15
Ratio per 1,000 live births	598.5	564.1	565.7	81.2	563.0	648.5	634.2	712.5	737.4	576.9
Premature births 1/										
Number	1,874	262	189	67	184	249	240	291	386	6
Percent of total births	18.4	17.0	18.4	8.0	16.8	19.6	20.1	20.9	21.6	23.1
Percent distribution	100.0	14.0	10.1	3.6	9.8	13.3	12.8	15.5	20.6	0.3
Immature births 2/										
Number	1,388	175	119	39	150	208	176	236	281	4
Percent of total births	13.6	11.3	11.6	4.7	13.7	16.4	14.8	16.9	15.7	15.4
Percent distribution	100.0	12.6	8.6	2.8	10.8	15.0	12.7	17.0	20.2	0.3
Inadequate prenatal care 3/										
Number	5,400	903	569	160	547	721	621	818	1,043	18
Percent of total births	53.1	58.5	55.4	19.1	49.9	56.7	52.1	58.6	58.3	69.2
Percent distribution	100.0	16.7	10.5	3.0	10.1	13.4	11.5	15.1	19.3	0.3

1/Less than 37 weeks period of gestation.

2/Birth weight under 2,500 grams.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 20b.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD, BLACK BIRTHS: DISTRICT OF COLUMBIA, 1987

Race and selected characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
BLACK										
Total live births	8,472	1,266	821	105	988	1,223	1,019	1,369	1,662	19
Percent distribution	100.0	14.9	9.7	1.2	11.7	14.4	12.0	16.2	19.6	0.2
Out-of-wedlock births										
Number	5,850	803	549	23	588	855	741	981	1,297	13
Ratio per 1,000 live births	690.5	634.3	668.7	219.0	595.1	699.1	727.2	716.7	780.4	684.2
Premature births 1/										
Number	1,724	241	174	12	172	243	224	287	366	5
Percent of total births	20.3	19.0	21.2	11.4	17.4	19.9	22.0	21.0	22.0	26.3
Percent distribution	100.0	14.0	10.1	0.7	10.0	14.1	13.0	16.6	21.2	0.3
Immature births 2/										
Number	1,302	164	111	4	141	205	167	234	272	4
Percent of total births	15.4	13.0	13.5	3.8	14.3	16.8	16.4	17.1	16.4	21.1
Percent distribution	100.0	12.6	8.5	3.1	10.8	15.7	12.8	18.0	20.9	0.3
Inadequate prenatal care 3/										
Number	4,969	818	513	35	514	704	579	803	990	13
Percent of total births	58.7	64.6	62.5	33.3	52.0	57.6	56.8	58.7	59.6	68.4
Percent distribution	100.0	16.5	10.3	0.7	10.3	14.2	11.7	16.2	19.9	0.3

1/Less than 37 weeks period of gestation.

2/Birth weight under 2,500 grams.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 20c.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD, WHITE BIRTHS: DISTRICT OF COLUMBIA, 1987

Race and selected characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
WHITE										
Total live births	1,706	278	206	732	108	48	173	26	128	7
Percent distribution	100.0	16.3	12.1	42.9	6.3	2.8	10.1	1.5	7.5	0.4
Out-of-wedlock births										
Number	242	68	32	45	29	15	15	13	23	2
Ratio per 1,000 live births	141.9	244.6	155.3	61.5	268.5	31.3	86.7	5.0	18.0	285.7
Premature births 1/										
Number	150	21	15	55	12	6	16	4	20	1
Percent of total births	8.8	7.5	7.3	7.5	11.1	12.5	9.2	15.4	15.6	14.3
Percent distribution	100.0	14.0	1.0	36.6	8.0	4.0	10.7	2.7	13.3	0.6
Immature births 2/										
Number	86	11	8	35	9	3	9	2	9	-
Percent of total births	5.0	4.0	3.9	4.8	8.3	6.3	5.2	7.7	7.0	-
Percent distribution	100.0	12.8	9.3	40.7	10.5	3.5	10.5	2.3	10.5	-
Inadequate prenatal care 3/										
Number	431	85	56	125	33	17	42	15	53	5
Percent of total births	25.3	30.6	27.2	17.1	30.6	35.4	24.3	57.7	41.4	71.4
Percent distribution	100.0	19.7	13.0	29.0	7.7	3.9	9.7	3.5	12.3	1.2

1/Less than 37 weeks period of gestation.

2/Birth weight under 2,500 grams.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 21a.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1987

Rank	Cause of death	Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	7,395	3,956	3,439	5,515	3,059	2,456	1,880	897	983
01	Diseases of heart (390-398,402,404-429)	2,201	1,057	1,144	1,576	781	795	625	276	349
02	Cancer (including etc.) (140-208)	1,631	871	760	1,239	672	567	392	199	193
03	Cerebrovascular disease (430-438)	387	142	245	252	101	151	135	41	94
04	Chronic liver disease and cirrhosis (571)	262	183	79	217	155	62	45	28	17
05	Pneumonia and influenza (480-487)	229	120	109	156	93	63	73	27	46
06	Homicide and legal intervention (960-978)	210	167	43	203	162	41	7	5	2
07	Accidents and adverse effects (800-949)	204	137	67	157	116	41	47	21	26
08	Chronic Obstructive Pulmonary Disease, etc. (490-496)	181	96	85	111	64	47	70	32	38
09	Septicemia (038)	157	80	77	125	64	61	32	16	16
10	Diabetes mellitus (250)	142	60	82	120	44	76	22	16	6
10	Certain perinatal conditions (760-779)	142	81	61	133	75	58	9	6	3
12	Nephritis, nephrotic syndrome and nephrosis (580-589)	100	51	49	84	43	41	16	8	8
13	Atherosclerosis (440)	59	13	46	30	7	23	29	6	23
14	Suicide (950-959)	57	44	13	33	29	4	24	15	9
15	Hypertension with or without renal disease (401,403)	34	13	21	26	9	17	8	4	4
16	Congenital anomalies (740-759)	33	14	19	24	10	14	9	4	5
17	Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	29	11	18	20	7	13	9	4	5
18	Benign neoplasms, carcinoma in situ, neoplasms nec (210-239)	25	11	14	16	5	11	9	6	3
19	Tuberculosis (010-018)	17	7	10	17	7	10	-	-	-
20	Ulcer of stomach and duodenum (531-533)	16	9	7	9	5	4	7	4	3
21	Residual	1,279	789	490	967	610	357	312	179	133

Table 21b.--RESIDENT CRUDE DEATH RATES FOR 20 LEADING CAUSES BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1987

Rank	Cause of death	Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	1176.4	1355.7	1021.1	1206.3	1440.2	1003.3	1096.8	1129.7	1068.5
01	Diseases of heart (390-398,402,404-429)	350.1	362.2	339.7	344.7	367.7	324.8	364.6	347.6	379.3
02	Cancer (including etc.) (140-208)	259.5	298.5	225.7	271.0	316.4	231.6	228.7	250.6	209.8
03	Cerebrovascular disease (430-438)	61.6	48.7	72.7	55.1	47.6	61.7	78.8	51.6	102.2
04	Chronic liver disease and cirrhosis (571)	41.7	62.7	23.5	47.5	73.0	25.3	26.3	35.3	18.5
05	Pneumonia and influenza (480-487)	36.4	41.1	32.4	34.1	43.8	25.7	42.6	34.0	50.0
06	Homicide and legal intervention (960-978)	33.4	57.2	12.8	44.4	76.3	16.7	4.1	6.3	2.2
07	Accidents and adverse effects (800-949)	32.5	46.9	19.9	34.3	54.6	16.7	27.4	26.4	28.3
08	Chronic Obstructive Pulmonary Disease, etc. (490-496)	28.8	32.9	25.2	24.3	30.1	19.2	40.8	40.3	41.3
09	Septicemia (038)	25.0	27.4	22.9	27.3	30.1	24.9	18.7	20.2	17.4
10	Diabetes mellitus (250)	22.6	20.6	24.3	26.2	20.7	31.0	12.8	20.2	6.5
10	Certain perinatal conditions (760-779)	22.6	27.8	18.1	29.1	35.3	23.7	5.3	7.6	3.3
12	Nephritis, nephrotic syndrome and nephrosis (580-589)	15.9	17.5	14.5	18.4	20.2	16.7	9.3	10.1	8.7
13	Atherosclerosis (440)	9.4	4.5	13.7	6.6	3.3	9.4	16.9	7.6	25.0
14	Suicide (950-959)	9.1	15.1	3.9	7.2	13.7	1.6	14.0	18.9	9.8
15	Hypertension with or without renal disease (401,403)	5.4	4.5	6.2	5.7	4.2	6.9	4.7	5.0	4.3
16	Congenital anomalies (740-759)	5.2	4.8	5.6	5.2	4.7	5.7	5.3	5.0	5.4
17	Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4.6	3.8	5.3	4.4	3.3	5.3	5.3	5.0	5.4
18	Benign neoplasms, carcinoma in situ, neoplasms nec (210-239)	4.0	3.8	4.2	3.5	2.4	4.5	5.3	7.6	3.3
19	Tuberculosis (010-018)	2.7	2.4	3.0	3.7	3.3	4.1	.0	.0	.0
20	Ulcer of stomach and duodenum (531-533)	2.5	3.1	2.1	2.0	2.4	1.6	4.1	5.0	3.3
21	Residual	203.5	270.4	145.5	211.5	287.2	145.8	182.0	225.4	144.6

NOTE: Rate per 100,000 population.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1987

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	1/ Rate			Number	1/ Rate
	1-4 years				1-4 years		
	Total	7	37.6		Total	8	44.0
E800-E949	Accidents	2	10.7	E800-E949	Accidents	-	-
390-398,402,404-429	Diseases of heart	-	-	E960-E978	Homicide	1	5.5
	All other causes	5	26.9		All other causes	7	38.5
	5-14 years				5-14 years		
	Total	16	45.3		Total	8	23.8
E800-E949	Accidents	9	25.5	E800-E949	Accidents	4	11.9
E960-E978	Homicide	2	5.6	390-398,402,404-429	Diseases of heart	-	-
140-208	Cancer, etc	-	-		All other causes	4	11.9
	All other causes	5	14.2				
	15-24 years				15-24 years		
	Total	119	245.9		Total	35	64.3
E960-E978	Homicide	51	105.4	E960-E978	Homicide	12	22.0
E800-E949	Accidents	14	28.9	E800-E949	Accidents	8	14.7
E950-E959	Suicide	10	20.7	140-208	Cancer, etc	2	3.7
140-208	Cancer, etc	2	4.1	390-398,402,404-429	Diseases of heart	2	3.7
390-398,402,404-429	Diseases of heart	6	12.4	E950-E959	Suicide	-	-
	All other causes	36	74.4		All other causes	11	20.2

1/Rate per 100,000 population in specified group.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1987-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate 1/			Number	Rate 1/
	25-44 years				25-44 years		
	Total	726	1545.6		Total	234	202.8
E960-E978	Homicide	95	928.6	140-208	Cancer, etc	51	44.2
390-398,402,404-429	Diseases of heart	60	58.7	E800-E949	Accidents	9	7.8
E800-E949	Accidents	41	40.1	390-398,402,404,429	Diseases of heart	26	22.5
140-208	Cancer, etc	46	45.0	E960-E978	Homicide	19	16.5
571	Chronic liver disease	49	47.9	571	Chronic liver disease	16	13.9
E950-E959	Suicide	24	23.5	E950-E959	Suicide	8	6.9
	All other causes	411	401.8		All other causes	105	91.0
	45-64 years				45-64 years		
	Total	1,051	1821.4		Total	667	989.5
140-208	Cancer, etc	293	507.8	140-208	Cancer, etc	227	336.8
390-398,402,404-429	Diseases of heart	296	513.0	390-398,402,404-429	Diseases of heart	173	256.7
571	Chronic liver disease	49	84.9	430-438	Cerebrovascular disease	34	50.4
430-438	Cerebrovascular disease	43	74.5	571	Chronic liver disease	16	23.7
E800-E949	Accidents	36	62.4	490-496	Chronic obstructive pulmonary, etc	18	26.7
480-486	Pneumonia	25	43.3	250	Diabetes mellitus	23	34.1
490-496	Chronic obstructive pulmonary, etc	18	31.2		All other causes	176	261.1
E960-E978	Homicide	16	27.7				
	All other causes	275	476.6				

1/Rate per 100,000 population in specified group.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1987-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate 1/			Number	Rate 1/
	65 years and over				65 years and over		
	Total	1,922	6515.2		Total	2,394	5018.9
390-398,402,404-429	Diseases of heart	694	2352.5	390-398,402,404-429	Diseases of heart	940	1970.6
140-208	Cancer, etc	528	1789.8	140-208	Cancer, etc	479	1004.2
430-438	Cerebrovascular disease	90	305.1	430-438	Cerebrovascular disease	199	417.2
480-486	Pneumonia	70	237.3	480-486	Pneumonia	93	195.0
490-496	Chronic obstructive pulmonary, etc	71	240.7	038	Septicemia	59	123.7
038	Septicemia	48	162.7	250	Diabetes mellitus	57	119.5
250	Diabetes mellitus	38	128.8	490-496	Chronic obstructive pulmonary, etc	64	134.2
571	Chronic liver disease	40	135.6	E800-E949	Accidents	37	77.6
580-589	Nephritis, etc	39	132.2	580-589	Nephritis, etc	38	79.7
E800-E949	Accidents	35	118.6	440	Atherosclerosis	44	92.2
	All other causes	269	911.9		All other causes	384	805.0

1/Rate per 100,000 population in specified group.

Table 23.--NUMBER OF RESIDENT DEATHS AND CRUDE AND AGE-ADJUSTED DEATH RATES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
NUMBER									
TOTAL	7,395	3,956	3,439	5,515	3,059	2,456	1,880	897	983
Under 5	214	117	97	195	106	89	19	11	8
5-14	24	16	8	22	15	7	2	1	1
15-24	154	119	35	138	107	31	16	12	4
25-34	440	342	98	377	292	85	63	50	13
35-44	520	384	136	438	312	126	82	72	10
45-54	645	418	227	565	365	200	80	53	27
55-64	1,073	633	440	902	526	376	171	107	64
65 and over	4,316	1,922	2,394	2,870	1,331	1,539	1,446	591	855
Not stated	9	5	4	8	5	3	1	-	1
RATES									
AGE-ADJUSTED 1/	856.4	1112.3	647.7	965.9	1288.0	711.2	591.9	721.2	478.6
CRUDE 2/	1176.4	1355.7	1021.1	1206.3	1440.2	1003.3	1096.8	1129.7	1068.5
Under 5	581.5	629.0	533.0	633.1	679.5	585.5	316.7	366.7	266.7
5-14	34.8	45.3	23.8	36.9	49.2	24.0	21.7	20.8	22.7
15-24	149.7	245.9	64.2	171.2	273.7	74.7	71.7	129.0	30.8
25-34	345.3	575.8	144.1	440.9	735.5	185.6	150.4	253.8	58.6
35-44	575.9	895.1	286.9	753.9	1172.9	400.0	254.7	441.7	62.9
45-54	1038.6	1426.6	692.1	1212.4	1713.6	790.5	516.1	662.5	360.0
55-64	1703.2	2228.9	1271.7	1887.0	2492.9	1408.2	1125.0	1465.8	810.1
65 and over	5590.7	6515.3	5018.9	5966.7	7194.6	5199.3	4969.1	5372.7	4723.8

1/Based on age-specific death rates by 5 year age groups per 100,000 population in specified group. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940.

2/Rate per 100,000 population.

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1987

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Total all causes....	7,395	199	15	13	11	47	107	193	247	267	253	296	349	446	627	756	827	860	759	1,114	9
Black Male.....	3,059	99	7	7	8	30	77	130	162	169	143	168	197	237	289	343	315	287	205	181	5
Female.....	2,456	82	7	5	2	12	19	34	51	58	68	88	112	146	230	267	314	304	269	385	3
White Male.....	897	11	-	-	1	4	8	22	28	37	35	27	26	44	63	94	102	145	106	144	
Female.....	983	7	1	1	-	1	3	7	6	3	7	13	14	19	45	52	96	124	179	404	1
01 Shigellosis and amebiasis 004,006																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
02 Certain other intestinal infections 007-009																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis 010-018																					
Total.....	17	-	-	-	-	-	-	1	-	1	-	2	-	2	-	4	1	1	4	1	
Black Male.....	7	-	-	-	-	-	-	-	-	1	-	2	-	2	-	2	-	-	-	-	
Female.....	10	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	4	1	
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 24.--DEATHS FROM 7[illegible]ECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF C[illegible]LUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
03 Tuberculosis of respiratory system 010-012																					
Total	14	-	-	-	-	-	-	1	-	1	-	2	-	1	-	4	1	1	2	1	-
Black Male	6	-	-	-	-	-	-	-	-	1	-	2	-	1	-	2	-	-	-	-	-
Female	8	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	2	1	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
04 Other tuberculosis 013-018																					
Total	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 Whooping cough 033																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
06 Streptococcal sore throat, scarlatina and erysipelas 034-035																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
07 Meningococcal infection 036																					
Total	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
08 Septicemia 038																					
Total	157	1	-	2	-	-	-	-	2	2	6	10	7	8	12	17	19	18	21	32	-
Black Male	64	1	-	-	-	-	-	-	2	1	4	5	4	5	6	12	8	4	7	5	-
Female	61	-		2	-	-	-	-	-	1	1	2	3	3	5	4	9	8	9	14	-
White Male	16	-		-	-	-	-	-	-	-	1	2	-	-	1	-	2	4	2	4	-
Female	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	9	-
09 Acute poliomyelitis 045																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Measles 055																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
11 Viral hepatitis 070																					
Total	7	-	-	-	-	-	-	1	3	-	-	1	-	-	-	1	-	-	1	-	
Black Male	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	
Female	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
White Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Syphilis 090-097																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 All other infections and parasitic diseases 001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139																					
Total	49	1	-	-	-	-	2	3	6	7	7	4	6	3	1	-	-	1	2	6	
Black Male	21	-	-	-	-	-	1	3	1	2	4	4	4	1	1	-	-	-	-	-	
Female	12	1	-	-	-	-	1	-	2	1	-	-	1	2	-	-	-	1	1	2	
White Male	13	-	-	-	-	-	-	-	3	4	3	-	-	-	-	-	-	-	1	2	
Female	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Cancer (including etc.) 140-208																					
Total	1,631	-	3	-	-	2	2	8	11	26	52	71	109	144	196	251	259	212	155	130	-
Black Male	672	-	2	-	-	-	1	1	2	10	23	32	62	74	86	113	90	87	53	36	-
Female	567	-	1	-	-	2	-	5	7	13	23	28	38	46	73	89	92	61	47	42	-
White Male	199	-	-	-	-	-	1	1	1	3	5	5	5	14	15	30	39	38	21	21	-
Female	193	-	-	-	-	-	-	1	1	-	1	6	4	10	22	19	38	26	34	31	-
14 Malignant neoplasm of lip, oral cavity and pharynx 140-149																					
Total	39	-	-	-	-	-	-	-	-	1	1	3	3	4	7	11	4	1	3	1	-
Black Male	25	-	-	-	-	-	-	-	-	-	-	1	3	3	7	6	3	1	1	-	-
Female	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	1	-
White Male	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	5	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
15 Malignant neoplasm of digestive organs and peritoneum 150-159																					
Total	444	-	-	-	-	-	-	2	-	6	8	12	25	31	54	76	83	69	38	40	-
Black Male	187	-	-	-	-	-	-	1	-	4	6	4	17	20	29	32	29	22	11	12	-
Female	172	-	-	-	-	-	-	1	-	2	2	7	7	9	18	33	33	28	14	18	-
White Male	44	-	-	-	-	-	-	-	-	-	-	-	1	-	4	8	9	13	5	4	-
Female	41	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	12	6	8	6	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
16 Malignant neoplasm of respiratory and intrathoracic organs 160-165																					
Total	410	-	-	-	-	-	-	-	1	2	13	20	39	56	63	74	56	43	24	19	-
Black Male	232	-	-	-	-	-	-	-	1	1	8	16	28	32	31	48	23	25	12	7	-
Female	93	-	-	-	-	-	-	-	-	1	5	1	7	16	17	15	14	10	4	3	-
White Male	48	-	-	-	-	-	-	-	-	-	-	1	2	7	8	5	9	7	5	4	-
Female	37	-	-	-	-	-	-	-	-	-	-	2	2	1	7	6	10	1	1	5	-
17 Malignant neoplasm of breast 174-175																					
Total	149	-	-	-	-	-	-	-	4	5	8	12	9	12	23	19	21	14	7	15	-
Black Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
Female	113	-	-	-	-	-	-	-	4	5	8	10	7	11	16	15	16	9	3	9	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Female	31	-	-	-	-	-	-	-	-	-	-	2	1	1	5	3	5	5	4	5	-
18 Malignant neoplasm of genital organs 179-187																					
Total	203	-	-	-	-	-	-	2	3	1	3	6	4	6	18	29	37	44	31	19	-
Black Male	89	-	-	-	-	-	-	-	-	-	-	1	-	2	9	9	20	24	14	10	-
Female	62	-	-	-	-	-	-	1	2	1	3	3	3	1	7	14	9	9	6	3	-
White Male	35	-	-	-	-	-	-	1	-	-	-	2	-	1	-	5	6	7	8	5	-
Female	17	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	2	4	3	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
19 Malignant neoplasm of urinary organs 188-189																					
Total	61	-	-	-	-	-	-	-	-	1	2	2	2	6	5	4	9	5	12	13	-
Black Male	22	-	-	-	-	-	-	-	-	1	1	1	1	5	2	2	2	1	4	2	-
Female	15	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	4	1	4	1	-
White Male	10	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	5	-
Female	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	5	-
20 Malignant neoplasm of all other and unspecified sites 170-173,190-199																					
Total	197	-	2	-	-	1	1	2	2	4	11	10	19	22	15	22	29	17	25	15	-
Black Male	68	-	2	-	-	-	1	-	-	2	4	8	11	10	3	8	7	3	7	2	-
Female	66	-	-	-	-	1	-	2	1	2	4	2	7	6	9	6	9	4	7	6	-
White Male	31	-	-	-	-	-	-	-	1	-	2	-	1	3	2	5	8	5	3	1	-
Female	32	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	5	5	8	6	-
21 Leukemia 204-208																					
Total	48	-	1	-	-	1	1	1	-	2	1	3	4	2	3	6	9	4	5	5	-
Black Male	17	-	-	-	-	-	-	-	-	1	1	1	1	1	-	2	4	2	2	2	-
Female	13	-	1	-	-	1	-	-	-	1	-	2	2	-	2	1	1	-	1	1	-
White Male	10	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	3	2	-	1	-
Female	8	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	2	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
22 Other malignant neoplasm of lymphatic and hematopoietic tissue 200-203																					
Total	80	-	-	-	-	-	-	1	1	4	5	3	4	5	8	10	11	15	10	3	-
Black Male	29	-	-	-	-	-	-	-	1	1	3	-	-	1	4	5	2	9	2	1	-
Female	28	-	-	-	-	-	-	1	-	-	-	1	4	3	2	4	6	-	7	-	-
White Male	11	-	-	-	-	-	-	-	-	3	2	1	-	1	-	-	2	2	-	-	-
Female	12	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	4	1	2	-
23 Benign neoplasms, carcinoma in situ, neoplasms nec 210-239																					
Total	25	-	-	-	-	-	-	1	-	-	-	-	2	3	2	2	3	5	4	3	-
Black Male	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-
Female	11	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	-	4	1	-	-
White Male	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
24 Diabetes mellitus 250																					
Total	142	-	-	-	-	-	-	2	1	2	2	5	5	14	16	14	27	19	19	16	-
Black Male	44	-	-	-	-	-	-	-	1	1	-	1	2	6	5	7	10	4	2	5	-
Female	76	-	-	-	-	-	-	1	-	1	-	3	3	8	8	6	14	11	13	8	-
White Male	16	-	-	-	-	-	-	1	-	-	2	1	-	-	2	1	2	3	2	2	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
25 Nutritional deficiencies 260-269																					
Total	9	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	3	-	3	-
Black Male	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
26 Anemias 280-285																					
Total	12	-	1	-	-	-	-	1	-	1	-	1	-	-	2	2	-	-	2	2	-
Black Male	4	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
27 Meningitis 320-322																					
Total	8	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	-
Black Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-
Female	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Major cardio-vascular diseases 390-448																					
Total	2,746	1	-	-	-	2	7	13	20	36	41	72	103	144	245	303	358	389	379	630	3
Black Male	920	-	-	-	-	2	4	4	11	27	17	37	55	81	115	134	134	115	91	92	1
Female	1,008	1	-	-	-	-	3	4	8	8	17	26	34	44	91	111	144	145	144	227	1
White Male	336	-	-	-	-	-	-	3	1	1	7	6	9	16	29	36	36	68	52	72	-
Female	482	-	-	-	-	-	-	2	-	-	-	3	5	3	10	22	44	61	92	239	1

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Diseases of heart 390-398,402, 404-429																					
Total	2,201	1	-	-	-	2	6	10	17	28	31	55	85	124	205	254	299	316	296	469	3
Black Male	781	-	-	-	-	2	4	4	10	21	15	27	46	73	99	116	123	98	71	71	1
Female	795	1	-	-	-	-	2	2	7	6	10	20	27	36	74	92	112	116	112	177	1
White Male	276	-	-	-	-	-	-	3	-	1	6	6	9	12	24	32	31	56	43	53	-
Female	349	-	-	-	-	-	-	1	-	-	-	2	3	3	8	14	33	46	70	168	1
28 Rheumatic fever and rheumatic heart disease 390-398																					
Total	11	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	1	-	1	1	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
29 Hypertensive heart disease 402																					
Total	245	-	-	-	-	-	-	-	-	1	5	10	17	18	31	39	39	29	23	33	-
Black Male	104	-	-	-	-	-	-	-	-	1	2	4	12	13	17	16	22	8	4	5	-
Female	102	-	-	-	-	-	-	-	-	-	2	6	2	5	11	19	15	14	12	16	-
White Male	14	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	1	4	2	1	-
Female	25	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	3	5	11	-
30 Hypertensive heart and renal disease 404																					
Total	10	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	1	2	2	1	-
Black Male	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Ischemic heart disease 410-414																					
Total	814	-	-	-	-	-	1	1	4	9	15	21	25	45	79	64	100	123	129	197	1
Black Male	231	-	-	-	-	-	1	-	1	7	10	10	12	29	32	19	35	34	26	15	-
Female	261	-	-	-	-	-	-	-	3	1	3	7	7	9	27	24	37	41	42	60	-
White Male	146	-	-	-	-	-	-	1	-	1	2	4	6	6	16	14	15	29	23	29	-
Female	176	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	13	19	38	93	1
31 Acute myocardial infarction 410																					
Total	375	-	-	-	-	-	-	-	2	4	9	8	11	29	38	32	56	51	63	72	-
Black Male	117	-	-	-	-	-	-	-	1	3	6	4	6	19	14	10	22	14	12	6	-
Female	133	-	-	-	-	-	-	-	1	-	2	3	5	6	16	13	23	15	21	28	-
White Male	63	-	-	-	-	-	-	-	-	1	1	1	-	4	7	7	5	14	10	13	-
Female	62	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	8	20	25	-
32 Other acute and subacute forms of ischemic heart disease 411																					
Total	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33 Angina pectoris 413																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
34 Old myocardial infarction and other forms of chronic ischemic heart disease 412,414																					
Total	437	-	-	-	-	-	1	1	2	5	6	13	14	15	41	32	44	71	66	125	1
Black Male	113	-	-	-	-	-	1	-	-	4	4	6	6	9	18	9	13	20	14	9	-
Female	128	-	-	-	-	-	-	-	2	1	1	4	2	3	11	11	14	26	21	32	-
White Male	82	-	-	-	-	-	-	1	-	-	1	3	6	2	9	7	10	14	13	16	-
Female	114	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	7	11	18	68	1
35 Other diseases of endocardium 424																					
Total	21	-	-	-	-	-	1	1	-	1	2	1	1	-	-	1	-	3	6	4	-
Black Male	7	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	-	-	2	-	-
Female	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	3	-	-
White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
Female	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
36 All other forms of heart disease 415-423,425-429																	1				
Total	1,100	1	-	-	-	2	4	8	13	16	9	21	41	58	94	146	158	159	135	233	2
Black Male	433	-	-	-	-	2	2	4	9	11	2	12	21	31	49	79	65	56	38	51	1
Female	419	1	-	-	-	-	2	2	4	5	4	5	17	19	36	48	60	59	55	101	1
White Male	110	-	-	-	-	-	-	2	-	-	-	3	2	2	6	7	14	15	21	17	21	-
Female	138	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	5	18	23	25	60	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																			
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
37 Hypertension with or without renal disease 401,403																					
Total	34	-	-	-	-	-	-	-	-	-	-	-	2	3	3	2	4	7	5	8	-
Black Male	9	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	3	1	-
Female	17	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	5	1	4	-
White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-
Cerebrovascular disease 430-438																					
Total	387	-	-	-	-	-	1	2	2	8	8	16	15	16	30	35	43	48	58	105	-
Black Male	101	-	-	-	-	-	-	-	1	6	1	9	8	6	12	14	9	11	12	12	-
Female	151	-	-	-	-	-	1	2	1	2	6	6	5	6	13	12	21	20	22	34	-
White Male	41	-	-	-	-	-	-	-	-	-	1	-	-	4	4	3	4	8	5	12	-
Female	94	-	-	-	-	-	-	-	-	-	-	1	2	-	1	6	9	9	19	47	-
38 Intracerebral and other intracranial hemorrhage 431-432																	1				
Total	90	-	-	-	-	-	-	1	1	3	3	11	8	6	16	11	7	11	7	5	-
Black Male	34	-	-	-	-	-	-	-	-	3	1	7	3	2	6	5	2	2	2	1	-
Female	35	-	-	-	-	-	-	1	1	-	2	4	4	3	7	2	2	4	3	2	-
White Male	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	-	-	-
Female	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	2	2	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																			
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
39 Cerebral thrombosis and unspecified occlusion of cerebral arteries 434.0,434.9																					
Total	58	-	-	-	-	-	-	-	-	1	-	1	1	2	3	6	10	7	10	17	-
Black Male	13	-	-	-	-	-	-	-	-	1	-	1	1	-	-	3	-	2	2	3	-
Female	29	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	9	3	6	4	-
White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-
Female	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	8	-
40 Cerebral embolism 434.1																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 All other and late effects of cerebrovascular disease 430,433,435-438																					
Total	238	-	-	-	-	-	1	1	1	4	5	4	6	8	11	18	25	30	41	83	-
Black Male	54	-	-	-	-	-	-	-	1	2	-	1	4	4	6	6	7	7	8	8	-
Female	86	-	-	-	-	-	1	1	-	2	4	2	1	1	4	7	9	13	13	28	-
White Male	30	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	3	5	5	10	-
Female	68	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	6	5	15	37	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																			
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
42 Atherosclerosis 440																					
Total	59	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	3	8	10	31	-
Black Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-
Female	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	6	9	-
White Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-
Female	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	17	
43 Other diseases of arteries, arterioles, and capillaries 441-448																					
Total	65	-	-	-	-	-	-	1	1	-	2	1	1	1	5	7	9	10	10	17	
Black Male	22	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	2	4	3	6	-
Female	22	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	6	1	3	3	-
White Male	9	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	3	3	-
Female	12	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	3	1	5	-
44 Acute bronchitis and bronchiolitis 466																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Pneumonia and influenza 480-487																					
Total	229	2	-	-	1	1	-	4	3	9	10	9	7	9	10	19	15	32	29	68	1
Black Male	93	2	-	-	1	-	-	2	3	8	7	5	5	6	5	7	9	13	8	11	1
Female	63	-	-	-	-	1	-	2	-	-	3	2	1	3	3	6	4	9	10	19	-
White Male	27	-	-	-	-	-	-	-	-	1	-	2	1	-	1	4	2	5	4	7	-
Female	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	7	31	-
45 Pneumonia 480-486																					
Total	229	2	-	-	1	1	-	4	3	9	10	9	7	9	10	19	15	32	29	68	1
Black Male	93	2	-	-	1	-	-	2	3	8	7	5	5	6	5	7	9	13	8	11	1
Female	63	-	-	-	-	1	-	2	-	-	3	2	1	3	3	6	4	9	10	19	-
White Male	27	-	-	-	-	-	-	-	-	1	-	2	1	-	1	4	2	5	4	7	-
Female	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	7	31	-
46 Influenza 487																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease, etc. 490-496																					
Total	181	-	-	-	1	3	1	2	1	2	-	4	6	6	20	23	21	31	30	30	-
Black Male	64	-	-	-	1	2	-	2	1	1	-	2	3	2	8	7	10	11	7	7	-
Female	47	-	-	-	-	1	1	-	-	1	-	2	2	3	7	8	5	7	6	4	-
White Male	32	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	5	4	8	6	-
Female	38	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	9	9	13	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
47 Bronchitis, chronic and unspecified 490-491																					
Total	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
48 Emphysema 492																					
Total	29	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	5	6	3	3	-
Black Male	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	1	-
Female	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-
White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	-
49 Asthma 493																					
Total	25	-	-	-	1	2	1	2	1	2	-	2	2	2	1	3	1	2	-	3	-
Black Male	12	-	-	-	1	2	-	2	1	1	-	-	2	-	1	1	-	-	-	1	-
Female	10	-	-	-	-	-	1	-	-	1	-	2	-	1	-	2	-	2	-	1	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-
50 Other chronic obstructive pulmonary disease and allied conditions 494-496																					
Total	124	-	-	-	-	1	-	-	-	-	-	2	3	2	17	12	15	23	26	23	-
Black Male	41	-	-	-	-	-	-	-	-	-	-	2	1	1	6	5	8	8	5	5	-
Female	29	-	-	-	-	1	-	-	-	-	-	-	1	1	6	4	3	4	6	3	-
White Male	27	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	4	7	6	-
Female	27	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	7	8	9	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
51 Ulcer of stomach and duodenum 531-533																					
Total	16	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	3	1	4	4	-
Black Male	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
52 Appendicitis 540-543																					
Total	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53 Hernia of abdominal cavity and intestinal obstruction without mention of hernia 550-553,560																					
Total	29	-	-	-	-	1	-	-	-	1	-	1	1	2	-	3	5	3	3	9	-
Black Male	7	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	2	1	-	1	-
Female	13	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	2	3	1	-
White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
54 Chronic liver disease and cirrhosis 571																					
Total	262	-	-	-	-	-	2	4	10	22	29	38	30	36	33	23	18	8	5	2	2
Black Male	155	-	-	-	-	-	1	3	6	16	19	26	18	19	15	15	9	5	1	1	1
Female	62	-	-	-	-	-	-	-	4	4	6	9	9	11	7	2	3	2	3	1	1
White Male	28	-	-	-	-	-	1	1	-	2	2	2	2	3	6	5	3	1	-	-	-
Female	17	-	-	-	-	-	-	-	-	-	2	1	1	3	5	1	3	-	1	-	-
55 Cholelithiasis and other disorders of gallbladder 574-575																					
Total	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Nephritis, nephrotic syndrome and nephrosis 580-589																					
Total	100	-	-	-	-	-	1	-	2	2	2	2	4	1	9	13	9	20	13	22	-
Black Male	43	-	-	-	-	-	1	-	2	2	1	1	2	-	3	8	6	6	7	4	-
Female	41	-	-	-	-	-	-	-	-	-	1	1	2	1	5	5	3	11	2	10	-
White Male	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	-
Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	4	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
56 Acute glomerulonephritis and nephrotic syndrome 580-581																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
57 Chron glomeruloneph, neph and nephropathy, nos, and renal sclerosis, unspec 582-583,587																					
Total	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
58 Renal fail, disorders from impaired renal FCN and small kidney of unknown cause 584-586,588-589																					
Total	95	-	-	-	-	-	1	-	2	2	2	2	3	1	7	13	9	19	13	21	
Black Male	42	-	-	-	-	-	1	-	2	2	1	1	2	-	3	8	6	5	7	4	
Female	39	-	-	-	-	-	-	-	-	-	1	1	1	1	4	5	3	11	2	10	
White Male	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
59 Infections of kidney 590																					
Total	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-	
Black Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
60 Hyperplasia of prostate 600																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium 630-676																1					
Total	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61 Pregnancy with abortive outcome 630-638																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																			
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
62 Other complications of pregnancy, childbirth, and the puerperium 640-676																					
Total	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63 Congenital anomalies 740-759																					
Total	33	24	2	-	-	2	-	1	1	1	-	-	-	-	1	-	-	1	-	-	-
Black Male	10	7	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	14	10	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White Male	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Certain perinatal conditions 760-779																					
Total	142	141	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Black Male	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
64 Birth trauma, intrauterine hypoxia, birth asphyxia and RDS 767-769																					
Total	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 Other conditions originating in the perinatal period 760-766,770-779																					
Total	107	106	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Black Male	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66 Symptoms, signs and ill-defined conditions 780-799																	1				
Total	78	19	1	-	-	2	4	2	5	3	2	4	6	4	5	3	3	4	4	7	-
Black Male	33	9	1	-	-	1	2	-	3	3	2	1	3	1	1	1	2	3	-	-	-
Female	28	8	-	-	-	-	-	2	-	-	-	2	2	3	3	-	1	1	3	4	-
White Male	9	2	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	2	1	-
Female	8	-	-	-	-	-	1	-	1	-	-	1	1	-	1	1	-	-	-	2	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
67 All other diseases residual																					
Total	881	6	3	2	1	4	8	48	92	79	62	42	42	52	46	46	70	84	70	121	3
Black Male	392	4	-	1	1	1	6	33	64	47	35	29	21	26	18	14	26	25	23	16	2
Female	254	2	2	1	-	1	2	4	16	11	12	7	13	15	21	24	30	31	18	43	1
White Male	135	-	-	-	-	2	-	10	12	20	12	6	7	9	5	6	8	15	7	16	-
Female	100	-	1	-	-	-	-	1	-	1	3	-	1	2	2	2	6	13	22	46	-
Accidents and adverse effects 800-949																					
Total	204	1	2	7	6	10	12	14	18	8	10	11	8	8	17	19	9	19	8	17	-
Black Male	116	-	2	5	3	6	6	11	13	5	6	8	6	4	14	12	4	7	3	1	-
Female	41	-	-	1	2	4	2	2	2	1	2	1	2	3	2	5	3	4	2	3	-
White Male	21	-	-	-	1	-	2	1	1	2	2	2	-	1	1	2	1	4	-	1	-
Female	26	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	1	4	1	12	-
68 Motor vehicle accidents 810-825																					
Total	81	1	1	5	4	8	9	7	12	2	3	5	4	2	5	5	2	4	1	1	-
Black Male	53	-	1	4	3	4	5	7	8	1	1	4	4	1	4	4	-	1	1	-	-
Female	17	-	-	1	1	4	2	-	2	-	1	1	-	1	-	1	1	1	-	1	-
White Male	7	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	1	1	-	-	-
Female	4	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
69 All other accidents and adverse effects 800-807,826-949																					
Total	123	-	1	2	2	2	3	7	6	6	7	6	4	6	12	14	7	15	7	16	-
Black Male	63	-	1	1	-	2	1	4	5	4	5	4	2	3	10	8	4	6	2	1	-
Female	24	-	-	-	1	-	-	2	-	1	1	-	2	2	2	4	2	3	2	2	-
White Male	14	-	-	-	1	-	1	1	-	1	1	2	-	1	-	2	-	3	-	1	-
Female	22	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	3	3	12	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1987-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
70 Suicide 950-959																					
Total	57	-	-	-	-	2	8	10	12	6	4	3	-	2	-	3	3	1	-	3	-
Black Male	29	-	-	-	-	1	7	2	6	3	3	1	-	2	-	1	1	1	-	1	-
Female	4	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
White Male	15	-	-	-	-	1	1	4	4	2	-	-	-	-	-	1	1	-	-	1	-
Female	9	-	-	-	-	-	-	2	1	1	1	1	-	-	-	1	1	-	-	1	-
71 Homicide and legal intervention 960-978																					
Total	210	3	2	-	2	15	48	49	23	29	13	5	9	1	4	2	1	2	1	1	-
Black Male	162	1	1	-	2	12	38	44	18	19	11	3	8	1	3	1	-	-	-	-	-
Female	41	2	1	-	-	3	9	4	4	9	1	2	-	-	1	-	1	2	1	1	-
White Male	5	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
72 All other external causes 980-999																					
Total	154	-	-	1	-	3	12	27	37	28	13	10	4	5	3	5	-	3	-	3	-
Black Male	121	-	-	-	-	3	10	22	27	20	11	8	4	5	3	5	-	2	-	1	-
Female	22	-	-	1	-	-	1	4	6	6	2	1	-	-	-	-	1 -	-	-	1	-
White Male	8	-	-	-	-	-	1	1	3	1	-	1	-	-	-	-	-	1	-	-	-
Female	3	-			-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-

Table 25a.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD:
DISTRICT OF COLUMBIA, 1987

Rank	Cause of death	Total	All races								
			Ward								
			1	2	3	4	5	6	7	8	Unk.
	Total all causes	7,395	888	1,010	864	1,116	1,094	895	877	584	67
01	Diseases of heart (390-398,402,404-429)	2,201	245	306	288	371	342	265	234	143	7
02	Cancer (including etc.) (140-208)	1,631	178	195	204	273	273	203	191	107	[illegible]
03	Cerebrovascular disease (430-438)	387	51	50	80	61	47	42	39	16	[illegible]
04	Chronic liver disease and cirrhosis (571)	262	35	50	9	30	45	30	35	21	[illegible]
05	Pneumonia and influenza (480-487)	229	26	30	33	28	32	31	30	16	[illegible]
06	Homicide and legal intervention (960-978)	210	22	20	2	25	30	22	37	45	[illegible]
07	Accidents and adverse effects (800-949)	204	30	19	22	24	38	19	32	13	[illegible]
08	Chronic obstructive pulmonary disease, etc. (490-496)	181	16	28	29	34	26	17	22	9	
09	Septicemia (038)	157	20	21	5	30	17	26	22	15	[illegible]
10	Diabetes mellitus (250)	142	16	16	9	22	24	21	20	13	[illegible]
10	Certain perinatal conditions (760-779)	142	22	13	5	11	15	19	24	28	5
12	Nephritis, nephrotic syndrome and nephrosis (580-589)	100	13	13	10	10	11	14	19	10	-
13	Atherosclerosis (440)	59	9	13	19	5	5	1	5	2	-
14	Suicide (950-959)	57	6	14	7	6	4	5	5	9	[illegible]
15	Hypertension with or without renal disease (401,403)	34	4	1	7	6	2	8	6	-	
16	Congenital anomalies (740-759)	33	5	6	3	4	-	4	1	7	[illegible]
17	Hernia of abdominal cavity & intestinal obstruction without mention of hernia (550-553,560)	29	4	6	5	5	3	2	2	2	
18	Benign neoplasms, carcinoma in situ, neoplasms nec (210-239)	25	4	6	4	3	5	1	2	-	
19	Tuberculosis (010-018)	17	3	4	-	4	1	3	-	2	
20	Ulcer of stomach and duodenum (531-533)	16	1	2	6	1	3	1	2	-	
21	Residual	1,279	178	197	117	163	171	161	149	126	[illegible]

Table 25b.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD: DISTRICT OF COLUMBIA, 1987 - CONTINUED

Rank	Cause of death	Total	Black								
			Ward								
			1	2	3	4	5	6	7	8	Unk
	Total all causes	5,515	711	659	63	885	1,021	776	820	532	48
01	Diseases of heart (390-398,402,404-429)	1,576	199	204	18	276	316	223	216	120	4
02	Cancer (including etc.) (140-208)	1,239	151	121	18	225	259	178	180	102	5
03	Cerebrovascular disease (430-438)	252	38	29	4	50	45	36	34	16	
04	Chronic liver disease and cirrhosis (571)	217	29	32	-	26	42	28	32	21	7
05	Homicide and legal intervention (960-978)	203	20	18	-	24	30	22	37	45	7
06	Accidents and adverse effects (800-949)	157	22	12	-	22	35	18	32	12	4
07	Pneumonia and influenza (480-487)	156	17	22	3	20	29	26	25	12	2
08	Certain perinatal conditions (760-779)	133	20	12	2	8	15	19	24	28	5
09	Septicemia (038)	125	17	15	1	21	14	23	19	14	1
10	Diabetes mellitus (250)	120	14	14	2	17	23	19	19	12	
11	Chronic obstructive pulmonary disease, etc. (490-496)	111	10	11	1	26	25	13	20	5	
12	Nephritis, nephrotic syndrome and nephrosis (580-589)	84	13	10	1	9	10	13	18	10	
13	Suicide (950-959)	33	3	6	1	4	4	3	5	6	1
14	Atherosclerosis (440)	30	7	7	1	5	4	1	4	1	
15	Hypertension with or without renal disease (401,403)	26	2	1	2	5	2	8	6	-	
16	Congenital anomalies (740-759)	24	3	4	-	4	-	4	1	6	
17	Hernia of abdominal cavity & intestinal obstruction without mention of hernia (550-553,560)	20	2	4	1	4	3	2	2	2	
18	Tuberculosis (010-018)	17	3	4	-	4	1	3	-	2	
19	Benign neoplasms, carcinoma in situ, neoplasms nec (210-239)	16	4	3	-	2	4	1	2	-	
20	Ulcer of stomach and duodenum (531-533)	9	1	2	-	-	3	1	2	-	
21	Residual	967	136	128	8	133	157	135	142	118	10

Table 25c.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD: DISTRICT OF COLUMBIA, 1987 - CONTINUED

Rank	Cause of death	Total	White								
			Ward								
			1	2	3	4	5	6	7	8	Unk
	Total all causes	1,880	177	351	801	231	73	119	57	52	19
01	Diseases of heart (390-398,402,404-429)	625	46	102	270	95	26	42	18	23	3
02	Cancer (including etc.) (140-208)	392	27	74	186	48	14	25	11	5	2
03	Cerebrovascular disease (430-438)	135	13	21	76	11	2	6	5	-	1
04	Pneumonia and influenza (480-487)	73	9	8	30	8	3	5	5	4	1
05	Chronic obstructive pulmonary disease, etc. (490-496)	70	6	17	28	8	1	4	2	4	
06	Accidents and adverse effects (800-949)	47	8	7	22	2	3	1	-	1	1
07	Chronic liver disease and cirrhosis (571)	45	6	18	9	4	3	2	3	-	
08	Septicemia (038)	32	3	6	4	9	3	3	3	1	
09	Atherosclerosis (440)	29	2	6	18	-	1	-	1	1	
10	Suicide (950-959)	24	3	8	6	2	-	2	-	3	
11	Diabetes mellitus (250)	22	2	2	7	5	1	2	1	1	1
12	Nephritis, nephrotic syndrome and nephrosis (580-589)	16	-	3	9	1	1	1	1	-	
13	Certain perinatal conditions (760-779)	9	2	1	3	3	-	-			
13	Congenital anomalies (740-759)	9	2	2	3	-	-	-		1	1
13	Hernia of abdominal cavity & intestinal obstruction without mention of hernia (550-553,560)	9	2	2	4	1	-		-	-	
13	Benign neoplasms, carcinoma in situ, neoplasms nec (210-239)	9	-	3	4	1	1	-	-	-	
14	Hypertension with or without renal disease (401,403)	8	2	-	5	1	-	-	-	-	
15	Ulcer of stomach and duodenum (531-533)	7	-	-	6	1	-	-	-	-	
15	Homicide and legal intervention (960-978)	7	2	2	2	1	-	-	-	-	
16	Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	
21	Residual	312	42	69	109	30	14	26	7	8	

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE: DISTRICT OF COLUMBIA, 1987

	Cause of death	Total	Less than one day	1-6 days	7-27 days	28 days-5 months	6-11 months
	Total	199	93	35	20	43	8
01	Certain intestinal infections	-	-	-	-	-	-
02	Whooping cough	-	-	-	-	-	-
03	Meningococcal infection	-	-	-	-	-	-
04	Septicemia	1	-	-	-	-	1
05	Viral diseases	-	-	-	-	-	-
06	Congenital syphilis	-	-	-	-	-	-
07	Remainder of infectious and parasitic diseases	1	-	-	-	1	-
08	Malignant neoplasm, including neoplasm of lymphatic and hematopoietic tissues	-	-	-	-	-	-
09	Benign neoplasms, carcinoma in situ, and neoplasms nec	-	-	-	-	-	-
10	Diseases of thymus gland	-	-	-	-	-	-
11	Cystic fibrosis	-	-	-	-	-	-
12	Diseases of blood and blood-forming organs	-	-	-	-	-	-
13	Meningitis	-	-	-	-	-	-
14	Other diseases of nervous system and sense organs	-	-	-	-	-	-
15	Acute upper respiratory infections	-	-	-	-	-	-
16	Bronchitis and bronchiolitis	-	-	-	-	-	-
	Pneumonia and influenza	2	-	-	-	2	-
17	Pneumonia	2	-	-	-	2	-
18	Influenza	-	-	-	-	-	-
19	Remainder of diseases of respiratory system	3	-	-	-	2	1
20	Hernia of abdominal cavity & intestinal obstruction without mention of hernia	-	-	-	-	-	-
21	Gastritis, duodenitis, and noninfective enteritis and colitis	1	-	-	-	1	-
22	Remainder of diseases of digestive system	2	-	-	1	1	-
	Congenital anomalies	24	5	8	3	8	-
23	Anencephalus and similar anomalies	1	1	-	-	-	-
24	Spina bifida	-	-	-	-	-	-
25	Congenital hydrocephalus	1	-	-	1	-	-

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE: DISTRICT OF COLUMBIA, 1987-CONTINUED

	Cause of death	Total	Less than one day	1-6 days	7-27 days	28 days-5 months	6-11 months
26	Other congenital anomalies of central nervous system and eye	2	-	1	-	1	-
27	Congenital anomalies of heart	10	2	3	-	5	-
28	Other congenital anomalies of circulatory system	1	-	1	-	-	-
29	Congenital anomalies of respiratory system	1	-	1	-	-	-
30	Congenital anomalies of digestive system	-	-	-	-	-	-
31	Congenital anomalies of genitourinary system	-	-	-	-	-	-
32	Congenital anomalies of musculoskeletal system	1	1	-	-	-	-
33	Downs syndrome	-	-	-	-	-	-
34	Other chromosomal anomalies	4	1	-	1	2	-
35	All other and unspecified congenital anomalies	3	-	2	1	-	-
	Certain conditions originating in the perinatal period	141	87	27	16	8	3
36	Newborn affected by maternal conditions which may be unrelated to present pregnancy	-	-	-	-	-	-
37	Newborn affected by maternal complications of pregnancy	2	2	-	-	-	-
38	Newborn affected by complications of placenta, cord and membranes	2	2	-	-	-	-
39	Newborn affected by other complications of labor and delivery	1	1	-	-	-	-
40	Slow fetal growth and fetal malnutrition	-	-	-	-	-	-
41	Disorders relating to short gestation and unspecified low birth weight	37	31	3	2	1	-
42	Disorders relating to long gestation and high birth weight	-	-	-	-	-	-
43	Birth trauma	4	-	2	2	-	-
	Intrauterine hypoxia and birth asphyxia	4	2	2	-	-	-
44	Fetal distress in liveborn infant	1	1	-	-	-	-
45	Birth asphyxia	3	1	2	-	-	-
46	Respiratory distress syndrome	27	9	10	5	1	2
47	Other respiratory conditions of newborn	30	20	3	3	3	1

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE: DISTRICT OF COLUMBIA, 1987-CONTINUED

	Cause of death	Total	Less than one day	1-6 days	7-27 days	28 days-5 months	6-11 months
48	Infections specific to the perinatal period.....	5	3	1	1	-	-
49	Neonatal hemorrhage.....	3	1	1	-	1	-
50	Hemolytic disease of newborn, due to isoimmu., & other perinatal jaundice.....	-	-	-	-	-	-
51	Syndrome of 'infant of a diabetic mother' and neonatal diabetes mellitus.....	1	1	-	-	-	-
52	Hemorrhagic disease of newborn.....	-	-	-	-	-	-
53	All other and ill-defined conditions originating in the perinatal period.....	25	15	5	3	2	-
	Symptoms, signs and ill-defined conditions.....	19	-	-	-	18	1
54	Sudden infant death syndrome.....	19	-	-	-	18	1
55	Symptoms, signs, and all other ill-defined conditions.....	-	-	-	-	-	-
	Accidents and adverse effects.....	1	-	-	-	1	-
56	Inhal and ingest food or other object causing obstruction or respiratory tract or suffocation.	-	-	-	-	-	-
57	Accidental mechanical suffocation.....	-	-	-	-	-	-
58	Other accidental causes and adverse effects.....	1	-	-	-	1	-
	Homicide.....	3	1	-	-	1	1
59	Child battering and other maltreatment.....	1	-	-	-	1	-
60	Other homicide.....	2	1	-	-	-	1
61	All other causes.....	1	-	-	-	-	1

Table 27.--RESIDENT INFANT DEATHS BY CAUSE: DISTRICT OF COLUMBIA, 1985 - 1987

Cause of death	Total	1987	1986	1985
Total	614	199	211	204
Certain conditions originating in the perinatal period	414	141	142	131
Newborn affected by maternal complications of pregnancy	12	2	4	6
Newborn affected by complications of placenta, cord and membranes	10	2	6	2
Newborn affected by other complications of labor and delivery	1	1	-	-
Disorders relating to short gestation and unspecified low birth weight	120	37	43	40
Birth trauma	7	4	-	3
Fetal distress in liveborn infant	2	1	1	-
Birth asphyxia	17	3	8	6
Respiratory distress syndrome	65	27	24	14
Other respiratory conditions of newborn	97	30	27	40
Infections specific to the perinatal period	15	5	6	4
Neonatal hemorrhage	12	3	5	4
Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	1	1	-	-
All other and ill-defined conditions originating in the perinatal period	55	25	18	12
Symptoms, signs and ill-defined conditions	63	19	26	18
Sudden infant death syndrome	61	19	24	18
Symptoms, signs, and all other ill-defined conditions	2	-	2	-
Congenital anomalies	79	24	24	31
Anencephalus and similar anomalies	6	1	2	3
Spina bifida	1	-	-	1
Congenital hydrocephalus	2	1	1	-
Other congenital anomalies of central nervous system and eye	4	2	1	1
Congenital anomalies of heart	24	10	7	7
Other congenital anomalies of circulatory system	7	1	3	3
Congenital anomalies of respiratory system	8	1	6	1
Congenital anomalies of genitourinary system	5	-	2	3
Congenital anomalies of musculoskeletal system	6	1	-	5
Other chromosomal anomalies	7	4	1	2
All other and unspecified congenital anomalies	9	3	1	5

Table 27.--RESIDENT INFANT DEATHS BY CAUSE: DISTRICT OF COLUMBIA, 1985 - 1987 - CONTINUED

Cause of death	Total	1987	1986	1985
Accidents and adverse effects	7	1	1	5
Accidental mechanical suffocation	1	-	-	1
Other accidental causes and adverse effects	6	1	1	4
Homicide	4	3	1	-
Child battering and other maltreatment	1	1	-	-
Other homicide	3	2	1	-
Septicemia	2	1	-	1
Remainder of infections and parasitic diseases	3	1	1	1
Benign neoplasms, carcinoma in situ, and neoplasms nec	1	-	-	1
Diseases of blood and blood-forming organs	1	-	1	-
Meningitis	2	-	-	2
Other diseases of nervous system and sense organs	3	-	3	-
Bronchitis and bronchiolitis	1	-	-	1
Pneumonia	7	2	3	2
Remainder of diseases of respiratory system	4	3	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia	1	-	1	-
Gastritis, duodenitis, & noninfective enteritis & colitis	4	1	1	2
Remainder of diseases of digestive system	6	2	2	2
All other causes	12	1	5	6

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1987

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births a/	Deaths	
					All ages	Under 1 year of age
Total.....	10,178	6,092	421	1,388	7,395	199
Residence unknown.....	26	15	1	4	67	8
1.1b/.....	35	3	-	1	54	-
1.2b/.....	2	-	-	-	4	-
2.....	21	3	1	-	27	-
3.....	59	4	-	4	30	-
4.....	10	1	-	1	10	-
5.2.....	42	9	1	3	36	1
5.3b/.....	17	1	2	1	5	-
5.4b/.....	5	-	-	-	18	-
6.....	33	5	-	-	90	-
7.1.....	26	5	-	-	73	-
7.2.....	24	3	-	1	20	1
8.1.....	62	3	-	3	44	2
8.2.....	30	2	-	-	14	-
9.1.....	37	1	-	2	31	-
9.2.....	27	1	1	-	17	-
10.1.....	93	7	2	6	76	1
10.2.....	30	-	-	2	22	-
11.....	66	5	-	3	58	-
12.....	56	3	1	2	52	-
13.1.....	33	2	-	1	56	1
13.2.....	38	5	1	2	74	-
14.....	76	7	-	3	61	-
15.....	88	5	-	6	78	2
16.....	47	10	2	7	41	-
17.....	78	40	2	7	64	1
18.1.....	2	1	-	-	-	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1987 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births [a/]	Deaths	
					All ages	Under 1 year of age
18.3.....	37	17	1	2	32	-
18.4.....	63	33	-	11	37	1
19.1.....	59	30	2	12	72	-
19.2.....	23	16	4	6	41	1
20.1.....	31	15	-	3	22	-
20.2.....	65	40	2	10	60	-
21.1.....	93	60	1	11	69	1
21.2.....	76	44	3	16	76	3
22.1.....	52	33	3	4	59	-
22.2.....	42	28	1	6	41	1
23.1.....	60	37	3	7	56	1
23.2.....	6	-	-	-	138	-
24.....	58	41	3	7	51	1
25.1.....	51	33	-	10	40	-
25.2.....	87	59	3	14	70	-
26.0.....	24	3	1	1	37	-
27.1.....	86	38	6	11	49	2
27.2.....	100	41	4	8	47	1
28.....	211	128	12	18	77	4
29.....	81	48	2	12	48	2
30.....	49	30	4	5	20	1
31.....	56	36	4	8	51	4
32.....	110	80	7	17	84	2
33.1.....	60	41	5	16	66	-
33.2.....	47	34	1	10	32	3
34.....	61	49	5	7	67	1
35.....	51	38	3	8	41	3
36.....	89	68	3	16	62	3
37.....	154	103	9	17	67	5

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1987 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births [a/]	Deaths	
					All ages	Under 1 year of age
38.....	103	51	5	13	39	1
39.....	84	33	2	7	22	1
40.....	78	17	1	5	57	-
41.....	23	1	-	1	26	-
42.1.....	55	26	2	5	26	-
42.2.....	40	12	2	3	20	1
43.....	59	32	3	3	43	1
44.....	45	28	1	7	34	1
45.....	32	23	1	6	23	1
46.....	73	55	5	11	57	-
47.....	113	83	3	20	85	2
48.1.....	48	38	1	3	57	1
48.2.....	83	57	2	13	53	5
49.1.....	48	37	3	6	45	1
49.2.....	31	18	3	2	24	1
50.....	106	65	6	16	112	4
51.....	7	4	-	1	22	-
52.1.....	47	23	3	5	38	-
52.2.....	15	6	2	3	10	2
53.1.....	59	15	-	3	38	1
53.2.....	5	3	-	-	8	-
54.1.....	5	1	1	-	6	-
54.2.....	3	1	-	-	1	-
55.1.....	16	2	-	1	35	1
55.2.....	10	1	-	-	6	-
56.....	19	2	-	-	59	-
57.1.....	10	1	-	-	10	-
57.2.....	-	-	-	-	-	-
58.....	11	1	1	2	21	1

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1987 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births a/	Deaths	
					All ages	Under 1 year of age
59.....	20	17	-	2	32	-
60.1.....	21	8	1	1	15	1
60.2.....	15	14	1	3	6	1
61.....	9	4	-	-	13	-
62.3b/....	2	1	-	-	6	-
62.4b/....	-	-	-	-	-	-
63.1.....	15	2	-	4	36	-
63.2.....	1	-	-	-	1	-
64.....	59	47	6	15	32	1
65.....	20	5	1	1	18	2
66.....	16	2	-	-	8	-
67.....	50	14	1	4	38	-
68.1.....	51	38	2	11	49	2
68.2.....	54	36	4	6	30	-
68.4.....	-	-	-	-	2	-
69.0.....	32	14	-	5	35	-
70.....	32	19	2	5	21	2
71.....	66	52	5	13	45	-
72.....	44	39	2	7	50	-
73.1.....	184	18	-	12	8	-
73.2.....	88	65	3	12	55	2
73.4.....	160	125	12	31	50	5
73.8.....	1	-	-	-	29	-
74.1.....	63	54	4	6	28	-
74.4.....	127	108	7	23	32	5
74.5.....	172	139	12	33	56	5
74.6.....	85	74	5	14	15	3
74.7.....	93	69	5	16	34	5
74.8.....	63	50	7	8	15	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1987 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births [a/]	Deaths	
					All ages	Under 1 year of age
75.1.....	163	132	9	27	72	4
75.3b/....	69	58	6	12	46	-
75.4b/....	44	33	1	10	7	-
76.1.....	109	69	8	12	58	3
76.3.....	67	26	1	8	45	1
76.4.....	80	49	4	14	49	2
76.5.....	65	39	3	15	35	1
77.1b/....	14	6	-	2	16	1
77.2b/....	13	8	-	2	4	-
77.3.....	136	106	3	23	51	-
77.7.....	85	53	4	16	53	2
77.8.....	55	43	2	10	26	2
78.3.....	92	74	3	12	66	1
78.4.....	78	60	2	17	66	1
78.5.....	81	59	3	19	76	4
78.7.....	43	35	1	10	33	-
78.8.....	99	82	6	17	51	6
79.1.....	77	53	2	10	75	1
79.3.....	30	24	2	8	56	3
80.1.....	48	24	2	4	50	-
80.2.....	69	42	3	7	43	2
81.....	42	16	1	6	22	1
82.....	16	1	-	-	14	-
83.3b/....	23	13	-	2	12	-
83.4b/....	29	13	-	5	33	-
83.5b/....	11	9	-	-	4	-
83.6b/....	24	12	-	1	24	-
84.2.....	30	21	2	4	50	1
84.3b/....	6	5	-	1	4	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1987 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births [a/]	Deaths	
					All ages	Under 1 year of age
84.4[b/]....	31	23	3	8	29	1
85.....	68	45	2	5	66	-
86.1[b/]....	1	1	-	-	2	-
86.2[b/]....	9	6	1	2	7	-
87.1.....	54	41	1	10	39	-
87.2.....	39	32	2	10	38	2
88.2.....	81	54	3	13	81	1
88.3.....	41	32	3	7	17	1
88.4.....	70	52	3	13	42	1
89.3.....	64	50	6	13	47	1
89.4.....	83	64	5	13	66	3
89.5.....	4	4	-	-	-	-
90.1.....	13	7	1	-	58	-
90.2.....	38	32	3	8	23	-
91.1.....	40	17	2	5	49	-
91.2.....	111	83	5	18	70	1
92.1.....	20	11	-	1	14	-
92.2.....	114	76	4	18	89	-
93.1.....	54	30	2	7	57	-
93.2.....	38	30	1	3	17	-
94.....	70	38	3	8	71	-
94.8[b/]....	8	3	-	-	4	-
94.9[b/]....	29	15	-	2	32	-
95.2.....	78	49	2	13	67	1
95.3.....	39	16	2	7	51	2
95.4[b/]....	70	42	2	7	38	2
95.5.....	47	23	1	4	48	1
95.6[b/]....	2	1	-	-	4	-
95.7.....	17	9	-	5	20	1

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1987 - CONTINUED

Census tract	Live births	Out-of-wedlock births	Live births with no prenatal care	Immature births a/	Deaths	
					All ages	Under 1 year of age
96.1.....	68	54	2	9	39	2
96.2.....	56	44	6	16	25	1
96.3.....	35	17	3	4	41	1
96.4.....	34	20	3	5	52	1
97.....	141	123	9	25	30	1
98.1.....	85	69	8	13	30	1
98.2.....	57	53	1	7	21	1
98.3.....	70	54	5	15	22	3
98.4.....	67	52	2	10	12	2
98.5.....	28	22	-	4	16	-
98.6.....	140	113	4	19	27	3
98.7.....	73	61	3	13	36	4
98.8.....	47	36	1	9	18	1
98.9.....	2	2	-	1	43	-
99.1.....	26	14	1	1	32	-
99.2.....	47	26	1	4	38	1
99.3.....	81	65	5	10	46	-
99.4.....	105	83	4	16	29	2
99.5.....	70	52	1	11	34	2
99.6.....	43	28	2	12	32	2
99.7.....	56	39	2	10	15	1

a/With birth weight of less than 2,500 grams.

b/Pseudo tract number created for tracts split by ward boundaries.

Table 29.--RECORDED DEATHS FROM ACCIDENTAL CAUSES BY AGE AND TYPE OF ACCIDENT: DISTRICT OF COLUMBIA, 1987

Type of accident	Total	Age (in years)					
		Under 5	5-14	15-24	25-44	45-64	65 and over
Total 1/	286	15	15	38	74	55	89
Work	13	-	-	3	8	1	1
Agriculture	1	-	-	1	-	-	-
Mining, quarying oil and gas wells	1	-	-	-	1	-	-
Construction	6	-	-	1	4	1	-
Trade	1	-	-	-	1	-	-
Service	3	-	-	1	2	-	-
Government	1	-	-	-	-	-	1
Home	62	7	1	2	7	19	26
Poisonings (gas excepted)	2	1	-	-	-	1	-
Falls	36	2	-	1	2	11	20
Fires	10	-	-	-	3	5	2
Drowning	5	2	1	-	1	-	1
Suffocation, injested food or object	3	1	-	1	-	-	1
Suffocation, mechanical	1	1	-	-	-	-	-
Other and unspecified home accidents	5	-	-	-	1	2	2
Motor vehicle	114	6	10	29	33	15	21
Injury to pedestrian	38	2	5	4	10	7	10
Injury to pedal cyclist	6	-	2	-	4	-	-
Injury to rider of animal or occupant of animal-drawn vehicle	1	-	-	-	1	-	-
Collision with other motor vehicle	29	2	1	7	10	4	5
Collision with fixed object	12	1	-	8	-	-	3
Noncollision	12	-	-	5	4	1	2
Other and unspecified accidents	16	1	2	5	4	3	1

Table 29.--RECORDED DEATHS FROM ACCIDENTAL CAUSES BY AGE AND TYPE OF ACCIDENT: DISTRICT OF COLUMBIA, 1987-CONTINUED

Type of accident	Total	Age (in years)					
		Under 5	5-14	15-24	25-44	45-64	65 and over
Public non-motor vehicle.....	80	2	3	4	24	17	30
Railroad-not with motor vehicle.	1	-	-	1	-	-	-
Other road vehicle-not with motor vehicle.....	1	-	-	-	1	-	-
Air transport.....	22	-	-	2	7	4	9
Drowning.....	11	1	-	1	6	1	2
Other and unspecified public accidents.....	45	1	3	-	10	12	19
Type of accident unknown.....	17	-	1	-	2	3	11

1/Includes deaths occurring within the District of Columbia of residents and non-residents.

Table 30.--ESTIMATED POPULATION BY AGE, RACE, AND SEX: DISTRICT OF COLUMBIA, JULY 1, 1987

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total...	628,600	291,800	336,800	457,200	212,400	244,800	171,400	79,400	92,000
Under 5.....	36,800	18,600	18,200	30,800	15,600	15,200	6,000	3,000	3,000
5-9.....	32,400	16,800	15,600	27,900	14,400	13,500	4,500	2,400	2,100
10-14.....	36,500	18,500	18,000	31,800	16,100	15,700	4,700	2,400	2,300
15-19.....	43,400	22,000	21,400	35,600	17,900	17,700	7,800	4,100	3,700
20-24.....	59,500	26,400	33,100	45,000	21,200	23,800	14,500	5,200	9,300
25-29.....	67,900	31,400	36,500	46,500	21,800	24,700	21,400	9,600	11,800
30-34.....	59,500	28,000	31,500	39,000	17,900	21,100	20,500	10,100	10,400
35-39.....	49,700	23,400	26,300	31,500	14,300	17,200	18,200	9,100	9,100
40-44.....	40,600	19,500	21,100	26,600	12,300	14,300	14,000	7,200	6,800
45-49.....	32,400	15,300	17,100	23,900	11,000	12,900	8,500	4,300	4,200
50-54.....	29,700	14,000	15,700	22,700	10,300	12,400	7,000	3,700	3,300
55-59.....	30,700	14,100	16,600	23,400	10,400	13,000	7,300	3,700	3,600
60-64.....	32,300	14,300	18,000	24,400	10,700	13,700	7,900	3,600	4,300
65 and over..	77,200	29,500	47,700	48,100	18,500	29,600	29,100	11,000	18,100

Source: Office of Planning, Data Services Division, Demographic Unit.

Table 31.--MARRIAGES BY MONTH OF MARRIAGE:
DISTRICT OF COLUMBIA, 1987

Marriage month	Number	Percent
Total.....	5,013	100.0
January.....	32	.6
February.....	258	5.1
March.....	357	7.1
April.....	377	7.5
May.....	622	12.4
June.....	670	13.4
July.....	404	8.1
August.....	555	11.1
September.....	566	11.3
October.....	506	10.1
November.....	368	7.3
December.....	298	5.9

Table 32.--MARRIAGES BY AGE OF GROOM BY AGE OF BRIDE:
DISTRICT OF COLUMBIA, 1987

Age of groom (in years)	Total	Age of bride (in years)							
		Less than 15	15-19	20-29	30-39	40-49	50-59	60-64	65 and over
Total.....	5,013	1	303	2,927	1,307	329	91	20	35
Less than 15	1	1	-	-	-	-	-	-	-
15-19.....	128	-	84	42	2	-	-	-	-
20-29.....	2,546	-	201	2,108	224	13	-	-	-
30-39.....	1,528	-	17	678	762	67	4	-	-
40-49.....	508	-	1	87	265	142	11	2	-
50-59.....	195	-	-	12	48	83	45	4	3
60-64.....	35	-	-	-	3	14	11	4	3
65 and over.	72	-	-	-	3	10	20	10	29

Table 33.--MARRIAGES BY MARITAL STATUS OF GROOM BY MARITAL STATUS OF BRIDE: DISTRICT OF COLUMBIA, 1987

Marital status of groom	Total		Marital status of bride							
			Never married		Divorced		Annulment		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	5,013	100.0	3,980	100.0	921	100.0	1	100.0	111	100.0
Never married	3,666	73.1	3,274	82.3	364	39.5	-	-	28	25.2
Divorced	1,243	24.8	671	16.9	524	56.9	1	100.0	47	42.3
Annulment	1	.0	1	.0	-	-	-	-	-	-
Widowed	103	2.1	34	.9	33	3.6	-	-	36	32.4

Table 34.--MARRIAGES BY AGE OF GROOM BY MARITAL STATUS OF GROOM: DISTRICT OF COLUMBIA, 1987

Age of groom (in years)	Total		Marital status of groom							
			Never married		Divorced		Annulment		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	5,013	100.0	3,666	100.0	1,243	100.0	1	100.0	103	100.0
Less than 15	1	.0	1	.0	-	-	-	-	-	-
15-19	128	2.6	128	3.5	-	-	-	-	-	-
20-29	2,546	50.8	2,402	65.5	141	11.3	1	100.0	2	1.9
30-39	1,528	30.5	988	27.0	533	42.9	-	-	7	6.8
40-49	508	10.1	116	3.2	371	29.8	-	-	21	20.4
50-59	195	3.9	20	.5	153	12.3	-	-	22	21.4
60-64	35	.7	7	.2	20	1.6	-	-	8	7.8
65 and over	72	1.4	4	.1	25	2.0	-	-	43	41.7

Table 35.--MARRIAGES BY AGE OF BRIDE BY MARITAL STATUS OF BRIDE: DISTRICT OF COLUMBIA, 1987

Age of bride (in years)	Total		Marital status of bride							
			Never married		Divorced		Annulment		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	5,013	100.0	3,980	100.0	921	100.0	1	100.0	111	100.0
Less than 15	1	.0	1	.0	-	-	-	-	-	-
15-20	303	6.0	303	7.6	-	-	-	-	-	-
20-29	2,927	58.4	2,735	68.7	186	20.2	1	100.0	5	4.5
30-39	1,307	26.1	839	21.1	448	48.6	-	-	20	18.0
40-49	329	6.6	80	2.0	217	23.6	-	-	32	28.8
50-59	91	1.8	19	.5	51	5.5	-	-	21	18.9
60-64	20	.4	1	.0	6	.7	-	-	13	11.7
65 and over	35	.7	2	.1	13	1.4	-	-	20	18.0

Table 36.--DIVORCES AND DIVORCE RATES: DISTRICT OF COLUMBIA, 1981-1987

Year	Number	Rate*
1987**.....	2,496	4.0
1986**.....	2,326	3.7
1985**.....	2,379	3.8
1984**.....	2,557	4.1
1983.....	2,731	4.4
1982.....	3,418	5.5
1981.....	3,896	6.2

*Rate per 1,000 total estimated population 1981-1987.

**Divorce and annulment decrees granted during 1984, 1985, 1986, 1987

Source: 1984-1987 Research and Statistics Division tabulations

1981-1983 National Center for Health Statistics: Annual Summary of Births, Marriages, Divorces, and Deaths, United States, 1980-1984. Monthly Vital Statistics Report(s). Vol's 19-33, No. 13, Sept.-Dec. 1981-1985.

Table 37.--DIVORCES BY DURATION OF MARRIAGE: DISTRICT OF COLUMBIA, 1987

Duration of marriage (in years)	Number*	Percent
Total	2,496	100.0
Under 1	26	1.0
1	138	5.5
2	197	7.9
3	208	8.3
4	209	8.4
5	197	7.9
6	147	5.9
7	135	5.4
8	105	4.2
9	106	4.2
10-14	350	14.0
15-19	249	10.0
20-24	139	5.6
25-29	94	3.8
30 and over	151	6.0
Not stated	45	1.8

*Includes divorces and annulments.

Table 38.--DIVORCES BY NUMBER OF CHILDREN UNDER 18 YEARS OF AGE AFFECTED: DISTRICT OF COLUMBIA, 1987

Number of children affected	Total divorces*	Total children
Total	2,496	879
None or not stated	1,617	-
1	489	489
2	264	264
3	88	88
4	27	27
5	7	7
6	3	3
7	1	1

*Includes divorces and annulments.

Table 39.--DIVORCES BY AGE OF WIFE BY AGE OF HUSBAND: DISTRICT OF COLUMBIA, 1987

Age of wife (in years)	Total*	Age of husband (in years)							
		Less than 20	20-29	30-39	40-49	50-59	60-69	70 or over	Not stated
Total	2,496	13	487	997	541	254	90	56	58
Less than 20	29	1	9	14	-	1	1	1	2
20-29	690	3	372	265	25	5	1	11	8
30-39	1,001	2	85	629	234	26	5	8	12
40-49	461	4	6	67	247	101	10	12	14
50-59	172	2	2	4	23	102	36	1	2
60-69	56	-	-	-	-	12	30	11	3
70 or over	12	-	-	-	-	-	2	8	2
Not stated	75	1	13	18	12	7	5	4	15

*Includes divorces and annulments.

Table 40.--AGE OF HUSBAND BY MARRIAGE NUMBER: DISTRICT OF COLUMBIA, 1987

Age (in years)	Total*	Marriage number					
		1st	2nd	3rd	4th	5th	Not stated
Total	2,496	2,011	380	57	12	1	35
Less than 20	13	8	4	1	-	-	-
20-29	487	468	14	-	-	-	5
30-39	997	853	115	12	1	-	16
40-49	541	380	130	20	1	-	10
50-59	254	165	73	12	3	-	1
60-69	90	46	29	9	5	-	1
70 or over	56	41	10	2	2	1	-
Not stated	58	50	5	1	-	-	2

*Includes divorces and annulments.

Table 41.--AGE OF WIFE BY MARRIAGE NUMBER: DISTRICT OF COLUMBIA, 1987

Age (in years)	Total*	Marriage number					
		1st	2nd	3rd	4th	5th	Not stated
Total	2,496	2,036	368	37	5	1	49
Less than 20	29	23	5	-	1	-	-
20-29	690	652	25	1	-	-	12
30-39	1,001	827	145	7	2	1	19
40-49	461	325	109	15	1	-	11
50-59	172	120	41	9	-	-	2
60-69	56	29	22	4	1	-	-
70 or over	12	6	6	-	-	-	-
Not stated	75	54	15	1	-	-	5

*Includes divorces and annulments.

Table 42.--DIVORCES BY DURATION OF MARRIAGE BY HUSBAND'S MARRIAGES: DISTRICT OF COLUMBIA, 1987

Duration of marriage (in years)	Total*	Marriage number					
		1st	2nd	3rd	4th	5th	Not stated
Total	2,496	2,011	380	57	12	1	35
Under 1	26	19	4	1	1	-	1
1	138	110	19	5	2	-	2
2	197	152	35	5	1	-	4
3	208	174	28	3	1	-	2
4	209	167	32	6	1	-	3
5	197	159	26	4	1	1	6
6	147	109	34	4	-	-	-
7	135	94	34	5	1	-	1
8	105	83	20	2	-	-	-
9	106	79	19	6	1	-	1
10-14	350	270	65	9	1	-	5
15-19	249	212	33	2	-	-	2
20-24	139	123	11	1	1	-	3
25-29	94	89	4	1	-	-	-
30 and over	151	137	10	2	1	-	1
Not stated	45	34	6	1	-	-	4

*Includes divorces and annulments.

Table 43.--DIVORCES BY DURATION OF MARRIAGE BY WIFE'S MARRIAGES: DISTRICT OF COLUMBIA, 1987

Duration of marriage (in years)	Total*	Marriage number					
		1st	2nd	3rd	4th	5th	Not stated
Total.....	2,496	2,036	368	37	5	1	49
Under 1.....	26	18	5	2	-	-	1
1.....	138	105	22	6	-	-	5
2.....	197	165	23	4	1	-	4
3.....	208	159	39	3	1	-	6
4.....	209	159	44	1	-	1	4
5.....	197	164	25	3	-	-	5
6.....	147	119	26	2	-	-	-
7.....	135	109	18	3	2	-	3
8.....	105	84	18	2	-	-	1
9.....	106	79	25	2	-	-	-
10-14.....	350	283	56	3	-	-	8
15-19.....	249	222	22	2	1	-	2
20-24.....	139	118	16	1	-	-	4
25-29.....	94	89	3	1	-	-	1
30 and over...	151	132	17	1	-	-	1
Not stated....	45	31	9	1	-	-	4

*Includes divorces and annulments.

Table 44.--DIVORCES BY MONTH OF DIVORCE: DISTRICT OF COLUMBIA, 1987

Divorce month	Number	Percent
Total	2,496	100.0
January	145	5.8
February	238	9.5
March	280	11.2
April	251	10.1
May	247	9.9
June	257	10.3
July	213	8.5
August	225	9.0
September	193	7.7
October	148	5.9
November	160	6.4
December	139	5.6